Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 1/10



1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK Color Ink Cartridge / 10C, Yellow Ink

Product code: 8946501 - Yellow Ink

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: ink or inkjet chemical

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, call (800) 242-2424.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Reproductive toxicity	Category 1B	
Specific target organ toxicity -	Category 1	Oral
single exposure		

GHS-Labelling

Contains:

Glycerol (56-81-5), Ethylene glycol (107-21-1), Ethanesulfonic acid, 2-(methyl((9Z)-1-oxo-9-octadecenyl)amino)-, potassium salt (130976-49-7)

Symbol(s):



Signal word: Danger

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 2/10

Hazard statements: May damage fertility or the unborn child. Causes damage to organs if swallowed. (Kidney, Central nervous system.)

Precautionary statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF exposed: Call a POISON CENTER or doctor/ physician.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS IV Hazard Ratings: Health - 1*, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 1, Flammability - 1, Instability - 0

NOTE: HMIS IV and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight	Components - (CAS-No.)
percent	
5 - 10	Glycerol (56-81-5)
1 - 5	Ethylene glycol (107-21-1)
0.1 - < 1	Silica (7631-86-9)
0.1 - < 1	Ethanesulfonic acid, 2-(methyl((9Z)-1-oxo-9-octadecenyl)amino)-, potassium salt (130976-49-7)

The data in this MSDS refer to the small amount (gram quantities) of ink which is absorbed on a felt pad and contained in a plastic cartridge.

Approximately 80% of the ink is water.

4. First aid measures

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 3/10

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Eyes: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lens, if worn. Get medical attention if symptoms persist.

Skin: Wash off immediately with soap and plenty of water. Get medical attention if symptoms occur.

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: Due to rapid absorption of material, evacuation of the stomach is effective only if performed immediately after ingestion. Whenever possible, stomach evacuation should be accomplished by gastric lavage with appropriate airway control to prevent aspiration.

5. Firefighting measures

Extinguishing Media: Water spray, Carbon dioxide (CO2), Dry chemical, Foam.

Special hazards arising from the substance or mixture Hazardous Combustion Products: Carbon oxides

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective suit. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Prevent runoff from entering drains, sewers, or streams.

Environmental precautions: No information available.

7. Handling and storage

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 4/10

Precautions for safe handling

Personal precautions: Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapour. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Ventilation: Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8).

Conditions for safe storage, including any incompatibilities: Keep in a dry, cool and well-ventilated place. Cool conditions (5 - 30°C). Keep container tightly closed. Keep away from food, drink and animal feeding stuffs. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical name	Regulatory List	Value Type	Value
Glycerol	OSHA	Time weighted average	15 mg/m3
		F	Form of exposure: mist, total particulate
Glycerol		Time weighted average	5 mg/m3
		Fori	m of exposure: mist, respirable fraction
		Time weighted average	10 mg/m3
			Form of exposure: total dust
			Remarks: mist
		Time weighted average	5 ppm
			Form of exposure: respirable fraction
			Remarks: mist
Ethylene glycol	ACGIH	Time weighted average	25 ppm
			Form of exposure: vapor fraction
		Short term exposure limit	10 mg/m3
		Form of exposure: in	halable particulate matter, aerosol only
		Short term exposure limit	50 ppm
			Form of exposure: vapor fraction
		Ceiling Limit Value	100 mg/m3
			Form of exposure: aerosol only
		Ceiling Limit Value	50 ppm 125 mg/m3
			Form of exposure: vapor

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 5/10

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear protective gloves/ protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: yellow

Odour: No data available

Specific gravity: No data available

Vapour pressure: No data available

Vapour density: No data available

Boiling point/boiling range: No data available

Water solubility: soluble

pH: No data available

Flash point: > 93.33 °C (> 200.0 °F) (estimated)

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 6/10

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Effects of Exposure

General advice:

Contains: Ethylene glycol. severe effects after repeated or prolonged exposure Can cause

kidney damage.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: May cause transient irritation.

Skin: Causes mild skin irritation.

Ingestion: Can cause kidney damage and CNS effects following ingestion.

Data for Glycerol (CAS 56-81-5):

Acute Toxicity Data:

Oral LD50 (Rat): 12,600 mg/kg

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 7/10

Inhalation LC50 (Rat): > 570 mg/m3 / 1 hr

• Dermal LD50 (Rabbit): > 10 g/kg

Skin irritation: slightEye irritation: very slight

Data for Ethylene glycol (CAS 107-21-1):

Acute Toxicity Data:

Oral LDLo (Humans): 1,600 mg/kg

• Oral LD50 (Rat): 4,700 mg/kg

Inhalation (Rat): 2.5 mg/l / 6 hr

Dermal LD50 (Rabbit): 10,607 mg/kg

Dermal LD50 (Rat): 10,600 mg/kg

• Skin irritation: Mild skin irritation

Sensitisation (human): none

Sensitisation (Guinea pig): none

• Eye irritation: none

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

International Agency for Research on Cancer (IARC):

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

U.S. National Toxicology Program (NTP):

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

U.S. Occupational Safety and Health Administration (OSHA):

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

12. Ecological information

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 8/10

The following properties are ESTIMATED from the components of the preparations.

This product has not been tested for environmental effects.

Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l estimated

Toxicity to daphnia (EC50): > 100 mg/l estimated

Toxicity to algae (EC50): 10 - 100 mg/l estimated

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied. For information on how to recycle used cartridges, please visit www.kodak.com/go/recycle.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List Notification status

TSCA Not all listed

DSL Not all listed

NDSL Listed

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 9/10

EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TCSI	Not all listed
TSCA 12(b)	Listed

[&]quot;Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Ethylene glycol
U.S CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ethylene glycol
U.S California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ethylene glycol
U.S California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by	Glycerol , Ethylene glycol

Revision Date: 01/18/2018 000000035344/Version: 2.2 Print Date: 08/16/2018

Page: 10/10

Employers (a.k.a. Right to Know Law):

U.S. - Minnesota Employee Right-to-Know (5206.0400, Glycer

Subpart 5. List of Hazardous Substances):

U.S. - New Jersey - Worker and Community Right to Know

Act (N.J.S.A. 34:5A-1):

U.S. - Pennsylvania - Part XIII. Worker and Community
Right-to-Know Act (Chapter 323 Hazardous Substance

List, Appendix A):

Glycerol, Ethylene glycol

Glycerol, Ethylene glycol

Water , Glycerol , Ethylene glycol

16. Other information

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-1, S-2, F-1, C-0 REPO