Distributed by

Rainbow Technology Corp.

Tel: 1.800.637.6047 / 205.733.0333 RTC Product #79350

MULTISORB TECHNOLOGIES, INC

MATERIAL SAFETY DATA SHEET

Revised Date May 27, 2014 **Preparation Date** March 26, 2010

MSDS Number M119

Section 1 - Product and Company Information

Product Name: Drican® (Indicating Silica gel, Aluminum case)

Product Use: Desiccant, adsorbent **Grades:** Silica gel, indicating

Synonyms: Amorphous silica gel, SiO₂, silicon dioxide (amorphous)

Company; Multisorb Technologies, Inc.

Street Address: 325 Harlem Road

City, State, Zip, Country: Buffalo, NY 14224-1893 USA

Telephone Number: (716) 824 8900 [USA] Monday - Friday (8:00 - 5:00 EDT)

Fax Number: (716) 824 4091 [USA]

Website / E-Mail: multisorb.com

Section 2 - Hazard Identification

Emergency Overview: An aluminum case containing a clear blue granular material that poses little or no

immediate hazard. The case and the contents of the case are not combustible.

Potential Health Effects:

Eyes: None Skin: None

Ingestion: Ingestion is very unlikely but if ingested get medical attention.

Inhalation: None

Medical Effects Generally Aggravated by Exposure: None

Chronic Effects/Carcinogenicity: None

Section 3 – Composition / Information on Ingredients

Component Name	CAS Number	% by Weight	
Synthetic amorphous silica gel (SiO ₂)	112926-00-8	80 - 90	
Cobalt chloride	7646-79-9	.5	
Aluminum	7429-90-5	10 - 20	

While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

Safety Data Sheet (SDS)

Multisorb Technologies, Inc. Drican® (Indicating Silica Gel - Al Case) February 15, 2009 Page 2 of 4

Section 4 – First Aid Measures

Eyes: Rinse the eyes well with water while lifting the eye lids. If irritation persists, consult a

physician.

Skin: Wash affected area with soap and water.

Ingestion: Ingestion is unlikely but if ingested get medical attention.

Inhalation: Remove the affected person to fresh air and get medical attention if necessary.

Notes to Physician: Not applicable

Section 5 – Fire Fighting Measures

Flammable Properties: Not flammable

Flash Point: Not applicable Method: Not applicable

Flammable Limits: Not flammable

Lower Flammability Limit: Not applicable Upper Flammability Limit: Not applicable

Auto-ignition Temperature: Not applicable

Hazardous Combustion Products: Not applicable

Extinguishing Media: Use extinguishing media that is appropriate for the surrounding fire. The silica gel

and the aluminum case are not combustible.

Fire Fighting Instructions: The silica gel and the aluminum case are not combustible.

Unusual Fire and Explosion Hazards: None

Section 6 – Accidental Release Measures

Spill: Sweep or vacuum up and place the spilled material in a waste disposal container. Avoid raising dust. Wash with soap and water after handling.

Section 7 – Handling and Storage

Handling: Avoid raising dust and minimize the contact between worker and the material. Practice

good hygienic work practices.

Storage: Store in a cool, dry location. Keep in sealed containers away from moisture. The silica gel

will readily adsorb moisture.

Section 8 – Exposure Controls/Personal Protection

Engineering Controls: Not required.Respiratory Protection: Not required.Skin Protection: Not required.Eye Protection: Not required.

	Exposure Limits		
Component Name	OSHA	ACGIH	Other
_	PEL	TLV	Recommended
			Limits
There is no exposure to the components as dust or fume.	Not applicable	Not applicable	Not applicable

Safety Data Sheet (SDS)

Multisorb Technologies, Inc. Drican® (Indicating Silica Gel - Al Case) February 15, 2009 Page 3 of 4

Section 9 – Physical and Chemical Properties

Appearance: Silver metal canister Vapor Density: Not applicable

Odor:NoneBoiling Point:4046° F (2230° C) (Silica Gel)Physical State:Silver metal canisterMelting Point:3110° F (1710° C) (Silica Gel)

PH: Not applicable Solubility: Insoluble in water

Vapor Pressure: Not applicable Specific Gravity: 2.1

Flammable:Not applicableAuto-ignition Point:Not applicableFlash Point:Not applicableFlammable Limits:Not applicable

Section 10 – Stability and Reactivity

Stability: Stable

Conditions to avoid: Moisture and high humidity environments

Incompatibility: Water, fluorine, oxygen difluoride, chlorine trifluoride

Hazardous Decomposition Products: None **Hazardous Polymerization:** Will not occur

Section 11 – Toxicological Information

The following toxicological information refers to the contents of the case. In normal use there is no exposure to the contents.

Animal Toxicology Tests for DOT Hazard classification

(Tests Conducted on finely ground silica gel)

1 - hour LC_{50} (rat) > 2 mg / 1

48 - hour oral LD₅₀ (rat) est. > 31,600 mg / kg 48 - hour dermal LD₅₀ (rabbit) est. > 2,000 mg / kg

Considered an ocular irritant

Human Toxicology Silica gel is a synthetic amorphous silica not to be confused with crystalline silica.

Epidemiological studies indicate low potential for adverse health effects. In the activated form, silica gel acts as a desiccant and can cause a drying irritation of the mucous membranes and skin in cases of severe exposure. Multisorb Technologies Inc. knows of no medical conditions that are abnormally aggravated by exposure to silicated. The printers are the factor is inhelicity of that

silica gel. The primary route of entry is inhalation of dust.

Section 12 – Ecological Information

Not known to have any adverse effect on the aquatic environment. Silica gel is insoluble and non-toxic.

Safety Data Sheet (SDS)

Multisorb Technologies, Inc. Drican® (Indicating Silica Gel - Al Case) February 15, 2009 Page 4 of 4

Section 13 – Disposal Information

Disposal Information If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Materials of a hazardous nature that contact the product during normal use may be retained on the product. The user of the product must identify the hazards associated with the retained material in order to assess the waste disposal options. Dispose according to federal, state and local regulations.

Section 14 – Transportation Information

U.S. Department of Transportation Shipping Name: Not classified as a hazardous material. Not regulated.

Section 15 – Regulatory Information (Not meant to be all inclusive - selected regulations represented)

The following regulatory information refers to the contents of the product. In normal use there is no exposure to the contents.

TSCA Listed: Yes (Ingredients)

OSHA: See section 8 above.

NIOSH: See section 8 above.

Animal tests conducted in 1976 - 1978. 18 month exposure at 15 mg/m³ showed silica

deposition in respiratory macrophages and lymph nodes, minimum lung impairment, no silicosis.

ACGIH: See section 8 above.

DOT: Not classified as a hazardous material.

Canadian Hazardous Products Act This product is not classified as a controlled product under the

regulations pursuant to the Federal Hazardous Product Act (e.g.

WHMIS).

Canadian Environmental Protection Act All ingredients of

All ingredients of this product are notified to CEPA and on the DSL(Domestic Substances List).

Section 16 – Other Information

HMIS - Hazardous Materials Identification System

HMIS Rating		
Health	0	
Flammability	0	
Physical	0	

The HMIS rating information is intended solely for the use of individuals trained in the use of the HMIS rating system.

The NPCA specifically recommends that prepares of MSDSs should not place HMIS PPE designation codes on the MSDSs or labels that leave the facility as it is not known the conditions under which the customer will use this product.

This MSDS was prepared by: George E. Mckedy

Senior Applications Development Specialist

Multisorb Technologies, Inc.

This data and recommendations presented in this data sheet concerning the use of our product and the materials contained therein are believed to be correct but does not purport to be all inclusive and shall be used only as a guide. However, the customer should determine the suitability of such materials for his purpose before adopting them on a commercial scale. Since the use of our products is beyond our control, no guarantee, expressed or implied, is made and no responsibility assumed for the use of this material or the results to be obtained therefrom. Information on this form is furnished for the purpose of compliance with Government Health and Safety Regulations and shall not be used for any other purposes. Moreover, the recommendations contained in this data sheet are not to be construed as a license to operate under, or a recommendation to infringe, any existing patents, nor should they be confused with state, municipal or insurance requirements, or with national safety codes.