

# Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

## SECTION 1: Identification

### 1.1. Product Identifier

**Trade Name or Designation:** Mixed ICP Standard, 1000 ppm Si, Ti with trace HF

**Product Number:** RPMX198N

**Other Identifying Product Numbers:** RPMX198N-250N

### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

**Company:** Ricca Chemical Company

**Address:** 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)

800-424-9300

CHEMTREC (International)

1+ 703-527-3887

## SECTION 2: Hazard(s) Identification

### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

This product is not categorized as hazardous in any GHS hazard class.

### 2.2. GHS Label Elements

**Pictograms:** None Required.

**Signal Word:** None Required.

# Safety Data Sheet

**Hazard Statements:** None Required.

**Precautionary Statements:** None Required.

## 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## SECTION 3: Composition / Information on Ingredients

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H <sub>2</sub> O	18.01 g/mol	7732-18-5	98.89
Ammonium Hexafluorosilicate (IV)	(NH <sub>4</sub> ) <sub>2</sub> SiF <sub>6</sub>	178.15 g/mol	16919-19-0	0.63
Ammonium Hexafluorotitanate	(NH <sub>4</sub> ) <sub>2</sub> TiF <sub>6</sub>	197.93 g/mol	16962-40-6	0.41
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1

## SECTION 4: First-Aid Measures

### 4.1. General First Aid Information

**Eye Contact:** May cause irritation, redness, pain, and tearing.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

**Skin Contact:** Skin contact may cause burns which may not be immediately apparent or painful. The burns can be bone deep.

**Ingestion:** Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. Does not present any significant health hazards. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: Skin contact may cause burns which may not be immediately apparent or painful. The burns can be bone deep. CHRONIC EFFECTS / CARCINOGENICITY: Chronic exposures may cause mottling of teeth and bone damage and fluorosis. Symptoms of fluorosis include brittle bones, weight loss, anemia, calcified ligaments, general ill health and joint stiffness.

### 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

# Safety Data Sheet

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing Media

Use water or water spray.

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

### 6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

## SECTION 7: Handling and Storage

### 7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

## Safety Data Sheet

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	2.5 mg/m <sup>3</sup> TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorosilicate (IV) (169 TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorotitanate (16962- TLV-TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorotitanate (16962- TWA		USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hexafluorotitanate (16962- TLV-TWA		USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hexafluorotitanate (16962- TWA		USA	2.5 mg/m <sup>3</sup> TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)



## Safety Data Sheet

Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"2.5 mg/m <sup>3</sup> TWA (as F)" As Fluorides [RR-02792-9]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m <sup>3</sup> TWA (as F)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** Normal room ventilation is adequate.

**Skin Protection:** Chemical resistant gloves, Neoprene or PVC.

**Eye Protection:** Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves, Neoprene or PVC. Safety glasses or goggles.

# Safety Data Sheet

## SECTION 9: Physical and Chemical Properties

### 9.1. Basic Physical and Chemical Properties

**Appearance:** Colorless liquid

**Physical State:** Liquid

**Odor:** Data not available.

**Odor Threshold:** Data not available.

**pH:** Data not available.

**Melting/Freezing Point:** Approximately 0°C

**Initial Boiling Point/Range:** Approximately 100°C -

**Flash Point:** Data not available.

**Evaporation Rate:** Data not available.

**Flammability:** Data not available.

**Flammability/Explosive Limits:** Data not available.

**Vapor Pressure:** Data not available.

**Vapor Density:** Data not available.

**Relative Density:** 1.00

**Solubility:** Miscible

**Partition Coefficient:** Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

**Viscosity:** Data not available.

**Explosive Properties:** Data not available.

**Oxidizing Properties:** Data not available.

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Avoid contact with metals, concrete, glass and ceramics. Contact with metals may form flammable Hydrogen gas.

### 10.4. Hazardous Decomposition Products

Will not occur.



## Safety Data Sheet

### SECTION 11: Toxicological Information

#### 11.1. Information on Toxicological Effects

**Acute Toxicity - Oral Exposure:**

Not applicable.

**Acute Toxicity - Dermal Exposure:**

Not applicable.

**Acute Toxicity - Inhalation Exposure:**

Not applicable.

**Acute Toxicity - Other Information:**

LC50, Inhalation, Rat, Hydrofluoric Acid: 1276 ppm/1 H.

**Skin Corrosion and Irritation:**

Not applicable.

**Serious Eye Damage and Irritation:**

Not applicable.

**Respiratory Sensitization:**

Not applicable.

**Skin Sensitization:**

Not applicable.

**Germ Cell Mutagenicity:**

Not applicable.

**Carcinogenicity:**

Not applicable.

**Reproductive Toxicity:**

Not applicable.

**Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

**Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

**Aspiration Hazard:**

Not applicable.

**Additional Toxicology Information:**

Data not available.

### SECTION 12: Ecological Information

#### 12.1. Ecotoxicity

Not applicable.

## Safety Data Sheet

### 12.2. Persistence and Degradability

Data not available.

### 12.3. Bioaccumulative Potential

Data not available.

### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

## SECTION 13: Disposal Considerations

### 13.1. Waste Treatment Methods

Data not available.

## SECTION 14: Transportation Information

### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

## Safety Data Sheet

### 14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

## SECTION 15: Regulatory Information

### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1000 lb final RQ; 454 kg final RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

## Safety Data Sheet

### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Ammonium Hexafluorotitanate (CAS # 16962-40-6): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Hexafluorotitanate (CAS # 16962-40-6): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

### 15.5. Massachusetts Right-to-Know Substance List

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Environmental hazard

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

### 15.7. New Jersey Worker and Community Right-to-Know Components

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): "sn 0936" As Fluorides [RR-02792-9]

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0101

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): sn 0936

Ammonium Hexafluorotitanate (CAS # 16962-40-6): "sn 0936" As Fluorides [RR-02792-9]

Ammonium Hexafluorotitanate (CAS # 16962-40-6): sn 0936

Hydrofluoric Acid (CAS # 7664-39-3): "sn 0936" As Fluorides [RR-02792-9]

Hydrofluoric Acid (CAS # 7664-39-3): corrosive

Hydrofluoric Acid (CAS # 7664-39-3): sn 0936

Hydrofluoric Acid (CAS # 7664-39-3): sn 3759

Hydrofluoric Acid (CAS # 7664-39-3): SN 3759 100 lb TPQ; SN 1014 100 lb TPQ

### 15.8. California Proposition 65

Not listed.

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present (DSL)

Ammonium Hexafluorotitanate (CAS # 16962-40-6): Present (NDSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Water (CAS # 7732-18-5): Present (DSL)

## Safety Data Sheet

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): Present (ACTIVE)

Ammonium Hexafluorotitanate (CAS # 16962-40-6): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Water (CAS # 7732-18-5): Present (ACTIVE)

### 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Ammonium Hexafluorosilicate (IV) (CAS # 16919-19-0): 240-968-3

Ammonium Hexafluorotitanate (CAS # 16962-40-6): 241-036-9

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Water (CAS # 7732-18-5): 231-791-2

## SECTION 16: Other Information

### 16.1. Full Text of Hazard Statements and Precautionary Statements

### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.


### 16.3. National Fire Protection Association (NFPA) Rating

Health:

Flammability:

Reactivity:

Special Hazard:



### 16.4. Document Revision

Last Revision Date: 2023-10-11

## DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.