

Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK lnk

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12 SDS No: BHK014-01-EUUSOTHER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name (code) LC37BK (LK3104001, LK4790001), LC51BK (LK2083001, LK4155001),

LC57BK (LK2361001, LK4758001), LC960BK (LK2459001), LC970BK (LK2645001), LC1000BK (LK2552001), LC51HYBK (LK2198001), LC57HYBK (LK2367001),

LC960HYBK (LK2466001), LC1000HYBK (LK2329001)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Use(s)

These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices

and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother.

1.3 Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

Importer (USA) Brother International Corporation

200 Crossing Boulevard, Bridgewater, NJ 08807, USA

Telephone (for information): +1-800-284-4329

Importer (Canada) Brother International Corporation (Canada) Ltd.

1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada

Telephone (for information): +1-514-685-0600

Importer (Europe) Brother International Europe Ltd.

Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

Importer (Australia) Brother International (Aust.) Pty. Ltd. ACN 001 393 835

Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia

Telephone (for information): +61-2-9887-4344

E-mail Address sds.info@brother.co.jp

1.4 Emergency telephone number

Emergency Telephone CHEMTREC

(24 hours) +1-703-527-3887 (International)

+1-800-424-9300 (North America)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK Ink

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12 SDS No: BHK014-01-EUUSOTHER

5D5 NO: BHK014-01-E00501HER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified as hazardous

Classification according to Directive 1999/45/EC

Not classified as hazardous

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms

None

Signal Word

None

Hazard Statements

None

Precautionary statements

None

2.3 Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

ΕN

Description of the mixture: Water based inkjet ink (Mixture).

Chemical Name	CAS-No	EC-No	w/w%	Classification (67/548/EEC)	Classification (EU Reg. 1272/2008)
Glycerol	56-81-5	200-289-5	20-30	Not classified	Not classified
Carbon Black	1333-86-4	215-609-9	1-5	Not classified	Not classified
Water	7732-18-5	231-791-2	65-75	Not classified	Not classified

For the full text of R-phrases and H-Statements see Section 16



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK lnk

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12 SDS No: BHK014-01-EUUSOTHER

OBO NO. Britton of Ecocomicity

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, obtain medical attention.

Inhalation Obtain medical attention. In case of accident by inhalation remove casualty to fresh air and keep at

rest.

Skin contact Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and

water

Eye contact Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of

water for at least 15 minutes.

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to

drink.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Repeated and/or prolonged skin contact may cause irritation.

Eye contact: May cause eye irritation.

Ingestion: Ingestion may cause irritation of the gastrointestinal tract. Unlikely route of exposure.

Inhalation: Unlikely route of exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Extinguishing Media Extinguish preferably with dry chemical, carbon dioxide, water spray, foam.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the

substance or mixture

Thermal decomposition of organic components may result in occurrence of oxides of carbon. Toxic gases may be formed upon combustion and represents a hazard to firefighters. Combustion

products: See Section: 10.

5.3 Advice for firefighters

ΕN

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic

combustion gases from any source.



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK Ink

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12

SDS No: BHK014-01-EUUSOTHER

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency

Ensure adequate ventilation. Avoid contact with eyes.

procedures

6.2 Environmental precautions Prevent substance entering sewers. Washings must be prevented from entering surface water

drains.

6.3 Methods and materials for containment and cleaning up

Wipe up with absorbent towel Wash with water to remove remaining traces of ink

6.4 Reference to other sections For personal protection: See section 8.

For disposal considerations: See section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep out of the reach of children. Avoid contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from oxidizing agents.

7.3 Specific end use(s) These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices

and fax receivers. This cartridge should be used as supplied by Brother and for use in the products

stated.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical Name	Glycerol 56-81-5	
ACGIH TLV	TWA: 10 mg/m ³ mist	
OSHA PEL	TWA: 15 mg/m ³ mist, total particulate	
	TWA: 5 mg/m ³ mist, respirable fraction	
European Union	•	
The United Kingdom	STEL: 30 mg/m ³	
	TWA: 10 mg/m ³	
France	TWA: 10 mg/m ³	
Spain	TWA: 10 mg/m ³	
Germany	TWA: 50 mg/m ³	
•	Ceiling / Peak: 100 mg/m ³	
Portugal	TWA: 10 mg/m ³	
Finland	TWA: 20 mg/m ³	
Switzerland	STEL: 100 mg/m ³	
	TWA: 50 mg/m ³	
Poland	TWA: 10 mg/m ³	
Ireland	TWA: 10 mg/m ³	
Chemical Name	Carbon Black	
	1333-86-4	
ACGIH TLV	TWA: 3 mg/m ³ inhalable fraction	
OSHA PEL	TWA: 3.5 mg/m ³	
European Union		
The United Kingdom	STEL: 7 mg/m ³	
-	TWA: 3.5 mg/m ³	
France	TWA: 3.5 mg/m ³	
Spain	TWA: 3.5 mg/m ³	



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK lnk

Issuing Date: 20-December-2005 Revision Date: 10-November-2012

Version: 12 SDS No: BHK014-01-EUUSOTHER

Germany	Carc
Portugal	TWA: 3.5 mg/m ³
Finland	TWA: 3.5 mg/m ³
	STEL: 7 mg/m ³
Denmark	TWA: 3.5 mg/m ³
Poland	TWA: 4.0 mg/m ³
Norway	TWA: 3.5 mg/m ³
· ·	STEL: 7 mg/m ³
Ireland	TWA: 3.5 mg/m ³
	STEL: 7 mg/m ³

8.2 Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the event of

large spill), the following should be applied:

Eye Protection Safety goggles. Hand Protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection Large spillages: Wear suitable respiratory protective equipment.

Environmental Exposure Controls Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color Black
Odor Slight

Odor Threshold No information available

pH 7 - 9 Melting point/freezing point -/<-5 °C Initial boiling point and boiling range Flash Point 7 - 9 Not less than 93.3° C

(Tag closed cup; Cleveland open cup)

Evaporation rate No information available

Flammability (solid, gas) Not applicable

Upper/lower flammability or explosive No information available

limits

Vapor pressure
Vapor density
Relative density
Solubility(ies)
Partition coefficient: n-octanol/water
No information available
1.0 - 1.1 (H₂O=1)
Soluble (water)
No information available

Auto-ignition temperature >400 °C

Decomposition temperature No information available

Viscosity 1 - 5 mPa·s
Explosive properties Not explosive

Oxidizing properties No information available

9.2 Other information

No information available.



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK lnk

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12

SDS No: BHK014-01-EUUSOTHER

SECTION 10: Stability and reactivity

10.1 Reactivity No information available.

10.2 Chemical stability Stable.

10.3 Possibility of hazardous

reactions

No information available.

10.4 Conditions to avoidNo information available.

10.5 Incompatible materials Strong oxidizing agents.

10.6 Hazardous decomposition

products

ΕN

Contains: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation No information available. Eye contact No information available. Skin contact No information available.

Ingestion $LD_{50} > 2000 \text{ mg/kg}$ (Method OECD#420)

Skin corrosion/irritation Non-irritant. (Method: OECD#404)

Serious eye damage/irritation Minimal irritant to the eye. (Method: OECD#405)

Respiratory or skin sensitisation It is not a skin sensitizer. (Method: OECD#429)

Mutagenicity Negative. (Method: OECD#471)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible

human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung

tumors.

Other ingredients of this product have not been classified as carcinogens according to IARC

monographs, NTP and OSHA.



Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12

LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK Ink

SDS No: BHK014-01-EUUSOTHER

SECTION 12: Ecological information

Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK,

12.1 Toxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Glycerol 56-81-5		LC ₅₀ : 51 - 57 mL/L 96 h static (Oncorhynchus mykiss)	EC ₅₀ : >500 mg/L 24 h (Daphnia magna)
Carbon Black 1333-86-4			EC ₅₀ : >5600 mg/L 24 h (Daphnia magna)

12.2 Persistance and degradability

No information available.

12.3 Bioaccumulative potential

Chemical Name	log Pow	
Glycerol	-1.76	

12.4 Mobility in soilNo information available.

12.5 Results of PBT and vPvB

assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating

(vPvB).

12.6 Other adverse effectsNo information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Dispose of

Dispose of in accordance with Federal, State, and local regulations.

SECTION 14: Transport information

Not classified according to the United Nations "Recommendations on the Transport of Dangerous Goods"

14.1 UN Number None

14.2 UN proper shipping name None

14.3 Transport hazard class(es) None

14.4 Packing Group None

14.5 Environmental hazards None

14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC

Not applicable

Code

ΕN

Not regulated under DOT, IMDG, IATA.



Product name: LC37BK, LC51BK, LC57BK, LC960BK, LC970BK, LC1000BK, LC51HYBK, LC57HYBK, LC960HYBK, LC1000HYBK Ink

Issuing Date: 20-December-2005 Revision Date: 10-November-2012 Version: 12 SDS No: BHK014-01-EUUSOTHER

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU:Not classified as dangerous for supply/use. (1999/45/EC)

USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety

data reporting rules. Canada: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

None.

No.

Full text of H-Statements referred to

under sections 2 and 3

None.

Additional information

Revision Note

ΕN

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of

preparation (revision).

Updated for compliance with EU Regulations 453/2010 and 172/2008 (CLP).

References: U.S. 29CFR Part 1910

ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological

Exposure Indices

IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization

EU Directive 91/322/EEC and 2000/39/EC

NTP 11th Report on Carcinogens

ACGIH: American Conference of Governmental Industrial Hygienists Abbreviations:

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods

NOHSC: National Occupational Health and Safety Commission (Australia)

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value (ACGIH) TSCA: Toxic Substances Control Act (US)

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Material Information System (Canada)