

SAFETY DATA SHEET

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

OLOTION ONLINIO	(L 1 1 (O	DOO! 7(11D OO!)		<i>,,</i> (1101	•	
Product Identifier			[WHMIS Classification]			
Perlite (All Grades)			Not Applicable			
Product Use						
Light weight aggregate, Horticu	Itural aggre	egate, Refractory, Ins	ulation, Filter aid.			
Manufacturer's Name			Supplier's Name			
Therm-O-Rock East, Inc.						
Street Address			Street Address			
1 Pine Street						
City		Province	City			Province
New Eagle		PA				
Postal Code Emergency Telephone		lephone	Postal Code		Emergency T	elephone
15067	724-258-3670					
Date MSDS Prepared MSD		MSDS Prepared By		Phone Number		
5-27-2015 Stanley		Stanley R. Slawek		(724) 25	58-3670	

SECTION 2 — HAZARDS IDENTIFICATION

020110112	,	
GHS Classification	Eye Irritant, Category 2A, Specifc target organ toxicity – single exposure, Category 3, Respiratory system.	GHS Symbol
Signal Word	Warning	•
Hazard Statement	Causes eye irritation. May cause respiratory irritation.	•
Precautionary Statements	Wear eye protection. IF IN EYES: Rinse cautiously with wate lenses, if present and easy to do. Continue Rinsing. If eye irri Avoid breathing dust. Use only outdoor or in a well-ventilated fresh air and keep at rest in a position comfortable for breathing	tation persists: Get medical attention. area. IF INHALED: Remove victim to

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

0_0110110 001111	<u> </u>			10.12.2.1.0		
Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	LC ₅₀ of Ingredient (specify species)	OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)
Perlite	100	130885-09-5	Not Available	Not Available	10	15
Silica	<1	14808-60-7	Not Available	Not Available	Not Available	.05

SECTION 4 — FIRST AID MEASURES

Skin Contact
Use moisture renewing lotions if dryness occurs.
Eye Contact
Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.
Inhalation
Remove to fresh air. Blow nose to evacuate dust.
Ingestion
Drink generous amounts of water to reduce bulk and drying effects.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable	If yes, under which conditions?	
☐Yes ☐ No		
Means of Extinction		
N/A		
Flashpoint (° C) and Method	Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)
None	None	None
Auto ignition Temperature (°C)	Explosion Data — Sensitivity to Impact	Explosion Data — Sensitivity to Static Discharge
Not Combustible	N/A	N/A
Hazardous Combustion Products		
N/A		
NFPA		
N/A		

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautions: If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles.

Containment and Cleanup: Vacuum clean dust with equipment fitted with HEPA filter. Use dust suppressant such as water if sweeping is necessary.

Environment: Not considered as hazardous waste by RCRA (40 CFR Part 261). Place waste and spillage in closed containers. Dispose of in approved landfill.

SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment

Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags.

Storage Requirements

Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid. Observe all label precautions and warnings.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

OLOTION D	I COOKE O	ONTINOE / I	LIVOOIVILI	NOTEOTIOI	1		
Exposure Limits	ACGIH TLV	OSHA PEL	Other (specify)				
Specific Engineering Controls (su	uch as ventilation, enclos	ed process)					
Adequate ventilation a	and appropriate	local exhaust w	here needed to ke	ep dust level be	elow PEL.		
Personal Protective Equipment	Gloves	Respirator	⊠ Eye	Footwear	Clothing	Other	
If checked, please specify type							
Eye: Goggles to prote	ect from dust.						
Skin: No special equip	pment is require	d.					
Respiratory: Respirate	ors fitted with filt	ers certified to s	standard 42CFR84	under series N	95 should be	e worn when dust is	

Respiratory: Respirators fitted with filters certified to standard 42CFR84 under series N95 should be worn when dust is present. If the dust concentration is less than ten (10) time the Permissible Exposure Limit (PEL) use a quarter or half mask respirator. If dust concentration is greater than ten (10) times and less than fifty (50) times the PEL, a full-face piece respirator fitted with replaceable N95 filters is recommended. If dust concentration is greater than fifty (50) and less than two-hundred (200) times the PEL use a power air-purify (positive pressure) respirator with replaceable N95 filter. If dust concentration is greater than two-hundred (200) times the PEL use a type C, supplied air respirator (continuous flow, positive pressure), with full face piece, hood or helmet.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Odor and Appearance	Odor Threshold (ppm)
Solid	White granules or powder. No distinct odor.	N/A
Specific Gravity	Vapor Density (air = 1)	Vapor Pressure (mmHg)
2.35	N/A	N/A
Evaporation Rate	Boiling Point (° C)	Freezing Point (° C)
N/A	N/A	N/A
pН	Coefficient of Water/Oil Distribution	[Solubility in Water]
6-10	N/A	Slightly Soluble

SECTION 10 —	- STABILITY		REACTI	\/ITV
OLUHUN IU —	·OIADILIII	AIND	NEACH	v I I I

0-0::0::			
Chemical Stability			If no, under which conditions?
	⊠Yes	□No	
Incompatibility with Ot	her Substances		If yes, which ones?
	⊠Yes	□No	Reacts with Hydrofluoric Acid to form Silicon Tetrafluoride gas
Reactivity and unde	r what conditions?		
No dangerou	s reactions kno	own.	
Hazardous Decomp	osition Products		
None			

SECTION 11 — TOXICOLOGICAL INFORMATIO	N					
Effects of Acute Exposure						
Potential irritant for skin contact, eye contact or inhalation.						
Effects of chronic exposure						
Perlite is a naturally occurring volcanic glass consisting of fused sodium-potassium-aluminum silicate. Tests conducted on Perlite have not identified crystalline silica as being present above the detection limit (0.05%). Although there are not published reports of adverse health effects from exposure to perlite dust, dust levels should be maintained below the OSHA Permissible Exposure Limit for perlite and respirators used when airborne dust is present.						
Irritancy of Product						
Potential irritant for skin contact, eye contact or inhalation.						
Skin sensitization	Respiratory sensitization					
Possible through skin contact.						
Carcinogenicity-IARC	Carcinogenicity - ACGIH					
N/A	N/A					
Reproductive toxicity	Teratogenicity					
N/A	N/A					
Embrotoxicity	Mutagenicity					
N/A	N/A					
Name of synergistic products/effects						
N/A						

SECTION 12 — ECOLOGICAL INFORMATION

Aquatic Toxicity

Generally considered inert. Perlite has no negative ecological effect and may be used as a soil container.

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste Disposal

Not considered hazardous waste by the RCRA (40 CFR Part 261). Place waste and spillage in closed containers.

Dispose in accordance with Federal, State and Local regulations.

SECTION 14 — TRANSPORT INFORMATION

<u> </u>			
Special Shipping Information			
No known shipping regula	itions.		
TDG	DOT	PIN	
N/A	N/A	N/A	
IMO	ICAO	<u>.</u>	
N/A	N/A		

SECTION 15 — REGULATORY INFORMATION

WHMIS Classification	OSHA	
	Perlite is not considered as a toxic or hazardous subject.	
SERA	TSCA	
Not Listed	Not Listed.	
•	has been classified in accordance with the hazard criteria of the	
Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.		

SECTION 16 — OTHER INFORMATION

Notice: This information relates only to the material designated and may not be valid for such material used in combination with any other materials or in any process. All statements, information and data provided are believed to be accurate and reliable, but are presented without any guarantee, representation, warranty or responsibility of any kind, expressed or implied. Any and all representations and/or warranties of merchantability of fitness for a particular purpose are specifically disclaimed. Users should make their own investigations as to the suitability of the information or product for their particular purpose. Nothing in this document is intended as permission, inducement or recommendation to violate any laws or practice any invention covered by existing patents, copyrights or inventions. Therm-O-Rock East, Inc. does not accept liability for any loss or damage that may occur from the use of this information.