The Shepherd Color Company We Brighten Lives

SAFETY DATA SHEET

1. Identification

Product identifier YELLOW 20P296

Other means of identification

Product Code YL0020P296

Iron Titanium Brown Spinel * C.I. Pigment BLACK 12 * CI Constitution #77543 * CPMA # 13-34-7 **Synonyms**

Recommended use Colorant **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Importer/Sup

The Shepherd Color Company

plier/Distributor information

Address 4539 Dues Drive

Cincinnati, OH 45246

USA

Telephone +1 513-874-0714 Fax +1-513-874-0946

Email SDS@shepherdcolor.com Contact person **Product Safety Department**

Emergency Response

Number

For a list of all numbers see section 16 of SDS

+1 866 519 4752 Access Code: 9327. Available 24/7/365 3E Global Incident

Response

2. Hazard(s) identification

Hazards for the product as sold

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

Hazard symbol None. Signal word None.

Hazard statement Contains no hazardous ingredients according to GHS

Precautionary statement

Prevention Not assigned. Response Not assigned. **Storage** Not assigned. **Disposal** Not assigned.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: YELLOW 20P296 1/7

YL0020P296 Version #: 14 Revision date: 07-16-2025 Issue date: 05-28-2015

Supplemental information

May cause skin and eve irritation. Inhalation of dusts may cause respiratory irritation. Avoid contact with eyes and prolonged or repeated contact with skin. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. IF SWALLOWED: Do not induce vomiting. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. IF IN EYES: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. IF ON SKIN: Wash with plenty of soap and water. Call a physician if symptoms develop or persist.

For industrial use only. Additional information is given in the Safety Data Sheet.

Substance(s) formed under the conditions of use

Not applicable.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS No./Unique ID	%
IRON TITANIUM BROWN SPIN	NEL C.I. Pigment BLACK 12	68187-02-0	100
	CI Constitution #77543		
	CPMA # 13-34-7		
	IRON TITANIUM BROWN SPINEL		
Composition comments	re calcination of the component su	bstances. Due to	
	ecessarily reflect		

4. First-aid measures

Inhalation Remove to fresh air. If the affected person is not breathing, apply artificial respiration. If breathing

is difficult, give oxygen. Call a physician if symptoms develop or persist.

Skin contact Wash the skin immediately with soap and water. Get medical attention if irritation develops or

persists.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

the properties of the component metals or oxides.

attention if irritation develops or persists.

Ingestion Never give anything by mouth to an unconscious person. If swallowed, do NOT induce vomiting.

Give several glasses of water to dilute contents of stomach and call a physician.

Most important

symptoms/effects, acute and

delayed

Contact with eyes may cause irritation. Inhalation of dusts may cause respiratory irritation.

Contact with skin may cause irritation.

General information If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Where there is a potential for eye exposure to this substance,

an eye wash fountain should be provided within the immediate work area for emergency use.

5. Fire-fighting measures

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

Not applicable.

Specific hazards arising from

the chemical

None known.

Special protective equipment

and precautions for firefighters

Use protective equipment appropriate for surrounding materials.

Fire fighting

Not a fire hazard

equipment/instructions

Not established.

Specific methods General fire hazards

This product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material.

Methods and materials for containment and cleaning up Avoid dust formation. Following product recovery, flush area with water. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

SDS US Material name: YELLOW 20P296

Environmental precautions Do not discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Keep formation of airborne dusts to a minimum. When using, do not eat, drink or smoke. Wash

hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Room temperature - normal conditions. Use care in handling/storage. Keep in properly labelled containers.

8. Exposure controls/personal protection

Occupational exposure limits

U.S. - OSHA

Metals	Туре	Value	Percent	Form
PARTICULATES NOT OTHERWISE REGULATED	PEL	5 mg/m3	100%	Respirable Fraction
		15 mg/m3	100%	Total Dust

ACGIH

Metals	Туре	Value	Percent	Form
PARTICULATES NOT OTHERWISE REGULATED	TLV	10 mg/m3	100%	Total Dust

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses with side-shields.

Skin protection

Hand protection Rubber or plastic gloves. PVC disposable gloves. Use impervious gloves. Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever work place conditions warrant a respirator's use. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. MSHA/NIOSH respirators approved for dusts TC-21C or NIOSH approved cartridges for Non-oil aerosols, N95, N99, N100 (42 CFR

84).

Thermal hazards Not applicable.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice.

9. Physical and chemical properties

Physical state Solid. Form Powder. Color brown Odor None.

Melting point/freezing point Not applicable. Boiling point or initial boiling Not applicable.

point and boiling range

Flammability Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable.

Flash point Not applicable. **Auto-ignition temperature** Not applicable.

Material name: YELLOW 20P296 3/7 **Decomposition temperature** Not applicable.

рΗ See tech data sheet.

Not available. Kinematic viscosity

Solubility

Solubility (water) Negligible

Partition coefficient

Not applicable.

(n-octanol/water)

Not applicable. Vapor pressure

Density and/or relative density

See tech data sheet. Density

Vapor density Not applicable.

Particle characteristics

Particle size See tech data sheet.

Other information

Evaporation rate Not applicable.

Specific gravity See tech data sheet. **Loose Packing Density** See tech data sheet.

10. Stability and reactivity

Not available. Reactivity

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known. Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Contact with skin may cause irritation.

Eye contact May irritate eyes.

Ingestion No adverse effects due to ingestion are expected.

Symptoms related to the physical, chemical and toxicological characteristics Product dust may be irritating to eyes, skin and respiratory system.

Information on toxicological effects

Acute toxicity May cause respiratory irritation. May be slightly irritating to skin and eyes.

Test Results Components **Species**

IRON TITANIUM BROWN SPINEL (CAS 68187-02-0)

Acute Inhalation

LD50 Rat Not Tested

Oral

LD50 Rat >= 10000 mg/kg Shepherd Color

Company Data

Skin corrosion/irritation Contact with skin may cause irritation.

Serious eye damage/eye May irritate eyes.

irritation

SDS US Material name: YELLOW 20P296 4/7 Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization No data available.

Germ cell mutagenicity Not available.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity No data available.

Specific target organ toxicity - No data available.

single exposure

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard No data available.

Chronic effects No data available.

Further information This product is the result of high temperature calcination of the component substances. Due to

its unique crystalline structure the properties of this finished material do not necessarily reflect the properties of the component metals or oxides. Repeated overexposure to this compound may cause eye, skin and respiratory tract irritation. Some compounds of the metals used in the manufacturing of this material have demonstrated various toxic properties. However, there is no

evidence that this material has these toxic characteristics.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability The product is not expected to be biodegradable.

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Mobility in soilNo data available.Mobility in generalNo data available.Other adverse effectsNone known.

13. Disposal considerations

Disposal instructionsAll wastes must be handled in accordance with local, state and federal regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsThis material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Material name: YELLOW 20P296 SDS US

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05-28-2015 Revision date 07-16-2025

Version # 14

Material name: YELLOW 20P296 6/7 **Further information Emergency Response Numbers:**

Americas Non-Specific: +1 760 476 3961 Access Code 9327 Europe Non-Specific: +1 760 476 3962 Access Code 9327 Middle East/Africa: +1 760 476 3959 Access Code 9327 Asia Pacific Non-Specific: +1 760 476 3960 Access Code 9327 Oceania Non-Specific: +1 760 476 3971 Access Code 9327

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information

Other information, including date of preparation or last revision: Disclaimer

Other information, including date of preparation or last revision: Further information

Material name: YELLOW 20P296 7/7

YL0020P296 Version #: 14 Revision date: 07-16-2025 Issue date: 05-28-2015