

Crew® Multi-Purpose Restroom Cleaner

Version Number: 4 Preparation date: 2017-02-23

1. IDENTIFICATION

Product name: Crew® Multi-Purpose Restroom Cleaner

 Product Code:
 100965931

 SDS #:
 MS0801111

 Recommended use:
 • Restroom Care

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters
Diversey, Inc.
2415 Cascade Pointe Blvd.
Charlotte, NC 28208
Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Sealed Air - Canada 3755 Laird Road Units 8-11 Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation
Metal Corrosion: Category 1
Category 1



Signal Word: Danger.

Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ 1:16

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Cocamidopropyl betaine	61789-40-0	5 - 10%
Alcohol ethoxylates	68439-46-3	3 - < 5%
Monoethanolamine	141-43-5	1 - < 3%
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	1 - < 3%
Sodium chloride	7647-14-5	1 - < 3%
Sodium hydroxide	1310-73-2	> 0.1 - < 1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Diluted Product:

Eyes: Rinse with plenty of water If irritation occurs and persists, get medical attention.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in **Environmental precautions** and clean-up methods:

a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep this product dry in original tightly closed container when not in use.

Aerosol Level (if applicable): Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
Cocamidopropyl betaine	61789-40-0	-	-
Alcohol ethoxylates	68439-46-3	-	-
Monoethanolamine	141-43-5	6 ppm (STEL)	3 ppm (TWA)
		3 ppm (TWA)	6 mg/m³ (TWA)
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	-	-
Sodium chloride	7647-14-5	-	-
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:

Respiratory protection:

Hygiene measures:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Skin and body protection:

Respiratory protection:

Hygiene measures:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Light Lime Green

Evaporation Rate: No information available Odor: Citrus

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/range: Not determined 999 Decomposition temperature: Not determined

Autoignition temperature: No information available 999 Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 9.12 lbs/gal 1.094 Kg/L

Bulk density: No information available

Relative Density (relative to water): 1.094

Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.4 °C

Partition coefficient (n-octanol/water): No information available

Dilution Flash Point (°F): > 200 °F > 93.4 °C Viscosity: 60 cP

Elemental Phosphorus: 0.00 % by wt. VOC: 2.48 % *

pH: 11.4 VOC % by wt. at use dilution 0.19 % *
Dilution pH: 11.1 @ 1:16 Flammability (Solid or Gas): Not applicable
Corrosion to metals: Not determined Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable
Stability: The product is stable
Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach). Corrosive

to steel and aluminum. No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Conditions to avoid:

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

<u>Carcinogen Listings</u>: Ethyl alcohol is only classified as an IARC 1 carcinogen and California Prop 65 when it is meant for ingestion in alcoholic beverages. We do not produce alcoholic beverages; therefore it is not considered a carcinogen in our products.

Ingredient(s)	CAS#	NTP	IARC	OSHA	CA Prop 65	CA Prop 65 Reproductive
Ethyl alcohol	64-17-5		-		Carcinogen	Developmental

Numerical measures of toxicity

 ATE - Oral (mg/kg):
 4100

 ATE - Dermal (mg/kg):
 >5000

 ATE - Inhalatory, mists (mg/l):
 >20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (methyl glycine diacetic acid 3Na-salt), 8, III, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	=	•	-	-
Methyl glycine diacetic acid 3Na-salt	164462-16-2	=	-	-	-
Cocamidopropyl betaine	61789-40-0	=	-	-	-
Alcohol ethoxylates	68439-46-3	=	-	-	-
Monoethanolamine	141-43-5	X	X	X	-
n-alkyl dimethyl benzyl ammonium	68424-85-1	-	-	-	-
chloride					
Sodium chloride	7647-14-5	=	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	X
Ethyl alcohol	64-17-5	X	X	X	-

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	1000		

Canadian Regulations

Ingredient(s)	CAS#	NPRI
Ethyl alcohol	64-17-5	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)
Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Flammability 0 Instability 0

Version Number: 4

Preparation date: 2017-02-23

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract