

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

1 Identification

· Product identifier

· Trade name: Speed Heat

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Heat source

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Sterno Products

1880 Compton Ave. #101

Corona, CA 92881

Phone: (951) 682-9600

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

Additional information:

Product generates heat when mixed with water. Thermal burns are possible under these conditions.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

Signal word: Danger

· Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Precautionary statements:

P261 Avoid breathing dust.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

(Cont'd. on page 2)

Page: 1/9



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 1)

Page: 2/9

P280 Wear protective gloves and eye protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards

P310

Product generates heat when mixed with water. Thermal burns are possible under these conditions.

There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
	calcium oxide	>90%	
	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335		
	magnesium powder (pyrophoric)	<2%	
	♦ Pyr. Sol. 1, H250; Water-react. 1, H260		

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

· General information:

Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In case of minor burns, flush with cool water.

Seek medical treatment in case of complaints.

After eye contact:

Protect unharmed eve.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 2)

Page: 3/9

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Coughing

Irritant to skin and mucous membranes.

Irritating to eyes.

May cause respiratory irritation.

Gastric or intestinal disorders when ingested.

Danger:

Danger of gastric perforation.

Causes serious eve damage.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

Sand

- For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture Reacts violently with water.
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Pick up mechanically.

Rinse remainder away with copious quantities of water.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 3)

Page: 4/9

7 Handling and storage

- Handling
- Precautions for safe handling:

Keep out of reach of children.

Handle with care.

Avoid contact with the eyes and skin.

Prevent formation of dust.

Avoid breathing dust.

Use only in well ventilated areas.

- Information about protection against explosions and fires: Reacts violently with water.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from water.

· Further information about storage conditions:

Keep containers tightly sealed.

Protect from humidity and water.

This product is hygroscopic.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace: 1305-78-8 calcium oxide				
REL (USA)	Long-term value: 2 mg/m³			
TLV (USA)	Long-term value: 2 mg/m³			
EL (Canada)	Long-term value: 2 mg/m³			
EV (Canada)	Long-term value: 2 mg/m³			
LMPE (Mexico)	Long-term value: 2 mg/m³			

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Avoid breathing dust.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: For large spills, respiratory protection may be advisable.
- Protection of hands:

(Cont'd. on page 5)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 4)

(Cont'd. on page 6)

Page: 5/9



Thermally-protective gloves.

Protection may be required for spills.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

Information on basic physical a	and chemical properties		
Appearance:			
Form:	Outer shell containing powder, granular, or solid materials.		
Color:	According to product specification		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value:	Not applicable.		
Melting point/Melting range:	Not determined.		
Boiling point/Boiling range:	Not determined.		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Product is not flammable.		
Auto-ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
Oxidizing properties:	Not determined.		
Vapor pressure:	Not determined.		
Density:			
Relative density:	Not determined.		
Vapor density:	Not applicable.		
Evaporation rate:	Not applicable.		



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 5)

Page: 6/9

Water: Reacts with water.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not applicable. Kinematic: Not applicable.

Other information No relevant information available.

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided: Heating occurs when water is added.
- · Possibility of hazardous reactions

Heating occurs when water is added.

Strong exothermic reaction with acids.

- · Conditions to avoid Moisture.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Possible in traces.

11 Toxicological information

Information on toxicological effects

This is a packaged product that will not result in exposure to the contents under normal conditions of use. In the event of exposure, administer first aid appropriate for symptoms present.

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Thermal burns when mixed with water.

Irritating to respiratory system and skin.

Causes serious eye damage.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 6)

Page: 7/9

- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Reacts with water.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · **Recommendation:** Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
		(Cont'd. on pag



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 7)

Page: 8/9

· Packing group

· DOT, ADR, IMDG, IATA Not regulated.

· Environmental hazards

· Marine pollutant: No

· Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2018 Revision: March 19, 2018

Trade name: Speed Heat

(Cont'd. of page 8)

Page: 9/9

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 19, 2018 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

Pyr. Sol. 1: Pyrophoric solids - Category 1

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com