

# SAFETY DATA SHEET

Issue Date No data available

Revision Date 31-Mar-2020

Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

**Product Code** 

16351

**Product Name** 

Alcohol Antiseptic 80% Topical Solution

#### Other means of identification

### Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

### Details of the supplier of the safety data sheet

#### Manufacturer / Manufactured For

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300

Emergency telephone number

24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2B
Specific target organ toxicity (single exposure)	Category 2
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Flammable liquids	Category 3

### Label elements

**Emergency Overview** 

### Danger

#### Hazard statements

Harmful if swallowed
Causes eye irritation
May cause damage to organs
Toxic to aquatic life with long lasting effects
Flammable liquid and vapor



Appearance Colorless

Physical state Liquid

Odor Alcohol

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

Precautionary Statements - Response

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep out of reach of children.

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

Other Information

**Unknown Acute Toxicity** 

0% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Ethanol	64-17-5	60-100	*
Methanol	67-56-1	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Inhalation Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer

artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Ingestion Rinse mouth. Drink plenty of water. Do NOT induce vomiting. If symptoms persist, call a

physician.

Self-protection of the first aider Remove all sources of ignition.

Most important symptoms and effects, both acute and delayed

Symptoms No Information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Soak up with inert absorbent

material. Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

Incompatible materials

None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³

		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) STEL: 325 mg/m³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>
Glycerin 56-81-5		TWA: 15 mg/m³ mist, total particulate TWA: 5 mg/m³ mist, respirable fraction (vacated) TWA: 10 mg/m³ mist, total particulate (vacated) TWA: 5 mg/m³ mist, respirable fraction	-
Hydrogen Peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m³ (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m³	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** 

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear chemical resistant gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** 

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Liquid Colorless

Odor

Alcohol

Odor threshold

No Information available

Property

Values

Remarks • Method

nН

Specific Gravity

No Information available No Information available

Viscosity Melting point/freezing point Boiling point / boiling range

Upper flammability limit:

Lower flammability limit:

No Information available No Information available

ation available Remarks ation available

Flash point Evaporation rate Flammability (solid, gas) 60 ° F Degrees No Information available No Information available No Information available No Information available

Vapor pressure

No Information available

Vapor density Water solubility Partition Coefficient (n-octanol/water) No Information available completely soluble No Information available

Autoignition temperature
Decomposition temperature

No Information available No Information available

Other Information

Density Lbs/Gal VOC Content (%) No Information available

80

# 10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

**Conditions to avoid** 

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

**Hazardous Decomposition Products** 

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

No data available

Inhalation

No data available.

Eye contact

Irritating to eyes.

**Skin Contact** 

No data available.

Ingestion

Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg ( Rabbit )	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h
Glycerin 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 570 mg/m³ (Rat) 1 h
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 2000 mg/kg ( Rabbit ) = 4060 mg/kg ( Rat )	= 2 g/m³ ( Rat ) 4 h

#### Information on toxicological effects

**Symptoms** 

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No Information available.

Germ cell mutagenicity

Carcinogenicity

No Information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 -Not classifiable as a human carcinogen

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No Information available.

STOT - single exposure

No Information available.

STOT - repeated exposure

No Information available.

Chronic toxicity

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected

reproductive toxin.

Target organ effects

Blood, Central nervous system, EYES, Gastrointestinal tract (GI), Kidney, Liver,

Reproductive System, Respiratory system, Skin.

Aspiration hazard

No Information available.

Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 

0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Methanol 67-56-1	-	100: 96 h Pimephales promelas mg/L LC50 static 28200: 96 h Pimephales promelas mg/L LC50 flow-through 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static	-
Glycerin 56-81-5	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50
Hydrogen Peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	18 - 32: 48 h Daphnia magna mg/L EC50 Static 7.7: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

# **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient	
Ethanol	-0.32	
64-17-5	0.77	$\dashv$
Methanol 67-56-1	-0.77	

Other adverse effects

No Information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

D001 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic
64-17-5	Ignitable
Methanol	Toxic
67-56-1	Ignitable

# 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

### DOT

DOT Proper Shipping name

UN1170, Ethanol Solutions, 3, II

# 15. REGULATORY INFORMATION

# International Inventories

Complies **TSCA** DSL/NDSL Complies Complies **EINECS/ELINCS** Does not comply **ENCS** Complies **IECSC** Complies KECL

PICCS Complies Complies AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Value	s %
Methanol - 67-56-1	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

### **US State Regulations**

#### California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

Chemical Name	California Proposition 65	
Methanol - 67-56-1	Developmental	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	
Ethanol 64-17-5	Х	X	Х	
Methanol 67-56-1	Х	X	Х	
Glycerin 56-81-5	Х	X	Х	
Hydrogen Peroxide 7722-84-1	X	X	X	

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION	

Personal protection X Physical hazards 0 Flammability 3 Health hazards 2 HMIS

Legend

N/A - Not Applicable N/E - Not Established N/D - Not Determined

N/K - Not Known

31-Mar-2020 **Revision Date** 

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9/9