

Data Sheet

TECHNICAL CONCEPTS

Date of issue: 27/10/2015

Revision date:

:

SECTION 1: Identification of the s	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: ENRICHED FOAM HAND SANITIZER
Product code	: RHG 4560
Type of product	: Alcohol Hand Sanitizer
SKU #	: FG750590
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ety data sheet
Rubbermaid Commercial Products LLC	
3124 Valley Avenue VA 22601-2694 Winchester - USA	
T (540) 6678700	
www.rubbermaidcommercial.com	
1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazards identification

This product is considered flammable. Mixture of water, mild surfactants, preservative and alcohol. This is a consumer care product that is safe for consumers when used according to the label directions. Potential hazards that may occur if product is not used according to the consumer label are as follows: Direct contact with the eye may cause irritation. This product is not hazardous according to OSHA 29CFR 1910.1200. Information on the composition may be found in the ingredients declaration on the packaging.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Component
ALCOHOL
AQUA
ISOPROPYL ALCOHOL
DEA-C8-18 Perfluoroalkylethyl Phosphate
GLYCERIN
ALOE BARBADENSIS LEAF JUICE
POTASSIUM SORBATE
SODIUM BENZOATE
CITRIC ACID

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after skin contact	: None under normal use.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.	

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010			
First-aid measures after ingestio	n : Get medical advice	attention if you feel unwell. Drink plenty of water. Do NOT induce vomiting.	
4.2. Most important symp	otoms and effects, both acute and del	ayed	
Symptoms/injuries	: Not applicable.		
Symptoms/injuries after eye con	tact : Causes serious eye	irritation.	
4.3. Indication of any imr	nediate medical attention and special	treatment needed	
Not applicable.			
SECTION 5: Firefighting	measures		
5.1. Extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry	powder. Foam. Sand. Water spray.	
5.2. Special hazards aris	ing from the substance or mixture		
Fire hazard	: Flammable liquid ar	nd vapour.	
Explosion hazard	: May form flammable	e/explosive vapour-air mixture.	
Hazardous decomposition produ fire	ucts in case of : Not applicable.		
5.3. Advice for firefighter	S		
Other information	: Not applicable.		
SECTION 6: Accidental	release measures		
	s, protective equipment and emergen	cy procedures	
General measures	: Take up liquid spill	nto absorbent material. Remove ignition sources. Use special care to avoid es. No open flames. No smoking.	
6.1.1. For non-emergency No additional information availab			
6.1.2. For emergency resp			
No additional information availab			
6.2. Environmental preca	utions		
No additional information availab			
6.3. Methods and materia	al for containment and cleaning up		
Methods for cleaning up	• •	nto absorbent material.	
Other information		hard, smooth walking area.	
6.4. Reference to other s	ections	-	
For further information refer to s			
SECTION 7: Handling ar	nd storage		
7.1. Precautions for safe			
Additional hazards when proces	•	iners with care because residual vapours are flammable.	
Precautions for safe handling	: Not applicable. No	open flames. No smoking. Take precautionary measures against static	
	ι,	non-sparking tools.	
Hygiene measures	: None under normal	use.	
	storage, including any incompatibilitie		
Technical measures	should be followed.	able regulations. Proper grounding procedures to avoid static electricity Ground/bond container and receiving equipment.	
Storage conditions		l container. Keep cool. Keep container tightly closed.	
Incompatible materials	: Heat sources.		
7.3. Specific end use(s)			
Not applicable.			
	ontrols/personal protection		
8.1. Control parameters			
ISOPROPYL ALCOHOL (67-6	3-0)		
USA - ACGIH		2-Propanol	
USA - ACGIH	ACGIH TWA (ppm)	200 ppm	
USA - ACGIH	ACGIH STEL (ppm)	400 ppm	

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

ISOPROPYL ALCOHOL (67-63				
USA - ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair		
USA - OSHA	Local name	Isopropyl alcohol		
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³		
USA - OSHA	OSHA PEL (TWA) (mg/m)	400 ppm		
		400 ppm		
Alcohol (64-17-5)				
USA - ACGIH	Local name	Ethanol		
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm		
USA - ACGIH USA - OSHA	Remark (ACGIH) Local name	URT irr Ethyl alcohol (Ethanol)		
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m ³		
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		
Additional information	: Not applicable			
8.2. Exposure controls				
Eye protection	: None under normal use	,		
Respiratory protection	: None under normal use			
	chomical properties			
SECTION 9: Physical and	physical and chemical properties			
9.1. Information on basic Physical state	: Liquid			
Appearance	: Transparent.			
Colour	: clear.			
Odour	: odourless.			
Odour threshold	: No data available			
pH Deletius succession rets (hutules	: No data available			
Relative evaporation rate (butylad	,			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: >78 °C			
Flash point	: 25 °C			
Auto-ignition temperature	: No data available			
Decomposition temperature		: No data available		
Flammability (solid, gas)		: Flammable liquid and vapour		
Vapour pressure	: No data available			
Relative vapour density at 20 °C	: No data available			
Relative density	: 0.879 - 0.889			
Solubility	: No data available			
Log Pow	: No data available			
Viscosity, kinematic	: 10 - 12 seconds (DIN 53	3211)		
Viscosity, dynamic	: No data available			
Explosive properties	: No data available			
Oxidising properties	: No data available			
Explosive limits	: No data available			
9.2. Other information				
No additional information available	е			
SECTION 10: Stability an	d reactivity			

10.1. Reactivity

Not applicable.

10.2. Chemical stability

Not applicable. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907/2006 (REACH) with	ccording to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010		
10.3. Possibility of hazardous reactions			
Not applicable.			
10.4. Conditions to avoid			
	unlight Llast Charks		
Not applicable. Open flame. Overheating. Direct s	uniight. neat. Sparks.		
10.5. Incompatible materials			
Not applicable.			
10.6. Hazardous decomposition products			
Not applicable. May release flammable gases.			
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
ISOPROPYL ALCOHOL (67-63-0)			
LD50 oral rat	2000 mg/kg		
LD50 oral	4396 mg/kg bodyweight		
LD50 dermal rat	2000 mg/kg		
LD50 dermal	12800 mg/kg bodyweight		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m ³		
Alcohol (64-17-5) LD50 oral rat	7060 mg/kg		
	7060 mg/kg		
LD50 oral	10470 mg/kg bodyweight		
LD50 dermal rabbit	> 16000 mg/kg		
LD50 dermal	15800 mg/kg bodyweight		
LC50 inhalation rat (mg/l)	> 20 mg/l/4h > 99999 mg/m ³		
LC50 inhalation rat (Dust/Mist - mg/l/4h)			
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
ISOPROPYL ALCOHOL (67-63-0)			
LC50 fish 1	100 mg/l		
EC50 Daphnia 1	100 mg/l		
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)		
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l		
Alcohol (64-17-5)			
LC50 fish 1	13000 mg/l		
EC50 Daphnia 1	9300 mg/l		
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)		
EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l		
12.2. Persistence and degradability			

12.	2. Persistence and degradability		
E	NRICHED FOAM HAND SANITIZER		
Ρ	ersistence and degradability	Not applicable.	
20/1	11/2015	EN (English)	4/7

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907/2006 (REACH) with	
Alcohol (64-17-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
ENRICHED FOAM HAND SANITIZER	
Bioaccumulative potential	Not applicable.
ISOPROPYL ALCOHOL (67-63-0)	
Log Pow	0.14
Alcohol (64-17-5)	
Log Pow	-0.3
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
ENRICHED FOAM HAND SANITIZER	
Ecology - soil	Not applicable.
12.5. Results of PBT and vPvB assessment	nt
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: Not applicable.
SECTION 13: Disposal consideration	
	S
13.1. Waste treatment methods	
Waste disposal recommendations	: Refer to manufacturer/supplier for information on recovery/recycling. Dispose of contents/container to an approved waste disposal plant.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1170 Ethanol solutions, 3, II
UN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethanol solutions
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Data Sheet

Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	33 1170
Tunnel restriction code (ADR)	: D/E
LQ	: 11
Excepted quantities (ADR)	: E2
Transport by sea	
UN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory informati	on

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. 15.1. US Federal regulations

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information	n:
TSCA 8 (b) Inventory Status: Inventory.	All components are listed or are exempt from listing on the Toxic Substances Control Act
TSCA 12 (b) Export Notification	None above reporting de minimis
CERCLA/SARA Section 302:	None above reporting de minimis
CERCLA/SARA Section 311/312	Not available.
CERCLA/SARA Section 313:	None above reporting de minimis
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all

Canada Regulatory Information:

CEPA DSL/NDSL Status: the information required by the CPR

20/11/2015

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

cosmetic data sheet US alcohol

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product