

Safety Data Sheet

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: MAGNESOL FILTER PAD, MAGNESOL XL FILTER PAD

Recommended Use of the Chemical and Restrictions on Use

Product Use: Treatment of used frying oils

Uses Advised Against: None identified

Supplier Information

Corporate Site: Dallas Group of America, Inc.
374 Route 22
P.O. Box 489
Whitehouse, NJ 08888
USA
Phone: +1 908-534-7800
SDS@dallasgrp.com

Production Sites:

Dallas (Qingdao) Specialty
Adsorbents Co., Ltd.
No. 7 Haiwan Road
Xinhe Eco-Chemical Science
and Technology Industry Base
266717, Pingdu, Qingdao,
China
Phone: +86 (0) 532 68080185

Dallas Netherlands
Cooperative U.A
Eikenlaan 32
2404 BR Alphen aan den
Rijn, Netherlands
Phone: +31 (0) 17282 0390

The Dallas Group of America, Inc.
1402 Fabricon Boulevard
Jeffersonville, IN 47130, USA
Phone: +1 812-283-6675

Dallas Australia Distribution:

Phone: +61 419 813 831

Emergency Telephone Number: When calling, please provide Access Code 335693.

Americas			Asia Pacific		
Argentina	AR*	+54 11 5219 8871	Australia	AU*	+61 1 800 686 951
Brazil	BR*	+55 11 4349 1907	China	CN**	+86 4001 2001 74
Chile	CL*	+56 44 8905208	China	CN**	+86 4001 2035 72
Colombia	CO*	+57 1 344 1317	Indonesia	ID	+001 803 015 203 9774
Mexico	MX*	+52 55 41696225	Japan	JP	+81 368908677
Peru	PE*	+50 78 387596	Korea	KR*	+82 02 64339507
United States	US	+01 760 476 3962	Korea	KR*	+080 822 1365
United States	US	+01 866 519 4752	Malaysia	MY	+60 015 4 877 0772
			New Zealand	NZ***	+64 800 451719
Europe			Philippines	PH	+63 2 3953471
Australia	AU*	+61 280363166	Singapore	SG	+65 3158 6734
Great Britain	GB	+44 20 35147487	Thailand	TH	+66 21056177
United States	US	+01 760 476 3961	United Kingdom	UK	+44 8 08 189 0979
United Kingdom	UK	0 800 680 0425	United States	US	+01 760 476 3971
Middle East - Africa			United States	US	+01 760 476 3960
United States	US	+01 760 476 3959			
* Countries that Require a Local In Country Emergency Number					
** Use number in conjunction w/NRCC after the materials have been properly registered w/NRCC					
*** Countries that Recommend a Local In Country Emergency Number					

SDS Date of Preparation: Month: 9 Day: 23 Year: 2021

Revision: DGIJ-RG16-1601_GHS_SDS_English_rev5.1

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification: Not classified as a hazardous substance under the GHS, or U.S. OSHA 1910.1200, the EU CLP Regulation or WHMIS.

Label Elements: No labeling required

Other Hazards: None

0% of the mixture consists of ingredient(s) of unknown acute toxicity

This Safety Data Sheet has been provided for informational purposes only. Since this product is not classified as hazardous, according to 29CFR 1910.1200, the Canadian WHMIS regulation, the GHS and Article 31 of the REACH Regulation (EC) 1907/2006 there is no obligation to provide a SDS for this material.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	EINECS#	GHS Classification	%
Cellulose	65996-61-4	265-995-8	Not classified as hazardous	35-70
Magnesium Silicate	1343-88-0	215-681-1	Not classified as hazardous	30-55
Cotton Linter Pulp	9004-34-6	232-674-9	Not classified as hazardous	0-10
Starch	9005-25-8	232-679-6	Not classified as hazardous	0-2
Adipic Acid/Epoxypropyl Diethylenetriamine Copolymer	25212-19-5	-	Not classified as hazardous	0.2-<5
Sodium Carboxymethyl Cellulose	9004-32-4	900-432-4	Not classified as hazardous	0-4

The specific identity and/or exact concentration has been withheld as a trade secret.

See Section 16 for further information on GHS Classification.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

Eye: Flush with plenty of water. Obtain medical attention if irritation persists.

Skin: No first aid should be needed. Wash off with soap and water. Get medical attention if irritation develops.

Inhalation: No first aid should be needed. If irritation develops, remove victim to fresh air. Get medical attention if irritation persists.

Ingestion: No first aid should be required. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if large amount is swallowed.

Most Important symptoms and effects, both acute and delayed:

Poses little or no health hazard. Pad contents may cause mild, mechanical (abrasive) irritation to the eyes, skin and respiratory tract.

Indication of any immediate medical attention and special treatment needed: None required.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media:

Use any extinguishing media that is suitable for the surrounding fire.

Specific Hazards Arising from the Chemical

Unusual Fire and Explosion Hazards: None.

Hazardous Decomposition Products: Combustion of pad will generate oxides of carbon and nitrogen.

Special Protective Equipment and Precautions for Fire-Fighters:

None required. Use procedures and equipment appropriate for other materials in the fire area.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautions:

Avoid unintentional release to the environment.

Methods and Material for Containment and Cleaning Up:

Pick up pads. Sweep or vacuum pad contents, if released; the use of a sweeping compound/dust suppressant is suggested. Dampening with water can reduce dust.

Reference to Other Sections:

Refer to Section 8 for protective equipment. Refer to Section 13 for disposal guidance.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid damaging pads. Avoid contact with the eyes. Avoid creating and breathing dust.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers closed when not in use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

Chemical Name	Exposure Limits
Magnesium Silicate (as particulates not otherwise specified)	5 mg/m3 (respirable) 8-hour TWA U.S. OSHA PEL 15 mg/m3 (total) TWA U.S. OSHA PEL
Cellulose	5 mg/m3 (respirable) 8-hour TWA U.S. OSHA PEL 15 mg/m3 (total) TWA U.S. OSHA PEL 10 mg/m3 8-hour TWA ACGIH TLV
Cotton Linter Pulp	None Established
Starch	5 mg/m3 (respirable) 8-hour TWA U.S. OSHA PEL 15 mg/m3 (total) TWA U.S. OSHA PEL 10 mg/m3 8-hour TWA ACGIH TLV
Adipic Acid/Epoxypropyl Diethylenetriamine Copolymer	None Established

Refer to local regulations for specific requirements.

Exposure Controls:

Engineering Controls: Use with adequate general or local ventilation to minimize airborne exposures.

Eye and Face: Follow facility requirements. Safety glasses with side shields should be used if there is a potential for chemical to get into eyes. Dust goggles recommended for dusty conditions.

Skin: None required.

Respiratory: Not necessary if airborne workplace concentrations of chemical are below recommended limits. If the airborne exposure levels are excessive, a respirator approved by the local authority for the conditions of use (NIOSH in the U.S.) should be worn. Respirator selection and use should be based on contaminant type, form and concentration. Follow and applicable regulations (OSHA 1910.134 in the U.S.) and standards (ANSI Z88.2 in the U.S.) and good Industrial Hygiene practice.

Protective Clothing: None required under normal use conditions.

Work Hygienic Practices: No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid	Appearance: Solid powder in a pad form
Odor: Odorless	Odor Threshold: Not applicable
pH: 7.0-10.8 (10% slurry)	Relative Density: Not determined
Boiling Point: Not applicable	Melting Point: 1910°C (3470°F) (magnesium silicate)

Vapor Pressure: Not applicable	Water Solubility: 127-268 mg/L (expressed as total oxides) @30°C (magnesium silicate)
Vapor Density: Not applicable	Evaporation Rate: Not applicable
Viscosity: Not applicable	Pour Point: Not applicable
Flash Point: None	Flammable Limits: LEL: None
Autoignition Temperature: None	Flammable Limits: UEL: None
Percent Volatile: 0%	Flammability (solid/gas): None
Partition Coefficient: n-octanol/water: Not applicable	Decomposition Temperature: None
Explosive Properties: None	Oxidizing Properties: None

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: None known.

Incompatible Materials: Avoid contact with Strong acids and Hydrogen Fluoride.

Hazardous Decomposition Products: Combustion of pad will generate oxides of carbon and nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Eye: Dust may cause temporary discomfort.

Skin: No hazardous effects expected. Dust may have a drying effect on the skin.

Skin Absorption: No evidence of adverse effects from available information.

Ingestion: May cause gastrointestinal discomfort if ingested in large quantities. The lethal dose in humans for magnesium silicate is estimated at over 15000 mg/kg. Magnesium silicate is a permitted food additive in the UK, USA and many other countries.

Inhalation: Not hazardous effects expected. Magnesium silicate is considered to be a nuisance dust and does not produce significant disease or toxic effect when exposure is kept below the recommended limits. However, existing medical conditions (eg. Asthma, bronchitis) may be aggravated by exposure to dust. Effects of exposure may be greater, and occur at lower levels of exposure in smokers compared to non-smokers.

Chronic Toxicity: No adverse effects expected.

Acute Toxicity Data:

Magnesium Silicate: LD50 oral rat >5000 mg/kg. LD50 dermal rabbit >2000 mg/kg (no adverse effects were observed at maximum dose). LC50 inhalation rat >20 mg/L/1 hour (no adverse effects were observed).

Cellulose: Oral rat LD50>3160 mg/kg Inhalation rat LC50 >5800 mg/m³/4 hr

Cotton Linter Pulp: Oral rat LD50 >5000 mg/kg, Dermal rabbit LD50 >2000 mg/kg, Inhalation rat LC50 >5800 mg/m³/4 hr

Starch: Oral rat LD50>50,000 mg/kg

Adipic Acid/Epoxypropyl Diethylenetriamine Copolymer: Oral rat LD50 >2000 mg/kg

Skin corrosion/irritation: Magnesium Silicate: Not irritating to rabbit skin.

Eye damage/ irritation: Magnesium Silicate: Not irritating to rabbit eyes (OECD 405).

Skin Sensitization: Magnesium Silicate: Not a skin sensitizer based on human experience.

Respiratory Sensitization: No data available. Not expected to be a respiratory sensitizer based on human experience.

Germ Cell Mutagenicity: Magnesium Silicate: Based on data from a supporting substance, this material is not expected to cause germ cell mutagenicity.

Carcinogenicity: Magnesium Silicate: This material is not listed as a potential carcinogen by IARC or EU CLP Annex VI. Based on data from similar materials, this material is not expected to increase the risk of cancer.

Developmental / Reproductive Toxicity: Magnesium Silicate: Based on data from similar materials, this material is not expected to cause adverse effects on reproduction or development.

Specific Target Organ Toxicity (Single Exposure): Magnesium Silicate: No adverse effects were observed in an acute inhalation toxicity study.

Specific Target Organ Toxicity (Repeated Exposure): Magnesium Silicate: Based on data from similar materials, this material is not expected to cause toxic effects on repeated exposure. NAOEL oral rat 9000 mg/kg bw/d (by analogy).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

Magnesium Silicate: Based on test data for a similar substance, this material is not expected to be toxic to aquatic organisms. Cellulose and starch are not toxic to aquatic organisms.

Persistence and Degradability:

Biodegradation is not applicable for inorganic substances such as magnesium silicate. Cellulose and starch are biodegradable.

Bioaccumulative Potential:

Not expected to bioaccumulate.

Mobility in Soil:

No mobility in soil is expected.

Other Adverse Effects: None known

SECTION 13: DISPOSAL INFORMATION

Waste Treatment Methods

Disposal Method: In the form supplied, this product is not classified as a hazardous waste in the U.S. or EU. Magnesium silicate may undergo normal non-hazardous waste disposal. Dispose in accordance with all local, state and federal regulations.

Empty Container: No special handling or disposal is required.

General Comments: It is the responsibility of the user of this product to characterize wastes generated to determine if the waste meets the definition of hazardous waste. The product uses, transformations, synthesis, mixtures, etc., may render the resulting end product subject to regulation. See Section 16 for additional information on filter cakes.

SECTION 14: TRANSPORT INFORMATION

	UN Number	UN Proper Shipping Name	Transport Hazard Class(s)	Packing Group	Environmental Hazards
US DOT	None	Not regulated	None	None	Not applicable
IMDG	None	Not regulated	None	None	Not applicable
IATA/ICAO	None	Not regulated	None	None	Not applicable

Special Precautions for User: None

SECTION 15: REGULATORY INFORMATION

Safety, Health and Environment Regulations:

US Regulations:

EPA SARA 311/312 Hazard Classification: Refer to Section 2 for OSHA Hazard Classification.

EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

Protection Of Stratospheric Ozone: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CERCLA Section 103: This product is not subject to CERCLA spill reporting requirements. Many states have more stringent release reporting requirements. Report spills when required under federal, state and local regulations.

Chemical Inventories:

US TSCA All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or are exempt.

Canadian CEPA: All of the components are listed on the Canadian DSL or are exempt.

EU EINECS: All of the components are listed on the EINECS inventory or are exempt.

Australia: All of the components are listed on the AICS inventory or are exempt.

China: All the components are listed on the Chinese chemical inventory or are exempt.

Philippines: All the components are listed in the Philippine Inventory.

New Zealand: All of the components are listed on the New Zealand Inventory of Chemicals.

Korea: All of the components are listed on the Korean Existing Chemicals Inventory

Japan: All the components are listed on the Japan Inventory of existing chemicals.

SECTION 16: OTHER INFORMATION

Note: In sufficient quantity, a filter cake composed of a flammable organic liquid absorbed on synthetic magnesium silicate or other filter materials such as diatomaceous earth, Perlite, or natural clays may be self-heating or possibly pyrophoric.

SDS Date of Preparation: Month: 9 Day: 23 Year: 2021

Revision History: Revised Sections 1,14 and 15.

References:

- A. REACH Registration Dossier 2013
- B. NLM Hazardous Substances Databank

- C. Magnesium silicate is not listed in:
1. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, 2013
 2. Industrial Hygiene and Toxicology, F. A. Patty
 3. Industrial Toxicology, Alice Hamilton and Harriet Hardy
 4. Toxicology of the Eye, W. Morton Grant
 5. Dangerous Properties of Industrial Materials, Sax and Lewis
 6. Government Publications:
 - a. NIOSH/OSHA Pocket Guide to Chemical Hazards
 - b. Registry of Toxic Effects of Chemical Substances
 - c. The Industrial Environment - It's Evaluation and Control
 7. Annex VI to Regulation (EC) No 1272/2008

DISCLAIMER OF LIABILITY:

The data contained herein is furnished gratuitously and independent of any sale of any product, as the case may be. While the data is believed to be correct, The Dallas Group of America, Inc. makes no representation as to the appropriateness and completeness of any of the data contained herein. The recipient of this document, if it is also the recipient of the product, is under obligation set out in EU REACH Regulation (EC) No 1907/2006 to independently check any appropriate information regarding the product, including any new information on hazardous properties, non-identified uses or any other information that might call into question the appropriateness of the risk management measures or other data identified in this Safety Data Sheet, and communicate it upstream. In no event shall The Dallas Group of America, Inc. be responsible for any damages of any nature whatsoever directly or indirectly resulting from the publication, use or reliance upon any of the data contained herein. Safety data sheets are available for other The Dallas Group of America, Inc. products. You are urged to obtain safety data sheets for all of The Dallas Group of America, Inc. products you buy, process, use or distribute and you are encouraged to advise anyone working with or exposed to such products of the information contained in the applicable safety data sheets.

NO WARRANTY, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS OF ANY NATURE IS MADE WITH RESPECT TO ANY PRODUCT REFERRED TO HEREIN. THE DALLAS GROUP OF AMERICA INC. DOES NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIMS LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCTS REFERRED TO HEREIN.

The data contained herein is being supplied for the limited purpose of complying with the EU REACH Regulation (EC) No 1907/2006.