

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	GREASELIFT DEGREASER & FRYER CLEANER	
Other means of identification	:	Not applicable	
Recommended use	:	Degreaser	
Restrictions on use	:	Reserved for industrial and professional use.	
Product dilution information	:	16.0 % - 22.0 %	
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326	
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)	
Issuing date	:	10/11/2024	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product	AS	SOL	D

А	cute toxicity (Inhalation)	:	Category 4
S	kin corrosion	:	Category 1A
S	erious eye damage	:	Category 1
S	pecific target organ toxicity -	:	Category 3 (Respiratory system)
S	ingle exposure		

Product AT USE DILUTION	I
Eye irritation	

: Category 2B

GHS label elements

Product AS SOLD

Hazard pictograms



Danger

- Hazard Statements: Causes severe skin burns and eye damage.
Harmful if inhaled.
May cause respiratory irritation.
- Precautionary Statements : Prevention:

:

Avoid breathing mist or vapors. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. **Response:** IF SWALLOWED: Pipes mouth Do NOT induce veniting JE ON SKIN

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/

	Remove contact le Immediately call a clothing before re Storage: Store in a well-ver locked up. Disposal:	enses, if present and e POISON CENTER/ c use. ntilated place. Keep co	th water for several minutes. easy to do. Continue rinsing. loctor. Wash contaminated ontainer tightly closed. Store proved waste disposal plant.	
Product AT USE DILUTION Signal Word	: Warning			
Hazard Statements	: Causes eye irritat	ion.		
Precautionary Statements	Response: IF IN EYES: Rinse contact lenses, if		r for several minutes. Remove 5. Continue rinsing. If eye ttention.	
Product AS SOLD Other hazards SECTION 3. COMPOSITION/IN	: None known.			
SECTION 3. COMPOSITION/IN	FORMATION ON IN	IGREDIEN I S		
Product AS SOLD Pure substance/mixture :	Mixture			
Chemical name Benzyl alcohol Monoethanolamine triethanolamine Sulfuric acid, monooctyl ester, s d-glucopyranose, oligomeric, de		CAS-No. 100-51-6 141-43-5 102-71-6 142-31-4 68515-73-1	Concentration (%) 10 - 30 10 - 30 1 - 5 1 - 5 1 - 5	
Product AT USE DILUTION Chemical name Benzyl alcohol Monoethanolamine		CAS-No. 100-51-6 141-43-5	Concentration (%) 5 - 10 1 - 5	
SECTION 4. FIRST AID MEASU	JRES			
DECTION 4. TINOT AID MEASU				
Product AS SOLD In case of eye contact	least 15 minutes.		also under the eyelids, for at es, if present and easy to do. immediately.	
In case of skin contact		fore reuse. Thoroughly	er for at least 15 minutes. I clean shoes before reuse.	
If swallowed		Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.		
If inhaled	: Remove to fresh a	air. Treat symptomatic	ally. Get medical attention.	

Protection of first-aiders	:	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.
Product AT USE DILUTION		Dince with plenty of water
In case of eye contact	•	Rinse with plenty of water.
In case of skin contact	:	Rinse with plenty of water.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD		Line sufficient in a second that are approximited to local		
Suitable extinguishing media	-	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	:	None known.		
Specific hazards during fire fighting	:	Not flammable or combustible.		
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides		
Special protective equipment for fire-fighters	:	Use personal protective equipment.		
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.		
SECTION 6. ACCIDENTAL RI	SECTION 6. ACCIDENTAL RELEASE MEASURES			

Product AS SOLD Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

		local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD Advice on safe handling	:	Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	:	Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	:	0 °C to 50 °C
Product AT USE DILUTION		
Advice on safe handling	:	Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	:	Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
triethanolamine	102-71-6	TWA	5 mg/m3	ACGIH

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	:	Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
Hand protection	:	Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
Skin protection	:	Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
Respiratory protection	:	Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION		
Engineering measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protective equipment	nt	
Eye protection	:	No special protective equipment required.
Personal protective equipment	nt	
		No special protective equipment required.
Hand protection	:	No special protective equipment required.
Skin protection	:	No special protective equipment required.
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, dark orange	orange
Odor	: odorless	odorless
рН	: 11.1 - 11.5, (1 %)	11.1 - 11.5
Flash point	: Not applicable, Sustains combus	tion
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	

Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.9913 - 1.1
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Molecular weight	:	No data available
VOC	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD Reactivity	: No dangerous reaction known under conditions of normal use.	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.	
Conditions to avoid	: None known.	
Incompatible materials	: None known.	
Hazardous decomposition products	: In the event of fire, see Section 5	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation, Eye contact, Skin contact
Potential Health Effects		
Product AS SOLD Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns.
Ingestion	:	Causes digestive tract burns.
Inhalation	:	May cause respiratory tract irritation. Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
929000		6 / 11

Product AT USE DILUTION		
Eyes	:	Causes eye irritation.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human expo	osu	ire
Product AS SOLD		
Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Corrosion
Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough
Product AT USE DILUTION		
Eye contact	:	Redness, Irritation
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.
Toxicity		
Product AS SOLD		
Product Acute oral toxicity		Acute toxicity estimate : 2,839 mg/kg
Acute inhalation toxicity		4 h Acute toxicity estimate : 3.44 mg/l
Acute initialation toxicity	•	Test atmosphere: dust/mist
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
Respiratory or skin sensitization	:	No data available
Carcinogenicity	:	No data available
Reproductive effects	:	No data available
Germ cell mutagenicity	:	No data available
Teratogenicity	:	No data available
STOT-single exposure	:	No data available
STOT-repeated exposure	:	No data available
Aspiration toxicity	:	No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product AT USE DILUTION : This product has no known ecotoxicological effects. Product AS SOLD Product Toxicity to fish : No data available Toxicity to daphnia and other : No data available Toxicity to algae : No data available Components : Toxicity to fish : Benzyl alcohol 96 h LCSO Pinephales promelas: 460 mg/l triethanolamine 96 h LCSO Pish: 11,800 mg/l : Components : Toxicity to daphnia and other : Benzyl alcohol aquatic invertebrates :48 h ECS0 Daphnia magna (Water flea): 230 mg/l Monoethanolamine :48 h ECS0 Aquatic Invertebrate: 65 mg/l triethanolamine :48 h ECS0 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) :48 h ECS0 Aquatic Plant: 770 mg/l triethanolamine :2 h ECS0 Aquatic Plant: 770 mg/l triethanolamine :2 h ECS0 Aquatic Plant: 2 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides :2 h ECS0: 18 mg/l Product AT USE DILUTION :2 h ECS0: 18 mg/l No data available :3 mg/l Bioaccumulative potential :3 mg/l No data availabl	Product AS SOLD Environmental Effects	:	This product has no known ecotoxicological effects.
Product Toxicity to fish : No data available Toxicity to daphnia and other aquatic invertebrates : No data available Toxicity to algae : No data available Components : No data available Toxicity to fish : Benzyl alcohol 96 h LC50 Pimephales promelas: 460 mg/l Toxicity to fish : Benzyl alcohol 96 h LC50 Pimephales promelas: 460 mg/l Components : Benzyl alcohol 48 h EC50 Aquatic Invertebrate: 65 mg/l Toxicity to daphnia and other aquatic invertebrate: 65 Mg/l : Benzyl alcohol 48 h EC50 Aquatic Invertebrate: 60 9.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) : : : 48 h EC50 Aquatic Invertebrate: 60 9.88 mg/l : : : Sulfuric acid, monooctyl ester, sodium salt (1:1) : : : : 48 h EC50 Aquatic Plant: 770 mg/l : <td></td> <td>:</td> <td>This product has no known ecotoxicological effects.</td>		:	This product has no known ecotoxicological effects.
Toxicity to daphnia and other aquatic invertebrates : No data available Toxicity to algae : Benzyl alcohol 96 h LC50 Pimephales promelas: 460 mg/l Toxicity to fish : Benzyl alcohol 96 h LC50 Fish: 11,800 mg/l Components : triethanolamine 96 h LC50 Fish: 11,800 mg/l Components : Benzyl alcohol 96 h LC50 Daphnia magna (Water flea): 230 mg/l Ath EC50 Daphnia magna (Water flea): 230 mg/l : Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l aquatic invertebrates : Benzyl alcohol 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50.18 mg/l brodut available Bicaccumulative potential No data available Bicaccumulative potential No data available Components Components Toxicity to algae Benzyl alcohol 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50.18 mg/l </td <td></td> <td></td> <td></td>			
aquatic invertebrates Toxicity to algae : No data available Components Toxicity to fish : Benzyl alcohol 96 h LC50 Pinnephales promelas: 460 mg/l itriethanolamine 96 h LC50 Fish: 11,800 mg/l Components Toxicity to daphnia and other aquatic invertebrates Toxicity to daphnia and other aquatic invertebrates BCC0 Daphnia magna (Water flea): 230 mg/l Monoethanolamine 48 h EC50 Daphnia magna (Water flea): 230 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l triethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Components Toxicity to algae Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Bioaccumulative potential No data available Cother advarse effects Cother advarse effects	Toxicity to fish	:	No data available
Components Toxicity to fish : Benzyl alcohol 96 h LCS0 Pimephales promelas: 460 mg/l triethanolamine 96 h LCS0 Fish: 11,800 mg/l Components Toxicity to daphnia and other aquatic invertebrates : Benzyl alcohol 48 h ECS0 Daphnia magna (Water fiea): 230 mg/l Monoethanolamine 48 h ECS0 Aquatic Invertebrate: 65 mg/l : Monoethanolamine 48 h ECS0 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h ECS0 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h ECS0 Daphnia: 31 mg/l Components : Benzyl alcohol 72 h ECS0 Aquatic Plant: 770 mg/l triethanolamine 72 h ECS0 Aquatic Plant: > 100 mg/l : diglucopyranose, oligomeric, decyl octyl glycosides 72 h ECS0: 18 mg/l Product AT USE DILUTION No data available : Secconulative potential No data available : Secconulative solutial Mobility in soil No data available : Secconulative solutial Mobility in soil : Secconulative solutial No data available : Secconulative solutial Mobility in soil : Secconulative solutial No data available : Secconulative solutial Mobility in soil : Secconulative solutial No data available : Secconulative solutis solutis soli No dat		:	No data available
Toxicity to fish Benzyl alcohol Serie Benzyl alcohol triethanolamine Benzyl alcohol Serie Benzyl alcohol aquatic invertebrates Benzyl alcohol aquatic invertebrates Benzyl alcohol Ab ECSO Daphnia magna (Water flea): 230 mg/l Monoethanolamine Ab ECSO Aquatic Invertebrate: 65 mg/l Monoethanolamine 48 h ECSO Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h ECSO Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h ECSO Aquatic Invertebrate: 770 mg/l Triethanolamine Toxicity to algae Benzyl alcohol 72 h ECSO Aquatic Plant: 770 mg/l Triethanolamine 72 h ECSO Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h ECSO 18 mg/l Triethanolamine 72 h ECSO 18 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h ECSO 18 mg/l Stata available Bioaccumulative potential Stata available No data available Stata available Mobility in soil Stata available Notata available Stata available	Toxicity to algae	:	No data available
96 h LC50 Pimephales promelas: 460 mg/l triethanolamine 96 h LC50 Fish: 11,800 mg/l Components Toxicity to daphnia and other Benzyl alcohol aquatic invertebrates 48 h EC50 Daphnia magna (Water flea): 230 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l triethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Components Benzyl alcohol Toxicity to algae Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50 Is mg/l Triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50 Is mg/l Triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50 Is mg/l Triethanolamine 70 data available Hobility in soil No data available Hobility in soil No data av	Components		
96 h LC50 Fish: 11,800 mg/l Components Toxicity to daphnia and other aquatic invertebrates Benzyl alcohol 48 h EC50 Daphnia magna (Water flea): 230 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Toxicity to algae EBenzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Fordict AT USE DILUTION No data available Fordict AT USE DILUTION No data available Mobility in soil No data available Jon data available Mobility in soil No data available Jon data available Mobility in soil No data available Jon data available Other adverse effects Jon data sub Elements	Toxicity to fish	:	
Toxicity to daphnia and other aquatic invertebrates Benzyl alcohol aquatic invertebrates Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l Triethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 38 h EC50 Daphnia: 31 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine Toxicity to algae Benzyl alcohol 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l No data available Bioaccumulative potential No data available Sulfuri in soil Not			
aquatic invertebrates 48 h EC50 Daphnia magna (Water flea): 230 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 65 mg/l Monoethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Components Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Hecso: 18 mg/l Bioaccumulative potential No data available Kerso: 18 mg/l Mobility in soil No data available Jense: Jense	Components		
48 h EC50 Aquatic Invertebrate: 65 mg/l triethanolamine 48 h EC50 Aquatic Invertebrate: 609.88 mg/l Suffuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Fomponents Toxicity to algae Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available No data available Mobility in soil No data available Sublity in soil No data available Mobility in soil No data available Mobility in soil No data available Mobility in soil No data available Sublity in soil No data available Mobility in soil No data available		:	
48 h EC50 Aquatic Invertebrate: 609.88 mg/l Sulfuric acid, monooctyl ester, sodium salt (1:1) 48 h EC50 Daphnia: 31 mg/l Components Toxicity to algae : Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Chter adverse effects			
48 h EC50 Daphnia: 31 mg/l Components Toxicity to algae : Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects			
Toxicity to algae : Benzyl alcohol 72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILLUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Mobility in soil No data available Other adverse effects			
72 h EC50 Aquatic Plant: 770 mg/l triethanolamine 72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects	Components		
72 h EC50 Aquatic Plant: > 100 mg/l d-glucopyranose, oligomeric, decyl octyl glycosides 72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects	Toxicity to algae	:	
72 h EC50: 18 mg/l Persistence and degradability Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects			
Product AT USE DILUTION No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects			
No data available Bioaccumulative potential No data available Mobility in soil No data available Other adverse effects	Persistence and degradabilit	y	
No data available Mobility in soil No data available Other adverse effects			
Mobility in soil No data available Other adverse effects	Bioaccumulative potential		
No data available Other adverse effects	-		
Other adverse effects	Mobility in soil		
	No data available		
No data available	Other adverse effects		
	No data available		

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
Product AT USE DILUTION Disposal methods	: Diluted product can be flushed to sanitary sewer.
Disposal considerations	: Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number	: 2491
Description of the goods	: Ethanolamine solutions
Class	: 8
Packing group	: 111
Environmentally hazardous	: no

Sea transport (IMDG/IMO)

UN number	: 2491
Proper shipping name	: ETHANOLAMINE SOLUTION
Class	: 8
Packing group	: 111
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute toxicity (any route of exposure)
	Skin corrosion or irritation
	Serious eye damage or eye irritation
	Specific target organ toxicity (single or repeated exposure)

SARA 302	:	This material does not contain any components with a section 302 EHS TPQ.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

-	•	· /	
This regulation applies to this pro	oduct.		
Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Benzyl alcohol	100-51-6	Cleaning Agent	FRA
Monoethanolamine	141-43-5	Cleaning Agent	Not Applicable
triethanolamine	102-71-6	Cleaning Agent	Not Applicable
Sulfuric acid, monooctyl ester, sodium salt (1:1)	142-31-4	Cleaning Agent	Not Applicable
d-glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	Cleaning Agent	Not Applicable
Organic acid	Withheld		Not Applicable
Orange dye	Withheld	Dye	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On or in compliance with the active portion of the TSCA inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined


Korea. Korean Existing Chemicals Inventory (KECI) : not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined

China. Inventory of Existing Chemical Substances in China (IECSC) : not determined

Taiwan Chemical Substance Inventory (TCSI) : not determined

SECTION 16. OTHER INFORMATION



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.