SWISHER

SAFETY DATA SHEET

Issuing date 23-Sep-2011 Revision Date 30-Oct-2014 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Swisher Blue RTU

Other means of identification

Product Code 40113-32OZ

Document 40113-1/40113-32OZ

Recommended use of the chemical and restrictions on use

Recommended use Glass and Hard Surface Cleaner

Details of the supplier of the safety data sheet

Distributor

Swisher Hygiene Inc. 4725 Piedmont Row Drive Suite 400 Charlotte, NC 28210

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 800-444-4138

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Flammable liquids	Category 4

Label elements

Emergency Overview

Warning

Hazard Statements

Harmful if swallowed Harmful if inhaled Combustible liquid



Appearance Transparent

Physical state Liquid

Odor Alcohol

Precautionary Statements - Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Call a POISON CENTER or doctor/physician if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity 97.687% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
2-Butoxyethanol	111-76-2	1% - 5%	*
Isopropyl alcohol	67-63-0	1% - 5%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance.

Eye contact Flush with flowing water for 15 minutes & see physician.

Skin contact Wash with soap & water for 15 minutes. See physician if irritation persists.

Inhalation Remove to fresh air. If breathing has stopped, apply suitable artificial respiration. Get

medical help.

Ingestion Do not induce vomiting unless directed by a physician. If conscious and alert, give two

glasses of water. Seek medical attention immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray or fog, foam, dry chemical, carbon dioxide if product is involved.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable. Keep away from heat, sparks and open flame. Use water spray to cool adjacent fire exposed containers.

Hazardous Combustion

Products

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

This product contains alcohols which will reduce the effectiveness of normal foam. Use alcohol-resistant foam instead.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames

in immediate area).

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Contain spill with inert, non-combustible materials. Prevent further leakage or spillage if

safe to do so.

Methods for cleaning up

Mop up & flush to sanitary sewer with plenty of water. Floors may be slippery. Use care to

avoid falls.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product. Keep away from heat, sparks and open flame. No smoking.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from open flames, hot surfaces and sources of ignition. Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials.

Keep out of the reach of children.

Incompatible products Strong oxidizing agents. Bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		S*	TWA: 24 mg/m ³
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
			TWA: 980 mg/m ³
			STEL: 500 ppm
			STEL: 1225 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Alcohol

provided in accordance with current local regulations.

Hygiene measuresDo not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid Appearance Transparent

Color Blue Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 10

Melting/freezing pointNo information availableBoiling point/boiling range82 °C 180 °FFlash Point71 °C / 160 °F

Evaporation rate GT 1.0

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure100Vapor density3Specific Gravity0.959

Water solubility Completely Soluble Solubility in other solvents No information available Partition coefficient: n-octanol/water No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

Softening pointNo information availableMolecular WeightNo information available

VOC Content(%) < 3%

Density VALUENo information available **Bulk Density VALUE**No information available

10. STABILITY AND REACTIVITY

Chemical stability

Stable. Store below 115°F.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong oxidizing agents. Bleach.

Hazardous Decomposition Products

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information May be harmful by inhalation, ingestion, or skin absorption.

Inhalation Inhalation of vapors in high concentration may cause irritation of the respiratory system.

May cause central nervous system depression with nausea, headache, dizziness, and

incoordination.

Eye contact Irritating to eyes.

Skin contact Irritating to skin. May be absorbed through the skin in harmful amounts.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause

additional affects as listed under "Inhalation".

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

The strong acid process for manufacturing isopropanol has been linked to an increased risk of cancer by IARC and OSHA. However, IARC and OSHA have found no evidence that

isopropanol is carcinogenic to humans outside of that specific environment.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-
Isopropyl alcohol 67-63-0	-	Group 3	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity No information available. Avoid repeated exposure.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 97.687% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 865 mg/kg
ATEmix (dermal) 2059 mg/kg
ATEmix (inhalation-gas) 57825 mg/l
ATEmix (inhalation-dust/mist) 2.5 mg/l
ATEmix (inhalation-vapor) 890 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

97.81% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 >1000: 48 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50

ſ	Isopropyl alcohol	1000: 96 h Desmodesmus	1400000: 96 h Lepomis macrochirus	13299: 48 h Daphnia magna mg/L
	67-63-0	subspicatus mg/L EC50 1000: 72 h	μg/L LC50 11130: 96 h Pimephales	EC50
		Desmodesmus subspicatus mg/L	promelas mg/L LC50 static 9640: 96	
		EC50	h Pimephales promelas mg/L LC50	
			flow-through	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81
Isopropyl alcohol 67-63-0	0.05

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol	Toxic Ignitable
67-63-0	

14. TRANSPORT INFORMATION

DOT Not regulated

Proper shipping name Cleaning Compound, Not Regulated

DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS -

AICS

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0
Isopropyl alcohol - 67-63-0	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	
2-Butoxyethanol	X	X	X	
111-76-2				
Isopropyl alcohol	X	X	X	
67-63-0				

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazards 2	Flammability	2	Instability 0	Physical and chemical hazards
<u>HMIS</u>	Health hazard 2	Flammability	2	Physical Hazards 0	Personal protection X

Prepared By Swisher Hygiene Inc.

4725 Piedmont Row Drive

Suite 400

Charlotte, NC 28210

Issuing date23-Sep-2011Revision Date30-Oct-2014

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet