SAFETY DATA SHEET

Issuing Date No data available

Revision Date 26-May-2020

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Dish Detergent Professional

Other means of identification

Product Code(s) 1586727

Recommended use of the chemical and restrictions on use

Recommended Use Liquid dishwashing soap

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification JoySuds, LLC

Address Four Greenwich Office Park

Greenwich, CT 06831

Telephone 1-800-231-6478

E-mail info@joysuds.com

Emergency telephone number

Company Emergency Phone

Number 1-800-231-6478

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation Category 2



| Serious eye damage/eye irritation | Category 1 |
|--|------------|
| Skin sensitization | Category 1 |
| Specific target organ toxicity (single exposure) | Category 2 |

Odor Pleasant Appearance Yellow Physical state Liquid

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause damage to organs



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

IF exposed or concerned: Call a POISON CENTER or doctor

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity 20.35 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

20.35 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity



Page 2 / 11

20.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

20.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

17.85 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|------------|----------|---|---|
| Sulfuric acid, mono-C10-16-alkyl esters, sodium salts | 68585-47-7 | 10 - 35 | - | - |
| Lauramine oxide | 1643-20-5 | 3 - 15 | - | - |
| Sodium laureth sulfate | 9004-82-4 | 3 - 10 | - | - |
| Ethanol | 64-17-5 | 1 - 5 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. If symptoms persist, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES



Page 3 / 11

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling

> skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | | ACGIH TLV | | OSHA PEL | | NIOSH IDLH | |
|---------------|----|----------------------------|-----------|-----------------------------|-----------------------------|-----------------------------|----------------|
| Ethanol | | TWA: 1000 ppm | | TWA: 1000 ppm | | IDLH: 3300 ppm 10% LEL | |
| 64-17-5 | | | | TWA: 1900 mg/m ³ | | TWA: 1000 ppm | |
| | | | | (vacated) TWA: 1000 ppm | | TWA: 1900 mg/m ³ | |
| | | | | (vacated) | TWA: 1900 mg/m ³ | | - |
| Chemical name | | Alberta | British C | Columbia | Ontario TWAE | V | Quebec |
| Ethanol | T | WA: 1000 ppm STEL: 10 | | 000 ppm | STEL: 1000 pp | m | STEL: 1000 ppm |
| 64-17-5 | TV | VA: 1880 mg/m ³ | | | | | |

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceYellowOdorPleasant

ColorNo information availableOdor ThresholdNo information available

Property
pHValues
7.1 – 9.9RemarksMethod

Hq Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known



Revision Date 26-May-2020

Flammability Limit in Air None known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known

Relative density 1.011

Water Solubility Soluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other Information

Explosive properties No information available **Oxidizing properties** No information available **Softening Point** No information available Molecular Weight No information available VOC Content (%) No information available No information available **Liquid Density Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Severely irritating to eyes. May cause burns. May cause

irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by



skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

3,249.50 mg/kg ATEmix (oral) ATEmix (inhalation-dust/mist) 4,097.64 mg/L

20.35 % of the mixture consists of ingredient(s) of unknown toxicity **Unknown acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

20.35 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

20.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

20.35 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

17.85 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------|--------------------|-------------|------------------------|
| Sulfuric acid, | > 2000 mg/kg (Rat) | - | - |
| mono-C10-16-alkyl esters, | | | |
| sodium salts | | | |
| Sodium laureth sulfate | = 1600 mg/kg (Rat) | - | - |
| Ethanol | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Ethanol | A3 | Group 1 | Known | X |
| 64-17-5 | | • | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen



IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

No information available. Reproductive toxicity

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

> country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May

cause damage to organs.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to | Daphnia Magna (Water |
|-----------------|-------------------|-----------------------|----------------------|------------------------|
| | | | Microorganisms | Flea) |
| Lauramine oxide | - | 96h LC50: = 134 mg/L | - | - |
| | | (Danio rerio) | | |
| Ethanol | - | 96h LC50: > 100 mg/L | EC50 = 34634 mg/L 30 | 24h EC50: = 10800 mg/L |
| | | (Pimephales promelas) | min | (Daphnia magna) 48h |
| | | 96h LC50: 12.0 - 16.0 | EC50 = 35470 mg/L 5 | LC50: 9268 - 14221 |
| | | mL/L (Oncorhynchus | min | mg/L (Daphnia magna) |
| | | mykiss) 96h LC50: | | 48h EC50: = 2 mg/L |
| | | 13400 - 15100 mg/L | | (Daphnia magna) |
| | | (Pimephales promelas) | | |

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

| Chemical name | Log Pow | | | |
|---------------|---------|--|--|--|
| Ethanol | -0.32 | | | |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.



California Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste | |
|---------------|----------------------------|--|
| Ethanol | Toxic | |
| 64-17-5 | Ignitable | |

14. TRANSPORT INFORMATION

NOT REGULATED Proper Shipping Name NON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

Not regulated ADN

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **AICS**



Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical name | California Proposition 65 |
|-------------------|---------------------------|
| Ethanol - 64-17-5 | Developmental |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| Ethanol | X | X | X | | X |
| 64-17-5 | | | | | |

| 16. OTHER INFORMATION | | | | | |
|-----------------------|------------------|----------------|--------------------|------------------------------------|--|
| NFPA | Health hazards 3 | Flammability 0 | Instability 0 | Physical and Chemical Properties - | |
| HMIS | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal Protection X | |



Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 26-May-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Page 11 / 11