

Safety Data Sheet (SDS) 30112

SDS Revision Date: 03/10/2021

1. Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|-------------------------------------|
| Product Identity | 30112 |
| Alternate Names | 30112 |
| 1.2. Relevant identified uses of the substance or mixt | ture and uses advised against |
| Intended use | Contact ChemStation representative. |
| Application Method | Contact ChemStation representative. |
| 1.3. Details of the supplier of the safety data sheet | |
| Company Name | ChemStation of NC (Greensboro) |
| | 1121 Willowbrook Dr. |
| | Greensboro, NC 27403 |
| | |
| Emergency | |
| | (200) 101 0000 |

Emergency(800) 424-9300CHEMTREC (USA)(800) 424-9300Customer Service: ChemStation of NC (Greensboro)(336) 294-4050

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Acute Tox. 4;H302 Harmful if swallowed.

2.2. Label elements



H302 Harmful if swallowed.

[Prevention]:

P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
[Response]:
P301+312 IF SWALLOWED: Call a POISON CENTER or doctor , physician if you feel unwell.
P330 IF SWALLOWED: Rinse mouth.
[Storage]:
No GHS storage statements
[Disposal]:
P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--------------------|--------|
| Ethane-1,2-diol CAS Number: 0000107-21-1 | 25 - 50 | Acute Tox. 4;H302 | [1][2] |

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are show n in Section 16.

Section 4. First-aid measures

4.1. Description of first aid measures General In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention. Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. 4.2. Most important symptoms and effects, both acute and delayed No specific symptom data available. Overview Check section 2.2 (GHS Label Elements) for further details. Ingestion Harmful if swallowed.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways. 0

ERG Guide No.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Section 7. Handling and storage

7.1. Precautions for safe handling

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|-----------------|----------|--|
| 0000107-21-1 | Ethane-1,2-diol | OSHA | No Established Limit |
| | | | TWA: 10 mg/m3 (Particulate) Ceiling: 100 mg/m3 (Aerosol) 50 ppm (Vapor)STEL: 20 mg/m3 (Particulate) |
| | | NIOSH | no established RELs |
| | | Supplier | No Established Limit |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|-----------------|--------|--|
| 0000107-21-1 | Ethane-1,2-diol | OSHA | Regulated Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

8.2. Exposure controls

| Respiratory | Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when concentrations exceed permissible exposure limits. |
|----------------------|---|
| Eyes | Wear approved eye protection. The use of a face shield is also recommended for skin protection in the area of the eyes. An eye wash station is suggested as a good workplace practice. |
| Skin | Chemical resistant clothing such as coveralls/apron boots should be worn. Chemical Impervious Gloves |
| Engineering Controls | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |
| Other Work Practices | Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |
| | a ball Eleven a table a factor de table a le Eleven a titue 1 |

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

Section 9. Physical and chemical properties

Appearance Odor Odor threshold pH Melting point / freezing point Clear, colorless thin liquid Mild Not Measured 11.4 - 12.0 Not Measured

| Initial boiling point and boiling range | 212 deg F |
|---|-------------------------------------|
| Flash Point | >200 degrees F PMCC (non-flammable) |
| Evaporation rate (Ether = 1) | 0.33 |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Measured |
| | Upper Explosive Limit: Not Measured |
| Vapor pressure (Pa) | Not Determined |
| Vapor Density | Not Determined |
| Relative Density | 1.059 - 1.069 |
| Solubility in Water | Not Measured |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | Not Measured |
| Decomposition temperature | Not Measured |
| Viscosity (cSt) | Not Measured |
| Foaming | Low |
| 9.2. Other information | |

Section 10. Stability and reactivity

10.1. Reactivity

No other relevant information.

Hazardous Polymerization will not occur.
10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No data available.
10.4. Conditions to avoid
No data available.
10.5. Incompatible materials
Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.
10.6. Hazardous decomposition products
No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|-----------------------------|---------------------------------|-------------------------------------|---------------------------------------|---|--------------------------------|
| Bhane-1,2-diol - (107-21-1) | 7,712.00, Rat - Category: NA | 3,501.00, Mouse - Category: 5 | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|-----------------------|
| Acute toxicity (oral) | 4 | Harmful if swallowed. |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | | Not Applicable |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | | Not Applicable |
| STOT-single exposure | | Not Applicable |

| STOT-repeated exposure | Not Applicable |
|------------------------|--------------------|
| Aspiration hazard | Not Applicable |

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, | 48 hr EC50 crustacea, | ErC50 algae, |
|-----------------------------|-----------------------------------|-----------------------|----------------------------------|
| | mg/l | mg/l | mg/l |
| Bhane-1,2-diol - (107-21-1) | 72,860.00, Fimephales promelas | 101.00, Daphnia magna | 3,536.00 (96 hr), Green algae |

12.2. Persistence and degradability

This product is fully biodegradable.
12.3. Bioaccumulative potential Not Measured
12.4. Mobility in soil No data available.
12.5. Results of PBT and vPvB assessment This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects No data available.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

14.1. UN number

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group

Not Applicable Compound, Cleaning,N.O.I., Liquid Not Applicable Not Applicable

Section 15. Regulatory information

| Regulatory Overview | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. | | | |
|--|---|--|--|--|
| Toxic Substance Control Act (TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory. | | | |
| WHMIS 1988 Classification | E | | | |
| US EPA Tier II Hazards | Fire: | | | |
| | Sudden Release of Pressure: | | | |
| | Reactive: | | | |
| | Immediate (Acute): | | | |
| | Delayed (Chronic): | | | |
| EPCRA 311/312 Chemie | cals and RQs (lbs): | | | |
| Ethane-1,2-diol | (5,000.00) | | | |
| EPCRA 302 Extremely Hazardous : (No Product Ingredients Listed) | | | | |

EPCRA 313 Toxic Chemicals:

2-Butoxy-ethanol

Ethane-1,2-diol

Proposition 65 - Carcinogens (>0.0%): (No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

Ethane-1,2-diol

Proposition 65 - Female Repro Toxins (>0.0%):

Ethane-1,2-diol
Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Ethane-1,2-diol

Penn RTK Substances (>1%):

Ethane-1,2-diol

Section 16. Other information

 Issue Date
 05/19/2015

 Revision History
 05/19/2015

 06/27/2015
 06/23/2017

 02/07/2021
 02/07/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

End of Document