

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name:** Rivolta W.A.P.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer / Supplier**  
Bremer & Leguil GmbH  
Am Burgacker 30 - 42  
47051 Duisburg  
info@bremer-leguil.de  
www.bremer-leguil.de

Telephone: +49 (0)203 / 9923-0  
Fax: +49 (0)203 / 25901

**Contact Person:**  
E-mail: Bremer & Leguil GmbH - Product Safety Management  
product-safety-management@bremer-leguil.de

**1.4 Emergency telephone number:** +49 (0) 6131 / 19240 (Giftinformationszentrum Mainz)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**||** The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

**Classification according to Regulation (EC) No 1272/2008 as amended.**

##### Health Hazards

Serious eye damage	Category 2	H319: Causes serious eye irritation.
--------------------	------------	--------------------------------------

##### Environmental Hazards

Chronic hazards to the aquatic environment	Category 3	H412: Harmful to aquatic life with long lasting effects.
--	------------	--

##### Hazard summary

**Physical Hazards:** No data available.

#### 2.2 Label Elements

**Product name:** Rivolta W.A.P.



**Signal Words:** Warning

**Hazard Statement(s):** H319: Causes serious eye irritation.  
H412: Harmful to aquatic life with long lasting effects.

#### Precautionary Statements

**Prevention:** P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Supplemental label information

EUH208: Contains Calcium Sulfonate, Calcium Sulfonate, Ca Sulfonate.  
May produce an allergic reaction.

**2.3 Other hazards:** The product may not be released into the environment without control. By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**General information:** Mixture of the substances listed below with harmless additions.

Chemical name	Identifier	Concentration *	REACH Registration No.	Notes
Lime hydrate	EINECS: 215-137-3	20,00 - <50,00%	01-2119475151-45	
Calcium Sulfonate	EINECS: 271-529-4	1,00 - <5,00%	01-2119492627-25	
inorganic Zink salt	EINECS: 231-203-4	2,50 - <5,00%		
Ca-sulfonate	EINECS: 284-903-7	1,00 - <3,00%		
Calcium Sulfonate	EINECS: 263-093-9	1,00 - <5,00%	01-2119488992-18	
Ca Sulfonate	EINECS: 274-263-7	1,00 - <5,00%	01-2119492616-28	
phenolic antioxidant	EINECS: 204-881-4	0,25 - <1,00%	01-2119565113-46	
Zn compound	EINECS: 215-222-5	0,10 - <0,25%	01-2119463881-32	
aromatic phosphoric acid ester	EINECS: 204-112-2	0,10 - <0,25%		

**Product name:** Rivolta W.A.P.

derivative				
------------	--	--	--	--

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

## Classification

Chemical name	Identifier	Classification
Lime hydrate	EINECS: 215-137-3	CLP: Eye Dam. 1;H318, STOT SE 3;H335, Skin Irrit. 2;H315
Calcium Sulfonate	EINECS: 271-529-4	CLP: Skin Sens. 1B;H317
inorganic Zink salt	EINECS: 231-203-4	CLP: Aquatic Chronic 2;H411
Ca-sulfonate	EINECS: 284-903-7	CLP: Eye Dam. 1;H318, Skin Irrit. 2;H315
Calcium Sulfonate	EINECS: 263-093-9	CLP: Skin Sens. 1B;H317
Ca Sulfonate	EINECS: 274-263-7	CLP: Skin Sens. 1B;H317
phenolic antioxidant	EINECS: 204-881-4	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410
Zn compound	EINECS: 215-222-5	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410
aromatic phosphoric acid ester derivative	EINECS: 204-112-2	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

## SECTION 4: First aid measures

**General:** Instantly remove any clothing soiled by the product.

### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water. Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** Causes serious eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

## SECTION 5: Firefighting measures

**Product name:** Rivolta W.A.P.

### 5.1 Extinguishing media

**Suitable extinguishing media:**

CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:**

Water with a full water jet.

### 5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

### 5.3 Advice for firefighters

**Special fire fighting procedures:**

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

**Special protective equipment for fire-fighters:**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces. Not required.

### 6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

### 6.3 Methods and material for containment and cleaning up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

### 6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

## SECTION 7: Handling and storage:

### 7.1 Precautions for safe handling:

Provide adequate ventilation. Observe good industrial hygiene practices. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

### 7.2 Conditions for safe storage, including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

### 7.3 Specific end use(s):

not applicable

**Storage Class:**

11, Combustible solids

**Product name:** Rivolta W.A.P.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control Parameters**

#### **Occupational Exposure Limits**

None of the components have assigned exposure limits.

### **8.2 Exposure controls**

#### **Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### **Individual protection measures, such as personal protective equipment**

##### **General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

##### **Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

##### **Skin protection**

##### **Hand Protection:**

Material: Nitrile butyl rubber (NBR).  
Avoid long-term and repeated skin contact. Protective gloves, where permitted in acc. to safety directions. Suitable gloves can be recommended by the glove supplier. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Use skin protection cream for preventive skin protection.

##### **Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

##### **Respiratory Protection:**

Not relevant, due to the form of the product.

##### **Thermal hazards:**

Not known.

##### **Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

##### **Environmental Controls:**

No data available.

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

#### **Appearance**

##### **Physical state:**

solid

##### **Form:**

Paste

##### **Color:**

Light brown

**Product name:** Rivolta W.A.P.

<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	Not applicable for mixtures
<b>pH:</b>	not applicable
<b>Melting Point:</b>	Not applicable for mixtures
<b>Boiling Point:</b>	Value not relevant for classification
<b>Flash Point:</b>	not applicable
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	Value not relevant for classification
<b>Flammability Limit - Upper (%)—:</b>	Not applicable for mixtures
<b>Flammability Limit - Lower (%)—:</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Vapor density (air=1):</b>	Not applicable for mixtures
<b>Density:</b>	1,20 g/cm <sup>3</sup> (15 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Autoignition Temperature:</b>	Value not relevant for classification
<b>Decomposition Temperature:</b>	Value not relevant for classification
<b>Flow time</b>	Value not relevant for classification
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>9.2 Other information</b>	No data available.

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity:</b>	Stable under normal use conditions.
<b>10.2 Chemical Stability:</b>	Stable under normal use conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Stable under normal use conditions.
<b>10.4 Conditions to avoid:</b>	Stable under normal use conditions.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

#### Oral

#### Product:

Not classified for acute toxicity based on available data.

**Product name:** Rivolta W.A.P.

---

**Specified substance(s)**

Lime hydrate	LD 50 (Rat): > 2.001 mg/kg
inorganic Zink salt	LD 50 (Rat): > 2.500 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 16.000 mg/kg
phenolic antioxidant	LD 50 (Rat): 2.930 mg/kg (OECD 401)
Zn compound	LD 50 (Rat): > 2.001 mg/kg

**Dermal**

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

Lime hydrate	LD 50 (Rabbit): > 2.500 mg/kg
Calcium Sulfonate	LD 50 (Rat): > 4.000 mg/kg
phenolic antioxidant	LD 50 (Rat): > 5.000 mg/kg (OECD 402)

**Inhalation**

**Product:**

Not classified for acute toxicity based on available data.

**Specified substance(s)**

Zn compound	LC 50 (Rat, 4 h): 5,7 mg/l
-------------	----------------------------

**Skin Corrosion/Irritation:**

**Product:**

OECD 404 (Rabbit):  
Not irritant.

**Serious Eye Damage/Eye Irritation:**

**Product:**

Based on available data, the classification criteria are met.

**Respiratory or Skin Sensitization:**

**Product:**

Skin sensitizer: Based on available data, the classification criteria are not met.  
Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Specified substance(s)**

phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
----------------------	--

**Germ Cell Mutagenicity**

**Product:**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

**Product:**

Based on available data, the classification criteria are not met.

**Product name:** Rivolta W.A.P.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

**Other Adverse Effects:** No data available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

Lime hydrate	LC 50 (Fish, 96 h): 50,6 mg/l
Ca Sulfonate	LC 50 (Fish, 96 h): > 1.001 mg/l
phenolic antioxidant	LC 50 (Fish, 96 h): > 0,57 mg/l (OECD 203)
Zn compound	LC 50 (Fish, 96 h): > 6 mg/l
aromatic phosphoric acid ester derivative	LC 50 (Fish, 96 h): 0,8 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

Lime hydrate	EC 50 (Water Flea, 48 h): 49,1 mg/l
inorganic Zink salt	EC 50 (Water Flea, 48 h): 26 mg/l
Ca Sulfonate	EC 50 (Water Flea, 48 h): > 1.001 mg/l
phenolic antioxidant	EC 50 (Water Flea, 48 h): > 0,17 mg/l
Zn compound	EC 50 (Water Flea, 48 h): 2,2 mg/l
aromatic phosphoric acid ester derivative	EC 50 (Water Flea, 48 h): 0,202 mg/l

**Chronic Toxicity****Product:** Based on available data, the classification criteria are met.

**Aquatic Invertebrates**

**Specified substance(s)**

phenolic antioxidant	NOEC (Water Flea, 21 d): > 0,39 mg/l
----------------------	--------------------------------------

**Toxicity to Aquatic Plants**

**Specified substance(s)**

Lime hydrate	EC 50 (Alga, 72 h): 184,57 mg/l
--------------	---------------------------------



**Product name:** Rivolta W.A.P.

phenolic antioxidant      EC 50 (Alga, 72 h): > 0,42 mg/l

Zn compound      EC 50 (Alga, 72 h): 0,17 mg/l

## 12.2 Persistence and Degradability

### Biodegradation

**Product:** Not applicable for mixtures

**Specified substance(s)**  
phenolic antioxidant      30 % (OECD 302C)

## 12.3 Bioaccumulative Potential

**Product:** Not applicable for mixtures

**Specified substance(s)**  
phenolic antioxidant      May be accumulated in organism

## 12.4 Mobility in Soil:

**Product:** Not applicable for mixtures

## 12.5 Results of PBT and vPvB assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

## 12.6 Other Adverse Effects:

Harmful to aquatic life with long lasting effects.

### Water Hazard Class (WGK):

WGK 1: slightly water-endangering.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

### European Waste Codes

12 01 12\*: spent waxes and fats

## SECTION 14: Transport information

### ADR/RID

14.1 UN Number: —  
14.2 UN Proper Shipping Name: —  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): —  
Hazard No. (ADR): —  
Tunnel restriction code: —  
14.4 Packing Group: —  
14.5 Environmental hazards: —

**Product name:** Rivolta W.A.P.

14.6 Special precautions for user: –

#### ADN

14.1 UN Number: –  
 14.2 UN Proper Shipping Name: –  
 14.3 Transport Hazard Class(es)  
     Class: Non-dangerous goods  
     Label(s): –  
 14.3 Packing Group: –  
 14.5 Environmental hazards: –  
 14.6 Special precautions for user: –

#### IMDG

14.1 UN Number: –  
 14.2 UN Proper Shipping Name: –  
 14.3 Transport Hazard Class(es)  
     Class: Non-dangerous goods  
     Label(s): –  
     EmS No.: –  
 14.3 Packing Group: –  
 14.5 Environmental hazards: –  
 14.6 Special precautions for user: –

#### IATA

14.1 UN Number: –  
 14.2 Proper Shipping Name: –  
 14.3 Transport Hazard Class(es):  
     Class: Non-dangerous goods  
     Label(s): –  
 14.4 Packing Group: –  
 14.5 Environmental hazards: –  
 14.6 Special precautions for user: –

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** not applicable.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

##### EU Regulations

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

##### National Regulations

**Water Hazard Class (WGK):** WGK 1: slightly water-endangering.

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

**Product name:** Rivolta W.A.P.

## SECTION 16: Other information

**Revision Information:** Vertical lines in the margin indicate an amendment.

### Wording of the H-statements in section 2 and 3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Other information:** The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP).

**Revision Date:** 12.10.2016

**Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.