

MATERIAL SAFETY DATA SHEET

Page 1/6

according to 1907/2006/EC, Article 31

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name** Pentosin FFL-3

· **Article number:** 1052900

· **Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the preparation** Transmission Oil

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Deutsche Pentosin-Werke GmbH

Industriestraße 35-53

D-22880 Wedel

Germany

Phone ++49 4103 9134-0

Fax ++49 4103 9134-71

US Distributor

Fuchs Lubricants Co.

17050 Lathrop Avenue

Harvey, IL 60504

(708) 333-8900

(800) 255-3924 24 hr Emergency

· **Informing department:**

Safety / Health / Environment

msds-info@pentosin.com

· **Emergency telephone number:** +49 4103 9134-0

2 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC void**

· **Information concerning particular hazards for human and environment:**

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· **Classification system:**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· **Label elements**

· **Labelling according to Regulation (EC) No 1272/2008 Void**

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:**

Contains Alkoxyated long-chain alkyl amine (CAS-No. proprietary), triisobutyl phosphate. May produce an allergic reaction.

Safety data sheet available on request.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

GB

(Contd. on page 2)

MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 2/6

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

Trade name Pentosin FFL-3

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Blend of HC-synthetic base oils and synthetic hydrocarbons plus additives

· **Dangerous components:**

CAS: 68037-01-4	1-Decene, homopolymer, hydrogenated ⚠ Asp. Tox. 1, H304	< 25%
CAS: 72623-87-1 EINECS: 276-738-4	Schmieröle (Erdöl), C20-50-, mit Wasstoff behandelte neutrale aus Öl ⚠ Asp. Tox. 1, H304	< 25%
CAS: 64742-65-0 EINECS: 265-169-7	Destillate (Erdöl), lösungsmittelentwachste schwere paraffinhaltige ⚠ Asp. Tox. 1, H304	< 2.5%
CAS: 126-71-6 EINECS: 204-798-3	triisobutyl phosphate ⚠ Xi R43 R52/53 ⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	< 0.5%
	Alkoxylated long-chain alkyl amine (CAS-No. proprietary) ⚠ C R34; ⚠ Xn R22; ⚠ Xi R43 R52/53 ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; ⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	< 0.5%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhaling** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** The product is generally no skin irritant.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Call a doctor immediately.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

GB

(Contd. on page 3)

MATERIAL SAFETY DATA SHEET

Page 3/6

according to 1907/2006/EC, Article 31

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

Trade name Pentosin FFL-3

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** No dangerous materials are released.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 10 (VCI Germany)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Use skin protection cream for preventive skin protection.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Under normal working conditions: Butyl rubber, NBR or PVC, regularly change!
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

MATERIAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 4/6

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

Trade name Pentosin FFL-3

(Contd. of page 3)

· **Eye protection:** Protective goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: According to product specification

· **Smell:** Characteristic

· **Change in condition**

Melting point/Melting range: Not determined

Boiling point/Boiling range: > 200 °C

· **Flash point:** 220 °C

· **Self-inflammability:** Product is not self-igniting.

· **Danger of explosion:** Product is not explosive.

· **Density at 20 °C** 0.838 g/cm³

· **Solubility in / Miscibility with**

Water: Insoluble

· **Viscosity:**

kinematic at 20 °C: 86.8 mm²/s

· **Solvent content:**

Organic solvents: 0.0 %

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** None

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritant effect.

· **Sensitization:** Not determined

(Contd. on page 5)

MATERIAL SAFETY DATA SHEET

Page 5/6

according to 1907/2006/EC, Article 31

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

Trade name Pentosin FFL-3

(Contd. of page 4)

· **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **Behaviour in environmental compartments:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **European waste catalogue**

13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 02 00	waste engine, gear and lubricating oils
13 02 06*	synthetic engine, gear and lubricating oils

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|-------------------------------------|------|
| · UN-Number | Void |
| · ADR, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADR, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| · Class | Void |

(Contd. on page 6)

MATERIAL SAFETY DATA SHEET

Page 6/6

according to 1907/2006/EC, Article 31

Printing date 23.07.2013

Version number 6

Revision: 04.03.2013

Trade name Pentosin FFL-3

(Contd. of page 5)

- | | |
|--|--|
| · Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | No |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | No dangerous goods in accordance with the above orders |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.
- **R22 Harmful if swallowed.**
- **R34 Causes burns.**
- **R43 May cause sensitisation by skin contact.**
- **R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**
- **Department issuing data specification sheet:** Safety / Health / Environment
- **Contact:** Dr.G.Lukashek
- **Abbreviations and acronyms:**
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organization
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
- *** Data compared to the previous version altered.**