

SAFETY DATA SHEET

acc.to ISO/DIS 11014 for USA

PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

1

Product name: ANTICORIT DFW 8301

Other means of identification: For further information, please refer to section 9 of the SDS.

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Anticorrosion product Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer	FUCHS LUBRICANTS (UK) PLC. New Century Street Hanley Stoke-on-Trent, Staffordshire, ST1 5HU UK
Telephone:	+44 (0) 1782 203700
Contact Person: Telephone:	Product Safety department +44 (0) 1782 203700

1.4 US contact telephone :	708-333-8900
Emergency telephone:	800-255-3924

2 HAZARDS IDENTIFICATION

E-mail:

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to the legislation in force.

PRODUCT.SAFETY@FUCHS-OIL.COM

Physical Hazards	
Flammable liquids	Category 4
Health Hazards	
Aspiration Hazard	Category 1
Hazard summary	Conform flowmable was our air mintures during the application
Physical Hazards:	Can form flammable vapour-air mixtures during the application.
Health Hazards	



Ingestion:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.		
2.2 Label Elements			
Signal Words:	Danger		
Hazard Statement(s):	H227: Combustible liquid. H304: May be fatal if swallowed and enters airways.		
Precautionary Stateme	nts		
Prevention:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
Response:	P301+P310: IF SWALLOWED: Immediately call a POISON		
	CENTER/doctor. P331: Do NOT induce vomiting.		
	P370+P378: In case of fire: Use alcohol resistant foam for extinction.		
Storage:	P403: Store in well-ventilated place. P235: Keep cool.		
	P405: Store locked up.		
Disposal:	P501: Dispose of contents/container to an appropriate treatment and		
	disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.		
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular		
	hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.		
Unknown toxicity:	Due to information available product does not contain any ingredients of		
	unknown toxicity.		



COMPOSITION / INFORMATION ON INGREDIENTS

General information:

3

Mixture based on severely refined mineral base oils and corrosion preventive agents in volatile hydrocarbons with a flashpoint below 55°C.

Chemical name	Identifier	Concentration *	Notes
Hydrocarbons, low viscosity	64742-48-9	50.00 - <100.00%	
Calcium Sulfonate	61789-86-4	1.00 - <5.00%	
Ca sulfonate	939-603-7	1.00 - <5.00%	
phenolic antioxidant	128-37-0	0.10 - <0.25%	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	
Hydrocarbons, low viscosity	64742-48-9	Asp. Tox. 1;H304
Calcium Sulfonate	61789-86-4	Skin Sens. 1B;H317
Ca sulfonate	939-603-7	Skin Sens. 1B;H317
phenolic antioxidant	128-37-0	Aquatic Acute 1;H400, Aquatic Chronic 1;H410

Instantly remove any clothing soiled by the product.

4 FIRST AID MEASURES

General:

4.1 Description of first aid measures			
Inhalation:	Supply fresh air; consult doctor in case of symptoms.		
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.		
Skin Contact:	Wash with water and soap; pay attention: skin degreasing product.		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed:	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. Headache.		
4.3 Indication of any immediate medical attention and special treatment needed	Get medical attention if symptoms occur.		



SECTION 5: Firefighting measures	S
General Fire Hazards:	Use water spray to keep fire-exposed containers cool.
5.1 Extinguishing media	
Suitable extinguishing media:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mixture:	Can form explosive vapor-air mixtures at higher temperatures.
5.3 Advice for firefighters	
Special fire fighting procedures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures

6.1 Personal precautions, protective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sections:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.



SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Use only in well-ventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibilities:	Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.
7.3 Specific end use(s):	not applicable

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1.Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Unalloyed mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Unalloyed mineral oil	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Unalloyed mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Unalloyed mineral oil	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Unalloyed mineral oil - Mist.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
paraffin wax - Fume.	TWA	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
paraffin wax - Fume.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (02 2012)
phenolic antioxidant	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
phenolic antioxidant - Inhalable fraction and vapor.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (02 2012)

8.2. Exposure controls



Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measure	es, such as personal protective equipment	
General information:	Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.	
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.	
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0.38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.	
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.	
Thermal hazards:	No data available.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	
Environmental Controls:	No data available.	

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance



Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	No data available.
Flash Point:	72 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0.80 g/ml (15.00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	3.7 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.



10.	6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
11	TOXICOLOGICAL INFORMA	TION
	Information on likely routes Inhalation:	of exposure No data available.
	Ingestion:	No data available.
	Skin Contact:	No data available.
	Eye contact:	No data available.
	Acute toxicity	
	Oral Product:	ATEmix: 132,575.91 mg/kg
	Specified substance(s) Hydrocarbons, low viscosity	LD 50 (Rat): > 10,000 mg/kg
	Calcium Sulfonate	LD 50 (Rat): > 16,000 mg/kg
	phenolic antioxidant	LD 50 (Rat): 2,930 mg/kg (OECD 401)
	Dermal Product: Specified substance(s) phenolic antioxidant	ATEmix: 105,778.65 mg/kg LD 50 (Rat): > 5,000 mg/kg (OECD 402)
	Inhalation Product:	
	Specified substance(s) Hydrocarbons, low viscosity	Not classified for acute toxicity based on available data. LC 50 (Rat, 4 h): > 5 mg/l
	Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.



Serious Eye Damage/Eye Irritation:	
Product:	Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitiz	
Product:	Experimental data has shown that the concentration of potentially
	sensitizing components present in this product does not induce skin
	sensitization.
Specified substance(s)	
phenolic antioxidant	No sensitizing effect (guinea pig); OECD 406
prioriere antioxidant	
Germ Cell Mutagenicity	
Product:	Pasad on available data, the classification criteria are not mot
Flouuel.	Based on available data, the classification criteria are not met.
O analiza a namiaita	
Carcinogenicity	
Product:	Based on available data, the classification criteria are not met.
IARC: IARC Monographs of	on the Evaluation of Carcinogenic Risks to Humans:
	No carcinogenic components identified
NTP: US. National Toxicol	ogy Program (NTP) Report on Carcinogens:
	No carcinogenic components identified
	······································
	ifically Regulated Substances (29 CFR 1910.1001-1050):
USHASE. US. USHA Spec	
	No carcinogenic components identified
Reproductive toxicity	
Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic	ity - Single Exposure
Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic	ity - Repeated Exposure
Product:	Based on available data, the classification criteria are not met.
i i oddoli	
Aspiration Hazard	
-	May be fatal if awallowed and anters sirveys
Product:	May be fatal if swallowed and enters airways.
ECOLOGICAL INFORMATIC	IN

12



12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Hydrocarbons, low viscosity	LC 50 (Fish, 96 h): > 101 mg/l
Ca sulfonate	LC 50 (Fish, 96 h): > 101 mg/l
Aquatic Invertebrates Specified substance(s) Ca sulfonate	EC 50 (Water Flea, 48 h): > 1,001 mg/l
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) phenolic antioxidant	NOEC (Water Flea, 21 d): > 0.39 mg/l
Toxicity to Aquatic Plants Specified substance(s) Ca sulfonate	EC 50 (Alga, 72 h): > 101 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s)	Not applicable for mixtures
Hydrocarbons, low viscosity	31 % (28 d, OECD 301F) Not readily degradable.
Calcium Sulfonate	8.6 % Not easily biodegradable
phenolic antioxidant	30 % (OECD 302C)
12.3 Bioaccumulative potential Product:	Not applicable for mixtures



Specified substance(s) phenolic antioxidant	May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	No data available.
13 Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws.

14 TRANSPORT INFORMATION

DOT

14.1 UN Number:	NA 1993
14.2 Proper Shipping Name:	Combustible liquid, n.o.s.(Hydrocarbons, low viscosity)
14.3 Transport Hazard Class(es):	CBL
14.4 Subsidiary risk label:	-
14.5 Packing Group:	III
14.6 Label(s):	NONE
IMDG - International Maritime Dang	erous Goods Code
Not rogulated	

Not regulated.

IATA

Not regulated.

15 REGULATORY INFORMATION

US Federal Regulations

US State Regulations

Inventory Status

TSCA	On or in compliance with the inventory
DSL	On or in compliance with the inventory



16 OTHER INFORMATION

Revision Information:

Vertical lines in the margin indicate an amendment.

Wording of the R-phrases and H-statements in section 2 and 3

- H227 Combustible liquid.
- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
 - H410 Very toxic to aquatic life with long lasting effects.

Revision Date: Disclaimer:

19.09.2017

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.