

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **MOULDMASTER TBS 3010**

Article number: 600977993

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Application of the substance / the mixture Release agent

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

FUCHS LUBRICANTS (UK) PLC.

New Century Street

Hanley

Stoke-on-Trent, Staffordshire, ST1 5HU

UK

e-mail: product.safety@fuchs-oil.com

Further information obtainable from: Product safety department.

#### 1.4 Emergency telephone number:

Fuchs Lubricants (UK) Emergency telephone: (UK) 01782 203700

NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

**EMERGENCY  
TELEPHONE NO.  
800-255-3924**

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

#### Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

#### 2.2 Label elements

##### Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

##### Special labelling of certain preparations:

Safety data sheet available for professional user on request.

#### 2.3 Other hazards

##### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Chemical characterisation: Mixtures

Description: A blend of highly refined mineral oils and multifunctional additives with thickener system.

##### Dangerous components:

CAS: 7704-34-9  
EINECS: 231-722-6

Sulphur

 Xi R38

 Skin Irrit. 2, H315

1-2.5%

SVHC None

(Contd. on page 2)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

**Trade name: MOULDMASTER TBS 3010**

(Contd. of page 1)

**Additional information:**

Annex I Nota L applies to the base oil(s) in this product. Nota L - The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

For the wording of the listed phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water.

**After swallowing:**

Rinse out mouth and then drink plenty of water in small sips.

Seek medical treatment.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Information for doctor:** Treat symptomatically**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters****Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

**6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB



# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

Trade name: MOULDMASTER TBS 3010

See Section 13 for disposal information.

(Contd. of page 2)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional Occupational Exposure Limit Values for possible hazards during processing:**  
Exposure limits/standards for materials that can be formed when handling this product:  
When mists / aerosols can occur, the following are recommended:  
5 mg/m<sup>3</sup> - ACGIH TLV, 10 mg/m<sup>3</sup> - ACGIH STEL.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**  
Select PPE appropriate for the operations taking place taking into account the product properties.
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid close or long term contact with the skin.  
Do not eat or drink while working.  
Do not carry product impregnated cleaning cloths in trouser pockets.
- **Respiratory protection:**  
Respiratory protection will be necessary only in special cases (e.g. formation of mists). A half or full face respirator with combined dust/organic vapour filter(s), or a Self-Contained Breathing Apparatus (SCBA) can be used according to the extent of spill and predictable amount of exposure. If the situation cannot be completely assessed, or if an oxygen deficiency is possible, only SCBA's should be used.
- **Protection of hands:**



Protective gloves (EN374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

Trade name: MOULDMASTER TBS 3010

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**  
Nitrile rubber, NBR  
Neoprene gloves
- **Not suitable are gloves made of the following materials:**  
Butyl rubber, BR  
Natural rubber, NR
- **Eye protection:** Safety glasses (EN166) recommended during refilling
- **Body protection:** Protective work clothing

\*

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form:	Pasty
Colour:	Black
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value:	Not determined.
-------------	-----------------

##### · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 320 °C

· Flash point:	> 190 °C
----------------	----------

· Flammability (solid, gaseous):	Not applicable.
----------------------------------	-----------------

##### · Ignition temperature:

Decomposition temperature:	Not determined.
----------------------------	-----------------

· Self-igniting:	Product is not selfigniting.
------------------	------------------------------

· Danger of explosion:	Product does not present an explosion hazard.
------------------------	---

##### · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure:	Not determined.
--------------------	-----------------

· Density at 15 °C:	0.9 g/cm <sup>3</sup>
---------------------	-----------------------

· Relative density	Not determined.
--------------------	-----------------

· Vapour density	Not determined.
------------------	-----------------

· Evaporation rate	Not determined.
--------------------	-----------------

##### · Solubility in / Miscibility with

water:	Not miscible or difficult to mix.
--------	-----------------------------------

· Partition coefficient (n-octanol/water):	Not determined.
--	-----------------

##### · Viscosity:

Dynamic at 20 °C:	20000 cPs (Brookfield)
Kinematic:	Not determined.

· 9.2 Other information	No further relevant information available.
-------------------------	--

GB

(Contd. on page 5)



# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

Trade name: MOULDMASTER TBS 3010

(Contd. of page 4)

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Naked flames, hot surfaces and other high temperature sources
- **10.5 Incompatible materials:** Strong oxidising agents.
- **10.6 Hazardous decomposition products:**  
Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.  
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Inherently biodegradable
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Contact waste processors for recycling information.  
Delivery of waste oil to officially authorised collectors only.  
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

#### · European waste catalogue

12 01 12*	spent waxes and fats
-----------	----------------------

(Contd. on page 6)

GB

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

Trade name: MOULDMASTER TBS 3010

(Contd. of page 5)

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

EWC 15 01 02 (plastic) or 15 01 04 (metal) if fully drained and cleaned; otherwise 15 01 10\*

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

· **14.4 Packing group**

· **ADR, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user** Not applicable.

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable to packaged goods.

· **UN "Model Regulation":** -

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57** None

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This data sheet is a Safety Data Sheet in accordance with 1907/2006/EC - 453/2010/EC, Article 31.

For products which are not subject to classification according to EU lists, this data sheet is supplied on a voluntary basis.

· **Relevant phrases**

- The Hazard / Risk phrases shown below are for those component substances which are listed in section 3 and not necessarily for the finished formulation.

- Hazards are concentration dependent. Therefore for the hazard classification and risk/safety phrases appropriate for the actual finished formulated product refer to section 2.

H315 Causes skin irritation.

R38 Irritating to skin.

(Contd. on page 7)

**Safety Data Sheet**  
**According to 1907/2006 EC - 453/2010 EC**

Printing date 07.01.2015

Version number 2

Revision: 09.12.2014

**Trade name: MOULDMASTER TBS 3010**

(Contd. of page 6)

- **Department issuing SDS:** Product safety department.
- **Contact:** STEVEN PRITCHARD
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- **\* Data compared to the previous version altered.**

GB