

# SAFETY DATA SHEET

## 1. Identification

**Product name** 

ANTICORIT RP 4107 A

Other means of identification

**Recommended use:** 

**Restrictions on use:** 

No data available. Corrosion inhibitor

Industrial use only

## Manufacturer/Importer/Distributor Information

## Manufacturer

Company Name:	Fuchs Lubricants Canada Ltd.
Address:	405 Dobbie Drive
	P.O. Box 909
	Cambridge, ON N1R 5X9
Telephone:	519-622-2040
Fax:	519-622-2220
Contact Person:	Technical Services Department

Emergency telephone number: 519-622-2040 (Bus. hrs) CANUTEC 1-888-226-8832 (24 hrs)

## 2. Hazard(s) identification

## **Hazard Classification**

## **Health Hazards**

Aspiration Hazard

Category 1

## **Unknown toxicity - Health**

Acute toxicity, oral	0.2 %
Acute toxicity, dermal	0.14 %
Acute toxicity, inhalation, vapor	99.3 %
Acute toxicity, inhalation, dust or mist	87.4 %

## Label Elements

Hazard Symbol:



Signal Word:

Danger



Hazard Statement:	May be fatal if swallowed and enters airways.
Precautionary Statements	
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated heavy naphthenic	Mineral oil,	64742-52-5	60 - 100%
Distillates (petroleum), hydrotreated light paraffinic		64742-55-8	7 - 15%
Distillates (petroleum), hydrotreated light	Mineral spirits,	64742-47-8	1 - 3%
Barium compound		61790-48-5	0.1 - 1%
Mineral oil		64741-88-4	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. Call a POISON CENTRE/doctor/ if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.
Most important sympto	ms/offects acute and delayed

#### Most important symptoms/effects, acute and delayed



Hazards:	No data available.			
Indication of immediate medical	Indication of immediate medical attention and special treatment needed			
Treatment:	Get medical attention if symptoms occur.			
5. Fire-fighting measures				
General Fire Hazards:	No unusual fire or explosion hazards noted.			
Suitable (and unsuitable) exting	uishing media			
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.			
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters				
Special fire fighting procedures:	No data available.			
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.			
6. Accidental release measures				
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.			
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.			
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.			
7. Handling and storage				
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container.			
Conditions for safe storage, including any incompatibilities:	Store locked up.			



## 8. Exposure controls/personal protection

## **Control Parameters**

## **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	STEL	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Distillates (petroleum), hydrotreated light paraffinic	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated light paraffinic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated light - Vapor as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Vapor as total hydrocarbons	8 HR ACL	200 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	250 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)



Distillates (petroleum), hydrotreated light	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Barium compound - as Ba	8 HR ACL	0.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	1.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Barium compound - as Ba	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values (03 2012)

## Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.	
Eye/face protection:	Wear safety glasses with side shields (or goggles).	
Skin Protection Hand Protection:	No data available.	
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.	
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	

## 9. Physical and chemical properties

## Appearance

Physical state:	
Form:	
Color:	
Odor:	
Odor threshold:	



pH: Melting point/freezing point: Initial boiling point and boiling range: Flash Point: Evaporation rate: Flammability (solid, gas):	No data available. No data available. No data available. 140 °C No data available. No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%): Flammability limit - lower (%): Explosive limit - upper (%): Explosive limit - lower (%):	No data available. No data available. No data available. No data available.
Vapor pressure:	No data available.
Vapor density: Density: Relative density: Solubility(ies)	No data available. No data available. 0.904
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature: Decomposition temperature:	No data available. No data available.

Viscosity:

No data available.

## 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

## Information on likely routes of exposure Inhalation: Harmful if inhaled.



Skin Contact:	Prolonged skin contact may cause redness and irritation.
Eye contact:	Eye contact is possible and should be avoided.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physic	al, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix (): > 5000 mg/kg
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritat Product:	ion No data available.
Respiratory or Skin Sensitization Product:	on No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evalu No carcinogenic con	nation of Carcinogenic Risks to Humans:
US. National Toxicology Progra No carcinogenic con	nm (NTP) Report on Carcinogens:
ACGIH Carcinogen List: No carcinogenic con	nponents identified



#### **Germ Cell Mutagenicity**

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	<b>Single Exposure</b> No data available.
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.

Other effects:

No data available.

## 12. Ecological information

## **Ecotoxicity:**

Acute hazards to the aquatic environment:		
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Chronic hazards to the aquatic	environment:	
Fish Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	

## Persistence and Degradability

## **Biodegradation**



Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential	
Bioconcentration Factor (I Product:	BCF) No data available.
Partition Coefficient n-octanol Product:	<b>vater (log Kow)</b> No data available.
Mobility in soil: Other adverse effects:	No data available. No data available.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	

## TDG

Not regulated.

#### IMDG

Not regulated.

#### ΙΑΤΑ

Not regulated.

## 15. Regulatory information

## Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)

#### **Chemical Identity**

Export Control List (CEPA 1999, Schedule 3) Not Regulated

#### National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Distillates (petroleum), Listed. hydrotreated light



## Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory (NPRI) (Parts 1-4) NPRI

Not Regulated

**Greenhouse Gases** Not Regulated

16.Other information, including date of preparation or last revision		
Issue Date:	05/05/2017	
Revision Date:	03/28/2017	
Version #: Further Information:	1.0 No data available.	
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	