

SAFETY DATA SHEET

1. Identification

Product name

ECOCOOL AP 71 CP

Other means of identification

Recommended use:

Restrictions on use:

No data available. Metalworking fluid

Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

| Company Name: Address: | FUCHS LUBRICANTS CANADA LTD. 405 Dobbie Drive Cambridge, ON N1T 1S8 |
|---------------------------|---|
| Telephone: | 519-622-2040 |
| Fax: | 519-622-2220 |
| Contact Person: | Technical Services Department |

Emergency telephone number: 519-622-2040 (Bus. hrs) CANUTEC 1-888-226-8832 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

| Skin Corrosion/Irritation | Category 2 |
|-----------------------------------|-------------|
| Serious Eye Damage/Eye Irritation | Category 2A |
| Toxic to reproduction | Category 2 |

Unknown toxicity - Health

| Acute toxicity, oral | 18.65 % |
|-----------------------------------|---------|
| Acute toxicity, dermal | 18.69 % |
| Acute toxicity, inhalation, vapor | 100 % |
| Acute toxicity, inhalation, dust | 42.2 % |
| or mist | |

Label Elements

Hazard Symbol:





| Signal Word: | Warning | |
|--|---|--|
| Hazard Statement: | May cause flash fire or explosion. Causes skin irritation. Causes serious eye irritation. | |
| Precautionary Statements | | |
| Prevention: | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. | |
| Response: | IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Specific treatment (see this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. | |
| Storage: | Store locked up. | |
| Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. | |
| Other hazards which do not result in GHS classification: | None. | |

3. Composition/information on ingredients

Mixtures

| Chemical Identity | Common name and synonyms | CAS number | Content in percent (%)* |
|---|--------------------------|------------|-------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | Mineral oil, | 64742-52-5 | 1 - 10% |
| Borate Ethanolamide | | 10377-81-8 | 1 - 10% |
| Boric Acid | | 10043-35-3 | 1 - 10% |
| Triethanolamine | | 102-71-6 | 1 - 5% |
| Biocide | Biocide, | 4719-04-4 | 1 - 5% |
| Monoethanolamine | | 141-43-5 | 1 - 3% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:

Call a POISON CENTRE/doctor/ if you feel unwell. Rinse mouth.

Inhalation:

Move to fresh air. Call a POISON CENTRE/doctor/ if you feel unwell.



| Skin Contact: | Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention. | |
|--|---|--|
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. | |
| Most important symptoms/effect | s, acute and delayed | |
| Symptoms: | No data available. | |
| Hazards: | No data available. | |
| Indication of immediate medical | attention and special treatment needed | |
| Treatment: | Get medical attention if symptoms occur. | |
| 5. Fire-fighting measures | | |
| General Fire Hazards: | No unusual fire or explosion hazards noted. | |
| Suitable (and unsuitable) exting | uishing media | |
| Suitable extinguishing media: | Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials. | |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical: | Heat may cause the containers to explode. During fire, gases hazardous to health may be formed. | |
| Special protective equipment and precautions for firefighters | | |
| Special fire fighting procedures: | No data available. | |
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. | |
| 6. Accidental release measure | S | |
| Personal precautions, protective equipment and emergency procedures: | See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. | |

Methods and material for Absorb spill with vermiculite or other inert material, then place in a container containment and cleaning for chemical waste. Dike far ahead of larger spill for later recovery and disposal. up:



| Environmental Precautions: | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. |
|---|---|
| 7. Handling and storage | |
| Precautions for safe handling: | Contains amines. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Contains a component that when heated at or above 300F (150C) may generate Formaldehyde vapors. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. |
| Conditions for safe storage, including any incompatibilities: | Store locked up. |

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Туре | Exposure Limit Values | Source |
|---|---------------|-----------------------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic - Mist. | TWA | 5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011) |
| | STEL | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011) |
| Distillates (petroleum), hydrotreated heavy naphthenic - Mist. | TWA | 1 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction. | TWA | 5 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015) |
| Borate Ethanolamide - Inhalable fraction. | TWA | 2 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| | STEL | 6 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Boric Acid - Inhalable | STEL | 6 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| | TWA | 2 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Boric Acid - Inhalable fraction. | TWA | 2 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| | STEL | 6 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Boric Acid - Inhalable fraction. | 8 HR ACL | 2 mg/m3 | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |
| | 15 MIN ACL | 6 mg/m3 | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |



| Boric Acid - Inhalable fraction. | TWA | | 2 mg/m3 | US. ACGIH Threshold Limit Values (03 2012) |
|-------------------------------------|---------------|---------|-----------|--|
| | STEL | | 6 mg/m3 | US. ACGIH Threshold Limit Values (03 2012) |
| Triethanolamine | TWA | | 5 mg/m3 | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009) |
| Triethanolamine | TWA | | 5 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Triethanolamine | TWA | 0.5 ppm | 3.1 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Triethanolamine | 8 HR ACL | | 5 mg/m3 | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |
| | 15 MIN ACL | | 10 mg/m3 | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |
| Triethanolamine | TWA | | 5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011) |
| Triethanolamine | TWA | | 5 mg/m3 | US. ACGIH Threshold Limit Values (03 2012) |
| Monoethanolamine | TWA | 3 ppm | 7.5 mg/m3 | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009) |
| | STEL | 6 ppm | 15 mg/m3 | Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009) |
| Monoethanolamine | STEL | 6 ppm | | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| | TWA | 3 ppm | | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Monoethanolamine | STEL | 6 ppm | | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| | TWA | 3 ppm | | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Monoethanolamine | 8 HR ACL | 3 ppm | | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |
| | 15 MIN ACL | 6 ppm | | Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009) |
| Monoethanolamine | TWA | 3 ppm | 7.5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011) |
| | STEL | 6 ppm | 15 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011) |
| Monoethanolamine | TWA | 3 ppm | | US. ACGIH Threshold Limit Values (03 2012) |
| | STEL | 6 ppm | | US. ACGIH Threshold Limit Values (03 2012) |

Appropriate Engineering Controls

No data available.



Individual protection measures, such as personal protective equipment

| General information: | Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. | |
|-------------------------------------|--|--|
| Eye/face protection: | Wear safety glasses with side shields (or goggles). | |
| Skin Protection Hand Protection: | No data available. | |
| Other: | Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information. | |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards. | |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. | |

9. Physical and chemical properties

Appearance

| Liquid |
|--------------------|
| Liquid |
| Blue-green |
| No data available. |
| No data available. |
| 9.6 |
| No data available. |
| |
| No data available. |
| 1.056 |
| |



Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water):

Auto-ignition temperature: Decomposition temperature: No data available. Soluble No data available.

No data available. No data available.

Viscosity:

No data available.

10. Stability and reactivity

| Reactivity: | Not reactive during normal use. |
|--|--|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | None under normal conditions. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. formaldehyde |

11. Toxicological information

Information on likely routes of exposure

| Innalation: | Harmful if innaled. |
|-------------|---------------------|
| | |

- Skin Contact: Causes skin irritation.
- **Eye contact:** Causes serious eye irritation.
- Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation:No data available.Skin Contact:No data available.Eye contact:No data available.
- Ingestion: No data available.



Information on toxicological effects

| Acute toxicity (list all possible routes of exposure) | | |
|---|--|--|
| Oral Product: | ATEmix (): > 5000 mg/kg | |
| Dermal Product: | ATEmix (): > 5000 mg/kg | |
| Inhalation Product: | Not classified for acute toxicity based on available data. | |
| Repeated dose toxicity Product: | No data available. | |
| Skin Corrosion/Irritation Product: | No data available. | |
| Serious Eye Damage/Eye Irritatio Product: | on No data available. | |
| Respiratory or Skin Sensitization Product: | No data available. | |
| Carcinogenicity Product: | No data available. | |
| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified | | |
| US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified | | |
| ACGIH Carcinogen List: No carcinogenic components identified | | |
| Germ Cell Mutagenicity | | |
| In vitro Product: | No data available. | |
| In vivo Product: | No data available. | |
| Reproductive toxicity Product: | No data available. | |
| Specific Target Organ Toxicity - Product: | Single Exposure No data available. | |
| Specific Target Organ Toxicity - Repeated Exposure Product: No data available. | | |



Aspiration Hazard Product:

No data available.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

| Fish Product: | No data available. | |
|---|--|--|
| Aquatic Invertebrates Product: | No data available. | |
| Chronic hazards to the aquatic environment: | | |
| Fish Product: | No data available. | |
| Aquatic Invertebrates Product: | No data available. | |
| Toxicity to Aquatic Plants Product: | No data available. | |
| Persistence and Degradability | | |
| Biodegradation Product: | No data available. | |
| BOD/COD Ratio Product: | No data available. | |
| Bioaccumulative potential | | |
| Bioconcentration Factor (BCF) Product: No data available. | | |
| Partition Coefficient n-octanol / water (log Kow)Product:No data available. | | |
| Mobility in soil: Other adverse effects: | No data available. No data available. | |

13. Disposal considerations



| Disposal instructions: | Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied. |
|-------------------------|---|
| Contaminated Packaging: | Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

TDG

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1) Not Regulated

Export Control List (CEPA 1999, Schedule 3) Not Regulated

National Pollutant Release Inventory (NPRI) Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Not Regulated

Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory (NPRI) (Parts 1-4) NPRI Not Regulated

Greenhouse Gases Not Regulated

16.Other information, including date of preparation or last revision

| Issue Date: | 05/19/2017 |
|------------------------------------|---------------------------|
| Revision Date: | 04/05/2017 |
| Version #: Further Information: | 1.0 No data available. |



Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.