

SAFETY DATA SHEET

1. Identification

Product identifier

RENOFORM 2117 D

Other means of identification

Recommended use:

Restrictions on use:

No data available. Metalworking fluid

Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	FUCHS LUBRICANTS CANADA LTD.
Address:	405 Dobbie Drive
	Cambridge, ON N1T 1S8
Telephone:	519-622-2040
Fax:	519-622-2220
Contact Person:	Technical Services Department

Emergency telephone number: 519-622-2040 (Bus. hrs) CANUTEC 1-888-226-8832 (24 hrs)

2. Hazard identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation Category 1

Unknown toxicity - Health

Acute toxicity, oral58.54 %Acute toxicity, dermal67.14 %Acute toxicity, inhalation, vapor98.8 %Acute toxicity, inhalation, dust99 %or mist99 %% of the mixture consists of an ingredient or ingredients of unknown acute toxicity

Label Elements

Hazard Symbol:



Signal Word:

Danger



Hazard Statement:	Causes serious eye damage.	
Precautionary Statements		
Prevention:	Wear eye protection/face protection.	
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.	

Other hazards which do not None. result in GHS classification:

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Alkanes, C14, Chloro		198840-65-2	15 - 40%
Distillates (petroleum), hydrotreated heavy naphthenic	Mineral oil,	64742-52-5	7 - 13%
Sulfonated petroleum, sodium salt	Sulfonated petroleum, sodium salt,	68608-26-4	5 - 10%
Alkanes, C14-16, chloro	Alkanes, C14-16, chloro,	1372804-76-6	5 - 10%
Triethanolamine	Triethanolamine,	102-71-6	1 - 5%
Petroleum Oil	Petroleum Oil,	8002-05-9	1 - 5%
Alcohols, C12-14-secondary, ethoxylated		84133-50-6	1 - 5%
Soybean oil, epoxidized	Soybean oil, epoxidized,	8013-07-8	1 - 5%
Hexylene glycol	Hexylene glycol,	107-41-5	1 - 5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.



Most important symptoms/effects, acute and delayed		
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical a	attention and special treatment needed	
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extingu	ishing media	
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.	
Special protective equipment and	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures	3	
Personal precautions, protective equipment and emergency procedures:See Section 8 of the SDS for Personal Protective Equipment. Do not to damaged containers or spilled material unless wearing appropriate 		

Methods and material for
containment and cleaning
up:Absorb spill with vermiculite or other inert material, then place in a container
for chemical waste. Dike far ahead of larger spill for later recovery and
disposal.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.



7. Handling and storage Precautions for safe handling: Contains amines. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Do not get in eyes. Wash hands thoroughly after handling. Conditions for safe storage, including any incompatibilities: Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limi	t Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA		1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction.	TWA		5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	STEL		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	TWA		5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Triethanolamine	TWA		5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Triethanolamine	TWA		5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Triethanolamine	TWA	0.5 ppm	3.1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Triethanolamine	8 HR ACL		5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL		10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)



Triethanolamine	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Triethanolamine	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Hexylene glycol	CEILING	25 ppm 121 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Hexylene glycol	CEILING	25 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Hexylene glycol	CEILING	25 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2012)
Hexylene glycol	CEV	25 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Hexylene glycol	Ceiling	25 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Hexylene glycol	CEILING	25 ppm 121 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Hexylene glycol - Vapor fraction	TWA	25 ppm	US. ACGIH Threshold Limit Values (03 2017)
Hexylene glycol - Aerosol, inhalable.	STEL	10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
Hexylene glycol - Vapor fraction	STEL	50 ppm	US. ACGIH Threshold Limit Values (03 2017)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties



Appearance

Physical state: Form: Color: Odor: Odor threshold: pH: Melting point/freezing point: Initial boiling point and boiling range: Flash Point: **Evaporation rate:** Flammability (solid, gas): Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): Flammability limit - lower (%): Explosive limit - upper (%): Explosive limit - lower (%): Vapor pressure:

Vapor density: Density: Relative density: Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water):

Auto-ignition temperature: Decomposition temperature: liquid No data available. Amber Mild No data available. 9.5 No data available. 1.04

Soluble No data available. No data available.

No data available. No data available.

No data available.

Viscosity:

10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.



Hazardous Decomposition Products:

Contains a component which may release flammable substances, including trimethylpentene, by distillation in systems with solvent recovery. This may lead to accumulation in the solvent circuit. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Info	Information on likely routes of exposure Inhalation: Harmful if inhaled.				
	Skin Contact:	Prolonged or repeated skin contact may cause drying, cracking, or irritation.			
	Eye contact:	Causes serious eye damage.			
	Ingestion:	Harmful if swallowed.			
Syn	nptoms related to the physica	I, chemical and toxicological characteristics			
	Inhalation:	No data available.			
	Skin Contact:	No data available.			
	Eye contact:	No data available.			
	Ingestion:	No data available.			
Info	Information on toxicological effects				
Acute toxicity (list all possible routes of exposure)					
	Oral Product:	ATEmix: > 5000 mg/kg			
	Dermal Product:	Not classified for acute toxicity based on available data.			
	Inhalation Product:	Not classified for acute toxicity based on available data.			
Del	ayed and immediate effects, i Product:	including chronic effects from short- and long-term exposure No data available.			
Ski	n Corrosion/Irritation Product:	No data available.			
Sei	ious Eye Damage/Eye Irritatio Product:	on No data available.			
Re	spiratory or Skin Sensitization Product:	n No data available.			
Ca	rcinogenicity Product:	No data available.			



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified			
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified			
ACGIH Carcinogen List: No carcinogenic co	mponents identified		
Germ Cell Mutagenicity			
In vitro Product:	No data available.		
In vivo Product:	No data available.		
Reproductive toxicity Product:	No data available.		
Specific Target Organ Toxicity - Single Exposure Product: No data available.			
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.			
Aspiration Hazard Product:	No data available.		
Other effects:	No data available.		
12. Ecological information			
Ecotoxicity:			
Acute hazards to the aquatic environment:			
Fish Product:	No data available.		
Aquatic Invertebrates Product:	No data available.		
Chronic hazards to the aquatic environment:			
Fish			

1 1311	
Product:	No data available.



Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential		
Bioconcentration Factor (BC Product:	F) No data available.	
Partition Coefficient n-octanol / w Product:	vater (log Kow) No data available.	
Mobility in soil: Other adverse effects:	No data available. No data available.	
13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.	
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		

14. Transport information

TDG

Not regulated.



IMDG

UN Number:	UN 3082
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Alkanes, C14-16, chloro, Alkanes, C14, Chloro)
Transport Hazard Class(es)	
Class:	9
Label(s):	9
EmS No.:	F-A, S-F
Packing Group:	III
Limited quantity	5.00L
Excepted quantity	PIN for exception quantity
	Vec
Environmental Hazards:	Yes
Marine Pollutant	No
Special precautions for user:	Not regulated.
	Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1) Not Regulated Export Control List (CEPA 1999, Schedule 3) Not Regulated National Pollutant Release Inventory (NPRI) Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional **Reporting Requirements** NPRI PT5 Not Regulated Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4) NPRI Not Regulated

Greenhouse Gases Not Regulated

16.Other information, including date of preparation or last revision

Issue Date:	10/25/2018
Revision Date:	10/25/2018
Version #: Further Information:	1.1 No data available.



Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.