

1. Identification	
Product name	ANTICORIT DFW 6401
Other means of identification	No data available.
Recommended use:	Corrosion inhibitor
Restrictions on use:	Industrial use only

## Manufacturer/Importer/Supplier/Distributor Information

#### Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
	Harvey, Illinois 60426
Telephone:	708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

### Hazard Classification

Physical Hazards	
Flammable liquids	Category 3
Health Hazards	
Skin Corrosion/Irritation	Category 2
Specific Target Organ Toxicity - Single Exposure	Category 3
Aspiration Hazard	Category 1

#### Label Elements

### Hazard Symbol:



Danger

Signal Word:



Hazard Statement:	Flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.	
Precautionary Statement		
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.	
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see the specific response guidance provided herein). Take off contaminated clothing. In case of fire: Use CO2, dry chemical, or foam to extinguish.	
Storage:	Store in well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.	
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Other hazards which do not result in GHS classification:	None.	
Unknown toxicity - Health		
Acute toxicity, oral		17.46 %
Acute toxicity, dermal		17.84 %
Acute toxicity, inhalation	, vapor	90.93 %
Acute toxicity, inhalation or mist	, dust	22.78 %

## 3. Composition/information on ingredients



### Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Petroleum distillates	Confidential	60 - 100%
Mineral oil	Confidential	5 - 10%
Glycol ether	Confidential	1 - 5%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air. Call a Poison Center or doctor if you feel unwell.	
Skin Contact:	Take off immediately all contaminated clothing. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.	
Most important symptoms/effec	ts, acute and delayed	
Symptoms:	No data available.	
Indication of immediate medical a	attention and special treatment needed	
Treatment:	Get medical attention as appropriate or if symptoms persist.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Avoid water in straight hose stream as this will scatter and spread fire.	



Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.	
Special protective equipment an	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment appropriate for industrial fires.	
6. Accidental release measures	S	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. Keep unauthorized personnel away. Ensure adequate ventilation. See Section 8 of the SDS for Personal Protective Equipment. Do not handle damaged containers or spilled material unless wearing appropriate protective clothing.	
Methods and material for containment and cleaning up:	Absorb spill with an inert material, then place in a container for safe and proper disposal. Eliminate all ignition sources if safe to do so. Dike far ahead of larger spill for later recovery and disposal. Use only non-sparking tools.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so and protect against releases into the environment. Remediate as appropriate.	
7. Handling and storage		
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Avoid contact with skin. Wash hands thoroughly after handling.	
Conditions for safe storage, including any incompatibilities:	Store locked up. Store in a well-ventilated place. Store in a cool place. Flammable liquid storage.	



## 8. Exposure controls/personal protection

#### **Exposure Limits**

Chemical name	type	Exposure Limit Values	Source
Petroleum distillates - Non-aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Mineral oil - Mist.	STEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Glycol ether - Inhalable fraction and vapor.	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2013)

Protective Measures:	Use explosion-proof ventilation equipment. Good general ventilation should be provided. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide easy access to water supply and eye wash facilities.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Eye Protection:	Wear safety glasses with side shields (or goggles).
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Discard contaminated footwear that cannot be cleaned. Avoid contact with skin, eyes, and clothing.

## 9. Physical and chemical properties

Appearance	
Physical state:	Liquid
Form:	No data available.
Color:	Amber
Odor:	Solvent odor
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.



Flash Point:
Evaporation rate:
Flammability (solid, gas):
Upper/lower limit on flammability or explosive limits
Flammability limit - upper (%):
Flammability limit - lower (%):
Explosive limit - upper (%):
Explosive limit - lower (%):
Vapor pressure:
Vapor density:
Relative density:
Solubility(ies)
Solubility in water:
Solubility (other):
Partition coefficient (n-octanol/water):
Auto-ignition temperature:
Decomposition temperature:
Viscosity:

52 °C (126 °F) No data available. No data available.

No data available. No data available. No data available. No data available. No data available. No data available. 0.7909

Insoluble No data available. No data available. No data available. No data available. No data available.

## 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	None under normal conditions.
Conditions to Avoid:	Avoid heat or contamination. Heat, sparks, flames.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

Information on likely routes of exposure		
Ingestion:	Harmful if swallowed.	
U		
Inhalation:	Harmful if inhaled.	
Skin Contact:	Causes skin irritation.	
	Cudoco oran intration.	



Eye contact:	Causes eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics Ingestion: No data available.	
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix (): > 5000 mg/kg
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritation Product: No data available.	
Respiratory or Skin Sensitizatio Product:	n No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified	
US. National Toxicology P No carcinogenic component	rogram (NTP) Report on Carcinogens: ts identified
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified	



## Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	Single Exposure No data available.
Specific Target Organ Toxicity - Repeated ExposureProduct:No data available.	
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.
Other effects:	Components may cause a risk to the following : Central Nervous System Blood

12. Ecological information	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.

## **Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal.



## 14. Transport information

DOT	
UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s.(Petroleum distillates)
Transport Hazard Class(es)	
Class:	3
Label(s):	3
Packing Group:	III
Marine Pollutant:	No
Special precautions for user:	-
IMDG	
UN Number:	UN 1993
UN Proper Shipping Name:	FLAMMABLE LIQUID, N.O.S.(Petroleum distillates)
Transport Hazard Class(es)	
Class:	3
Label(s):	3
EmS No.:	F-E, S-E
Packing Group:	Ш
Marine Pollutant:	Not regulated.
Special precautions for user:	
ΙΑΤΑ	
UN Number:	UN 1993
Proper Shipping Name:	Flammable liquid, n.o.s.
Transport Hazard Class(es):	
Class:	3
Label(s):	3
Packing Group:	
Environmental Hazards	Not regulated.
Special precautions for user:	_
Other information	
Passenger and cargo aircraft:	Allowed.
Cargo aircraft only:	Allowed.

### 15. Regulatory information

### **US Federal Regulations**

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### **Hazard categories**

Fire Hazard Immediate (Acute) Health Hazards



### SARA 313 (TRI Reporting)

Chemical Identity Glycol ether Reporting threshold for other users 10000 lbs Reporting threshold for manufacturing and processing 25000 lbs.

### **US State Regulations**

#### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

16.Other information, including date of preparation or last revision		
Issue Date:	18.11.2015	
Revision Date:	18.11.2015	
Version #:	1.0	
Further Information:	No data available.	
Disclaimer:	<b>This information is provided without warranty</b> . The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	