

SAFETY DATA SHEET

1. Identification

Product identifier

ANTICORIT RP 4107 A

Other means of identification

Recommended use:

Restrictions on use:

No data available. Corrosion inhibitor

Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	FUCHS LUBRICANTS CANADA LTD.
Address:	405 Dobbie Drive
	Cambridge, ON N1T 1S8
Telephone:	519-622-2040
Fax:	519-622-2220
Contact Person:	Technical Services Department

Emergency telephone number: 519-622-2040 (Bus. hrs) CANUTEC 1-888-226-8832 (24 hrs)

2. Hazard identification

Hazard Classification

Health Hazards

Acute toxicity (Inhalation - dust ar mist)	nd Category 4
Specific Target Organ Toxicity - Single Exposure	Category 3 ^{1.}
Aspiration Hazard	Category 1
Target Organs 1.Narcotic effect. Unknown toxicity - Health	
Acute toxicity, oral	0.2 %
Acute toxicity, dermal	0.14 %
Acute toxicity, inhalation, vapor	99.3 %
Acute toxicity, inhalation, dust or mist	98.7 %
% of the mixture consists of an ing	gredient or ingredients of unknown acute toxicity

Label Elements

Hazard Symbol:



Signal Word:	Danger
Hazard Statement	: Harmful if inhaled. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
Precautionary Statements	
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do n result in GHS classificatio	

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated heavy naphthenic	Mineral oil,	64742-52-5	60 - 100%
Distillates (petroleum), hydrotreated light paraffinic		64742-55-8	7 - 15%
Distillates (petroleum), hydrotreated light	Mineral spirits,	64742-47-8	1 - 3%
Barium compound	Sulfonic acids, petroleum, barium salts,	61790-48-5	0.1 - 1%
Mineral oil	Mineral oil,	64741-88-4	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.



4. First-aid measures		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.	
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.	
Most important symptoms/effec	ts, acute and delayed	
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters		
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Accidental release measure		

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container.
Conditions for safe storage, including any incompatibilities:	Store locked up. Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	STEL	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Distillates (petroleum), hydrotreated light paraffinic	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)



Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated light paraffinic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated light - Vapor as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Vapor as total hydrocarbons	8 HR ACL	200 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	250 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Distillates (petroleum), hydrotreated light	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Distillates (petroleum), hydrotreated light - Non- aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Barium compound - as Ba	8 HR ACL	0.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	1.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Barium compound - as Ba	TWA	0.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Barium compound - as Ba	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values (03 2012)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection



Hand Protection:	No data available.
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

••	
Physical state:	Liquid
Form:	No data available.
Color:	Amber
Odor:	Mild
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	140 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vener density	No data available.
Vapor density: Density:	No data available.
•	
Relative density:	0.904
Solubility(ies) Solubility in water:	Insoluble
-	No data available.
Solubility (other):	
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	18 mm2/s (40 °C)



10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Harmful if inhaled. Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Prolonged skin contact may cause redness and irritation.
Eye contact:	Eye contact is possible and should be avoided.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise. Ingestion may result in vomiting; aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.

Symptoms related to the physical, chemical and toxicological characteristics

- Skin Contact: No data available.
- **Eye contact:** No data available.
- Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.

Inhalation



Product:	ATEmix: 1 - 5 mg/l Dusts, mists and fumes	
Delayed and immediate effects Product:	, including chronic effects from short- and long-term exposure No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritat Product:	ion No data available.	
Respiratory or Skin Sensitization Product:	on No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
ACGIH Carcinogen List: No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
	No data available. No data available.	
Product: Reproductive toxicity	No data available.	
Product: Reproductive toxicity Product: Specific Target Organ Toxicity	No data available. - Single Exposure No data available.	
Product: Reproductive toxicity Product: Specific Target Organ Toxicity Product: Specific Target Organ Toxicity Product: Target Organs	No data available. - Single Exposure No data available. - Repeated Exposure	
Product: Reproductive toxicity Product: Specific Target Organ Toxicity Product: Specific Target Organ Toxicity Product: Target Organs	No data available. - Single Exposure No data available. - Repeated Exposure No data available.	
Product: Reproductive toxicity Product: Specific Target Organ Toxicity Product: Specific Target Organ Toxicity Product: Target Organs Specific Target Organ Toxic Aspiration Hazard	No data available. - Single Exposure No data available. - Repeated Exposure No data available. city - Single Exposure: Narcotic effect.	

No data available.



12. Ecological information

Ecotoxicity: Acute hazards to the aquatic environment: Fish Product: No data available. **Aquatic Invertebrates** Product: No data available. Chronic hazards to the aquatic environment: Fish **Product:** No data available. **Aquatic Invertebrates** Product: No data available. **Toxicity to Aquatic Plants** Product: No data available. Persistence and Degradability **Biodegradation** Product: No data available. **BOD/COD** Ratio Product: No data available. **Bioaccumulative potential Bioconcentration Factor (BCF)** Product: No data available. Partition Coefficient n-octanol / water (log Kow) Product: No data available. Mobility in soil: No data available. Other adverse effects: No data available. 13. Disposal considerations Discharge, treatment, or dispessed may be subject to patiental state, or legal Disposal instructions

Disposal instructions:	laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.



14. Transport information

TDG

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)

> Chemical Identity Naphthalene

Export Control List (CEPA 1999, Schedule 3) Not Regulated

 National Pollutant Release Inventory (NPRI)

 Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional

 Reporting Requirements

 NPRI PT5
 Distillates (petroleum),

 Listed.

hydrotreated light

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4) NPRI Not Regulated

Greenhouse Gases Not Regulated

16.Other information, including date of preparation or last revision

Issue Date:	08/09/2018
Revision Date:	08/03/2018
Version #: Further Information:	1.1 No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.