

SAFETY DATA SHEET

1. Identification

Product name	ECOCOOL 7830 B
Other means of identification	No data available.
Recommended use:	Metalworking fluid
Restrictions on use:	Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Fuchs Lubricants Co.
17050 Lathrop Avenue
Harvey, Illinois 60426
708-333-8900
708-333-9180
EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Toxic to reproduction	Category 2

Label Elements

Hazard Symbol:



Signal Word:

Warning



Hazard Statement:	Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.
Response:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards which do not result in GHS classification:	None.
Unknown toxicity - Health	

	1.51 %
Acute toxicity, dermal 22	2.6 %
Acute toxicity, inhalation, vapor 2	7.67 %
	8.01 %
or mist	

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	25 - <50%
Glycerin	56-81-5	1 - <5%
Monoethanolamine	141-43-5	1 - <2.5%
Fatty alcohol alkoxylate	Confidential	1 - <2.5%
Boric acid	10043-35-3	1 - <3%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.



4. First-aid measures			
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.		
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.		
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.		
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.		
Most important symptoms/effect	s, acute and delayed		
Symptoms:	No data available.		
Indication of immediate medical a	ttention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.		
5. Fire-fighting measures			
General Fire Hazards:	No unusual fire or explosion hazards noted.		
Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for fire-fighters			
Special fire-fighting procedures:	No data available.		
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	End-users should follow industry best practices for handling and using this product.
	Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Contains amines. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin.
Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials. Store locked up.



8. Exposure controls/personal protection

Exposure Limits

Chemical name	Туре	Exposure Limit Values		Source
Mineral oil - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Glycerin - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Glycerin - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Monoethanolamine	TWA	3 ppm		US. ACGIH Threshold Limit Values, as amended (03 2012)
Monoethanolamine	STEL	6 ppm		US. ACGIH Threshold Limit Values, as amended (03 2012)
Monoethanolamine	STEL	6 ppm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Monoethanolamine	TWA	3 ppm	8 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Boric acid - Inhalable fraction.	TWA		2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Boric acid - Inhalable fraction.	STEL		6 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)

Protective Measures: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

 Respiratory Protection:
 In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

 Example 1
 Image: Seek advice from supervisor on the company's respiratory protection standards.

Eye Protection: Wear safety glasses with side shields (or goggles).

Skin and Body Protection: Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Hygiene measures:

Jres: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties



Appearance

Physical state: Form: Color: Odor: Odor threshold: pH: Melting point/freezing point: Initial boiling point and boiling range: Flash Point: **Evaporation rate:** Flammability (solid, gas): Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): Flammability limit - lower (%): **Explosive limit - upper: Explosive limit - lower:** Vapor pressure: Vapor density: **Relative density:** Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water): Auto-ignition temperature: **Decomposition temperature:** Viscosity:

Other information VOC:

liquid No data available. Amber Mild No data available. 9.6 No data available. No data available. Not applicable No data available. 0.97 No data available. No data available.

No data available. No data available. No data available. 62.4 mm2/s (40 °C)

9.6 % (Method 24) 57.54 g/l (ASTM E 1868-10)

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.

10. Stability and reactivity



Hazardous Decomposition	Thermal decomposition or combustion may liberate carbon oxides and
Products:	other toxic gases or vapors.

11. Toxicological information

Information on likely routes of earling ingestion:	xposure May be harmful if swallowed.
Inhalation:	Harmful if inhaled.
Skin Contact:	Causes skin irritation.
Eye contact:	Causes serious eye irritation.
Symptoms related to the physica Ingestion:	al, chemical and toxicological characteristics No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix (): > 5000 mg/kg
Dermal Product:	ATEmix (): > 5000 mg/kg
Inhalation Product:	
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritati Product:	on No data available.
Respiratory or Skin Sensitizatio Product:	n No data available.
Carcinogenicity	
SDS_US	



Product:	No data available.
IARC Monographs on No carcinogenic compo	a the Evaluation of Carcinogenic Risks to Humans: onents identified
US. National Toxicolo No carcinogenic compo	ogy Program (NTP) Report on Carcinogens: onents identified
US. OSHA Specificall No carcinogenic compo	y Regulated Substances (29 CFR 1910.1001-1050), as amended: onents identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	A human study of occupationally exposed borate worker population showed no adverse reproductive effects. Animal studies indicate that boric acid reduces or inhibits sperm production, cause testicular atrophy, and when given to pregnant animals during gestation, may cause developmental changes. These feed studies were conducted under chronic exposure conditions leading to doses many times in excess of those that could occur through inhalation of dust in the occupational setting. Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxi Product:	city - Single Exposure No data available.
Specific Target Organ Toxi Product:	city - Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.
12. Ecological information	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.
13. Disposal consideration	าร



Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Skin Corrosion or Irritation Serious eye damage or eye irritation Reproductive toxicity

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product can expose you to chemicals includingDiethanolaminewhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



16.Other information, including date of preparation or last revision		
Issue Date:	09.11.2022	
Revision Date:	08.11.2022	
Version #:	1.5	
Further Information:	No data available.	
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	