

SAFETY DATA SHEET

1. Identification of the hazardous chemical and of the supplier

Product identifier: ECOCOOL GLOBAL 1000

Other means of identification: No data available.

Recommended use of the chemical and restrictions on use

Recommended use: Metalworking fluid

Recommended restrictions: Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co. Address: 17050 Lathrop Avenue

Harvey, Illinois 60426

Telephone: 708-333-8900 Fax: 708-333-9180

Contact Person: EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 3
Serious Eye Damage/Eye Irritation Category 2A
Toxic to reproduction Category 2

Unknown toxicity - Health

Acute toxicity, oral 28.73 %
Acute toxicity, dermal 38.33 %
Acute toxicity, inhalation, vapor 48.97 %
Acute toxicity, inhalation, dust 47.07 %

or mist

Label Elements

Hazard Symbol:

SDS_MX - 000000011957 1/11





Signal Word: Warning

Hazard Statement: H316: Causes mild skin irritation.

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

Precautionary Statements

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P264: Wash face, hands and any exposed skin thoroughly after handling. P280: Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response: P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention. P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved facility in accordance

with local, regional, national and international regulations.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	15 - 40%
Alkanolamine	105-59-9	7 - 13%
Glycerin	56-81-5	1 - 5%
Mono-isopropanol amine	78-96-6	0.5 - 5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation: Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

SDS_MX - 000000011957 2/11



Skin Contact: Remove contaminated clothing and shoes. Wash contact areas with

soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel

unwell. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

For non-emergency personnel: No data available.

SDS_MX - 000000011957 3/11



For emergency responders: No data available.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and

disposal.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Observe good industrial hygiene practices. Wear appropriate personal

protective equipment. Do not expose to intense heat as product may expand and pressurize container. Avoid contact with eyes. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as

required.

Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials. Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Glycerin	VLE-PPT	10 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)

Appropriate Engineering Controls

No data available.

Controls

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Eye/face protection:

Wear safety glasses with side shields (or goggles).

SDS_MX - 000000011957 4/11



Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: No data available.

Color: Amber

Odor: Mild amine odor
Odor threshold: No data available.

pH: 9.5

Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.Flash Point:No data available.Evaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

Vapor density:

No data available.

Relative density: 0.993

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
Viscosity:
No data available.



Other information

VOC: 24.35 g/l

10. Stability and reactivity

Reactivity: Not reactive during normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Harmful if inhaled.

Skin Contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (): > 5000 mg/kg

Dermal

Product: ATEmix (): 2000 - 5000 mg/kg

SDS_MX - 000000011957 6/11



Inhalation

Product: No data available.

Specified substance(s):

Distillates (petroleum). hydrotreated heavy

naphthenic

LC 50 (Rat): > 5.000 mg/l

LC 50: > 5,000 mg/l

Alkanolamine LC 50 (Rat): > 6.5 mg/m3

Glycerin LC 0 (Rat): 5,850 mg/m3

> LC 50 (Rat): > 5,850 mg/m3 LC 50 (Rat): > 570 mg/m3

LC 50 (Rat): > 3,460 mg/m3 Mono-isopropanol amine

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Alkanolamine NOAEL (Rat(Female, Male), Dermal, 13 Weeks): 750 mg/kg

> LOAEL (Rat(Female, Male), Dermal, 9 d); 260 mg/kg NOAEL (Rat(Female, Male), Dermal, 13 Weeks); 0.8 mg/kg NOAEL (Rat(Female, Male), Dermal, 9 d): 100 mg/kg

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy

naphthenic Alkanolamine

in vivo (Rabbit): Not irritant, 72 h Experimental result, Supporting study in vivo (Rabbit): Category 2, 24 - 72 h Experimental result, Key study

in vivo (Rabbit): Not irritant, 24 - 72 h Experimental result, Supporting study in vivo (Rabbit): Corrosive, 24 - 72 h Experimental result, Key study

amine

Serious Eye Damage/Eye Irritation

Mono-isopropanol

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy

naphthenic

Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

SDS_MX - 000000011957 7/11



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

No data available. Product:

Reproductive toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy

naphthenic

LC 50 (Fish, 96 h): > 100 mg/l

Glycerin LC 50 (Fish): 51,000 - 57,000 mg/l

Mono-isopropanol amine LC 50 (Goldfish (Carassius auratus), 96 h): 210 mg/l Mortality

LC 50 (Leuciscus idus, 96 h): 215 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy

EC50 (Shrimp (Callianassa australiensis), 48 h): > 100 mg/l

SDS_MX - 000000011957



naphthenic

EC50 (Daphnia, 48 h): 108.82 mg/l Mono-isopropanol amine

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), EC50 (Daphnia, 14 d): 0.058 mg/l

hydrotreated heavy EC50 (21 d): 0.054 mg/l naphthenic EC50 (2 d): > 10,000 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Distillates (petroleum),

hydrotreated heavy

naphthenic

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l

Mono-isopropanol amine EC50 (Green algae (Chlamydomonas reinhardtii), 72 h): 32.7 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Glycerin Log Kow: -1.76

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

SDS_MX - 000000011957 9/11



Distillates (petroleum),

hydrotreated heavy

naphthenic

Alkanolamine No data available.
Glycerin No data available.
Mono-isopropanol amine No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

No data available.

14. Transport information

DOT

Not Regulated.

IATA

Not Regulated.

IMDG

Not Regulated.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not applicable

Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Alkanolamine Precursors Chemicals Group 3: Chemicals listed in Group 3B can be used

in the production of toxic chemicals hence are prohibited from exports and returns to states not party to the convention without prior authority from the recipient state. A certificate of final use is required. See CWC, Verification

Annex, Part VIII.

Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)

none

SDS_MX - 000000011957



Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)

Not applicable

Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)

Not applicable

Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)
Not applicable

16.Other information, including date of preparation or last revision

Issue Date: 02/18/2025

Revision Information: 02/13/2025: ARGHS_MX

Version #: 1.3

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS_MX - 000000011957 11/11