

SAFETY DATA SHEET

1. Identification

Product name ECOCOOL S 3105

Other means of identification No data available.

Recommended use: Metalworking fluid

Restrictions on use: Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co.
Address: 17050 Lathrop Avenue
Harvey, Illinois 60426
Telephone: 708-333-8900
Fax: 708-333-9180

Contact Person: EHS Department
E-mail: sds@fuchsus.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

| | |
|-----------------------|-----------------------------|
| Skin sensitizer | Category 1 |
| Toxic to reproduction | Effects on or via lactation |

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: May cause an allergic skin reaction.
May cause harm to breast-fed children.

**Precautionary
Statements**

Prevention: Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during pregnancy and while nursing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: IF ON SKIN: Wash with plenty of water/soap If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see in product SDS). Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not
result in GHS classification:** None.

Unknown toxicity - Health

| | |
|---|---------|
| Acute toxicity, oral | 19.34 % |
| Acute toxicity, dermal | 23.04 % |
| Acute toxicity, inhalation, vapor | 86.46 % |
| Acute toxicity, inhalation, dust or mist | 97.95 % |

3. Composition/information on ingredients

Hazardous Component(s):

| Chemical name | CAS-No. | Concentration |
|------------------------------------|--------------|---------------|
| Mineral oil | Confidential | 50 - <100% |
| Chlorinated alkanes | Confidential | 10 - <20% |
| Sulfonate | Confidential | 5 - <10% |
| Fatty acids, tall-oil, ethoxylated | Confidential | 1 - <5% |
| 2-(2-Butoxyethoxy)ethanol | 112-34-5 | 1 - <5% |
| Hexylene glycol | Confidential | 1 - <5% |
| Chlorinated cresol | Confidential | 1 - <5% |

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures

| | |
|----------------------|--|
| Ingestion: | Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. |
| Inhalation: | Move to fresh air. Call a POISON CENTER/doctor if you feel unwell. |
| Skin Contact: | Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. |
| Eye contact: | Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes. |

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, fog, CO2, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:

End-users should follow industry best practices for handling and using this product.

Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during pregnancy and while nursing. Obtain special instructions before use. Wash hands thoroughly after handling. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

8. Exposure controls/personal protection

Exposure Limits

| Chemical name | Type | Exposure Limit Values | Source |
|---|------|-----------------------|---|
| Mineral oil - Mist. | PEL | 5 mg/m ³ | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| 2-(2-Butoxyethoxy)ethanol - Inhalable fraction and vapor. | TWA | 10 ppm | US. ACGIH Threshold Limit Values (03 2013) |
| Hexylene glycol - Vapor fraction | TWA | 25 ppm | US. ACGIH Threshold Limit Values (03 2017) |
| Hexylene glycol - Aerosol, inhalable. | STEL | 10 mg/m ³ | US. ACGIH Threshold Limit Values (03 2017) |
| Hexylene glycol - Vapor fraction | STEL | 50 ppm | US. ACGIH Threshold Limit Values (03 2017) |

Protective Measures:

Use personal protective equipment as required.

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

Eye Protection:

Wear safety glasses with side shields (or goggles).

Skin and Body Protection:

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

| | |
|---|---------------------------------|
| Physical state: | Liquid |
| Form: | No data available. |
| Color: | Green |
| Odor: | Characteristic |
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | 176.67 °C (350.01 °F) |
| Evaporation rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Upper/lower limit on flammability or explosive limits | |
| Flammability limit - upper (%): | No data available. |
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | No data available. |
| Vapor density: | No data available. |
| Relative density: | 0.99 |
| Solubility(ies) | |
| Solubility in water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | > 22 mm ² /s (40 °C) |

Other information

| | |
|------|----------------------------------|
| VOC: | 16.2 % 93.11 g/l 46.56 g/l |
|------|----------------------------------|

10. Stability and reactivity

| | |
|-------------|---------------------------------|
| Reactivity: | Not reactive during normal use. |
|-------------|---------------------------------|

| | |
|--|---|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | None under normal conditions. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--|
| Ingestion: | May be ingested by accident. Ingestion may cause irritation and malaise. Harmful if swallowed. |
| Inhalation: | Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. May cause irritation to the respiratory system. |
| Skin Contact: | May cause an allergic skin reaction. Prolonged or repeated skin contact may cause drying, cracking, or irritation. |
| Eye contact: | Eye contact is possible and should be avoided. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Ingestion: | No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| | |
|----------------------------|--|
| Oral Product: | ATEmix (): > 5000 mg/kg |
| Dermal Product: | Not classified for acute toxicity based on available data. |
| Inhalation Product: | Not classified for acute toxicity based on available data. |

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: May cause an allergic skin reaction.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: May cause harm to breastfed babies.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

General information:

This product has not been evaluated for ecological toxicity or other environmental effects.

13. Disposal considerations

| | |
|--------------------------------|--|
| Disposal instructions: | Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied. |
| Contaminated Packaging: | Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

| | |
|-------------|----------------|
| DOT | Not regulated. |
| IMDG | Not regulated. |
| IATA | Not regulated. |

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Respiratory or Skin Sensitization
Reproductive toxicity

SARA 313 (TRI Reporting)

| <u>Chemical Identity</u> | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|--------------------------|--|---|
| Glycol ether | 10000 lbs | 25000 lbs. |

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including Diethanolamine, which is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

| |
|--|
| 16. Other information, including date of preparation or last revision |
|--|

Issue Date: 06.09.2018

Revision Date: 03.08.2018

Version #: 1.5

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.