

SAFETY DATA SHEET

1. Identification

Product name	ECOCUT 377 HO
Other means of identification	No data available.
Recommended use:	Metalworking fluid
Restrictions on use:	Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
Telephone:	Harvey, Illinois 60426 708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchsus.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Physical Hazards	
Flammable liquids	Category 4
Health Hazards	
Aspiration Hazard	Category 1

Label Elements

Hazard Symbol:



Danger

Signal Word:



Hazard Statement:	Combustible liquid. May be fatal if swallowed and enters airways.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. In case of fire: Use to extinguish.
Storage:	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not None. result in GHS classification:

Unknown toxicity - Health

Acute toxicity, oral	25.4 %
Acute toxicity, dermal	25.4 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust	25.4 %
or mist	

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral spirits	Confidential	60 - 100%
Specific chamical identities and/or exact percentages have be	on withhold as trado socrate	

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures	
Ingestion:	Rinse mouth thoroughly. Call a POISON CENTRE/doctor if you feel unwell. Do NOT induce vomiting.
Inhalation:	Move to fresh air. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.



Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.			
Most important symptoms/effect	s, acute and delayed			
Symptoms: No data available.				
Indication of immediate medical a	ttention and special treatment needed			
Treatment:	Get medical attention if symptoms occur.			
5. Fire-fighting measures				
General Fire Hazards:	Move containers from fire area if you can do so without risk.			
Suitable (and unsuitable) extingu	lishing media			
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.			
Unsuitable extinguishing media:	Avoid water in straight hose stream; will scatter and spread fire.			
Specific hazards arising from the chemical:	Momentum Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.			
Special protective equipment an	d precautions for firefighters			
Special fire fighting procedures:	No data available.			
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.			
6. Accidental release measure	S			
Personal precautions, protective equipment and emergency procedures:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation. Keep unauthorized personnel away. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.			
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. In case of leakage, eliminate all ignition sources. Dike far ahead of larger spill for later recovery and disposal. Use non-sparking tools.			
Environmental Precautions: SDS_US	Prevent further leakage or spillage if safe to do so.			



7. Handling and storage

Precautions for safe handling:	End-users should follow industry best practices for handling and using this product.		
	Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges.		
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place. Store in a cool place. Flammable liquid storage.		

8. Exposure controls/personal protection

Exposure Limits

Chemical name	Туре	Exposure Limit Value	es	Source
Mineral spirits - Non-aerosol as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Mineral spirits	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Mineral spirits	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Protective Measures:	Use pers	onal protective equipr	ment as requi	ired.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.			
Eye Protection:	Wear safety glasses with side shields (or goggles).			
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.			
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.			

9. Physical and chemical properties



Appearance

Physical state: Form: Color: Odor: Odor threshold: pH: Melting point/freezing point: Initial boiling point and boiling range: Flash Point: **Evaporation rate:** Flammability (solid, gas): Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): Flammability limit - lower (%): Explosive limit - upper (%): **Explosive limit - lower (%):** Vapor pressure: Vapor density: **Relative density:** Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water): Auto-ignition temperature: **Decomposition temperature:** Viscosity: VOC:

Liquid No data available. Amber Mild petroleum/solvent No data available. No data available. No data available. No data available. 61.67 °C (143.01 °F) No data available. 0.83 Insoluble No data available. No data available. No data available. No data available. 5.4 mm2/s (40 °C, Measured)

73.30 % (Method 24)

10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Heat, sparks, flames.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.



11. Toxicological information

Information on likely routes of ex Ingestion:		posure Harmful if swallowed. Ingestion may result in vomiting; aspiration (breathing) of vomitus into lungs must be avoided as even small quantities may result in aspiration pneumonitis.
	Inhalation:	May be harmful if inhaled.
	Skin Contact:	Prolonged skin contact may cause redness and irritation.
	Eye contact:	Eye contact is possible and should be avoided.
Symptoms related to the physical Ingestion:		I, chemical and toxicological characteristics No data available.
	Inhalation:	No data available.
	Skin Contact:	No data available.
	Eye contact:	No data available.
Info	ormation on toxicological effe	cts
Acute toxicity (list all possible routes of exposure)		
	Oral Product:	Not classified for acute toxicity based on available data.
	Dermal Product:	ATEmix (): 1000 - 2000 mg/kg
	Inhalation Product:	Not classified for acute toxicity based on available data.
	Repeated dose toxicity Product:	No data available.
Ski	n Corrosion/Irritation Product:	No data available.
Se	ious Eye Damage/Eye Irritatio Product:	on No data available.
Re	spiratory or Skin Sensitizatior Product:	n No data available.
Ca	rcinogenicity Product:	No data available.



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity Product:	y - Single Exposure No data available.
Specific Target Organ Toxicity Product:	y - Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

12. Ecological information

General information: This product has not been evaluated for ecological toxicity or other environmental effects. 13. Disposal considerations Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied. Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.



14. Transport information

DOT

UN Number:	NA 1993
UN Proper Shipping Name:	Combustible liquid, n.o.s.(Petroleum distillates)
Transport Hazard Class(es)	
Class:	CBL
Label(s):	NONE
Packing Group:	III
Marine Pollutant:	No

Special precautions for user:

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Fire Hazard Immediate (Acute) Health Hazards

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

16.Other information, including date of preparation or last revision

Issue Date:	29.11.2017
Revision Date:	23.09.2016
Version #:	1.5
Further Information:	No data available.



Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.