

SAFETY DATA SHEET

1. Identification

| Product name | ECOCUT MIKRO 3000 |
|-------------------------------|---------------------|
| Other means of identification | No data available. |
| Recommended use: | Metalworking fluid |
| Restrictions on use: | Industrial use only |

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

| Company Name: | Fuchs Lubricants Co. |
|-----------------|------------------------|
| Address: | 17050 Lathrop Avenue |
| | Harvey, Illinois 60426 |
| Telephone: | 708-333-8900 |
| Fax: | 708-333-9180 |
| | |
| Contact Person: | EHS Department |
| E-mail: | sds@fuchs.com |

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Not classified as hazardous under GHS

Label Elements

| Hazard Symbol: | No symbol |
|-----------------------------|-----------------|
| Signal Word: | No signal word. |
| Hazard Statement: | Not applicable |
| Precautionary Statements | Not applicable |

None.

Other hazards which do not result in GHS classification:



3. Composition/information on ingredients

General information:

The components are not hazardous or are below required disclosure limits.

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

| Biocide | Confidential | 0.01 - <0.1% |
|--------------------------------------|--------------|--------------|
| Mineral oil | Confidential | 0 - <0.1% |
| 2-6-di-tert-butyl-p-cresol | 128-37-0 | 0 - <0.1% |
| Morpholine | 110-91-8 | 0 - <0.1% |
| Propane, 1-nitro- | 108-03-2 | 0 - <0.1% |
| C12-15 Alkane, cycloalkane, aromatic | Confidential | 0 - <0.1% |
| hydrocarbons | | |
| Naphthalene | 91-20-3 | 0 - <0.1% |

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

| 4. First-aid measures | | |
|--|--|--|
| Ingestion: | Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. | |
| Inhalation: | Move to fresh air. Call a POISON CENTER/doctor if you feel unwell. | |
| Skin Contact: | Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. | |
| Eye contact: | Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes. | |
| Most important symptoms/effects, acute and delayed | | |
| Symptoms: | No data available. | |
| Indication of immediate medical attention and special treatment needed | | |
| Treatment: | Get medical attention if symptoms occur. | |
| 5. Fire-fighting measures | | |
| General Fire Hazards: | No unusual fire or explosion hazards noted. | |
| Suitable (and unsuitable) extinguishing media | | |
| Suitable extinguishing media: | Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials. | |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. | |



| Specific hazards arising from the chemical: | Heat may cause the containers to explode. During fire, gases hazardous to health may be formed. |
|--|--|
| Special protective equipment and | d precautions for fire-fighters |
| Special fire-fighting procedures: | No data available. |
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| 6. Accidental release measures | S |
| Personal precautions, protective equipment and emergency procedures: | See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation. |
| Methods and material for containment and cleaning up: | Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk. |
| Environmental Precautions: | Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. |
| 7. Handling and storage | |
| Precautions for safe handling: | End-users should follow industry best practices for handling and using this product. |
| | Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. |
| Conditions for safe storage, including any incompatibilities: | Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials. |



8. Exposure controls/personal protection

Exposure Limits

| None of the components have assigned exposure limits. | | | | |
|--|------|----------------------|-----------|---|
| Chemical name | Туре | Exposure Limit Value | S | Source |
| Mineral oil - Inhalable fraction. | TWA | | 5 mg/m3 | US. ACGIH Threshold Limit Values, as amended (03 2012) |
| Mineral oil - Mist. | PEL | | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| 2-6-di-tert-butyl-p-cresol - Inhalable fraction and vapor. | TWA | | 2 mg/m3 | US. ACGIH Threshold Limit Values, as amended (03 2012) |
| Morpholine | TWA | 20 ppm | | US. ACGIH Threshold Limit Values, as amended (03 2012) |
| Morpholine | PEL | 20 ppm | 70 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Morpholine | TWA | 20 ppm | 70 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989) |
| Morpholine | STEL | 30 ppm | 105 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989) |
| Propane, 1-nitro- | TWA | 25 ppm | | US. ACGIH Threshold Limit Values, as amended (03 2012) |
| Propane, 1-nitro- | PEL | 25 ppm | 90 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| C12-15 Alkane, cycloalkane, aromatic hydrocarbons - Non-aerosol as total hydrocarbon vapor | TWA | | 200 mg/m3 | US. ACGIH Threshold Limit Values, as amended (03 2014) |
| Naphthalene | TWA | 10 ppm | | US. ACGIH Threshold Limit Values, as amended (03 2012) |
| Naphthalene | PEL | 10 ppm | 50 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |

| Protective Measures: | Use personal protective equipment as required. |
|---------------------------|---|
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards. |
| Eye Protection: | Wear safety glasses with side shields (or goggles). |
| Skin and Body Protection: | Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. |

9. Physical and chemical properties



Appearance

Physical state: Form: Color: Odor: Odor threshold: pH: Melting point/freezing point: Initial boiling point and boiling range: Flash Point: **Evaporation rate:** Flammability (solid, gas): Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): Flammability limit - lower (%): **Explosive limit - upper: Explosive limit - lower:** Vapor pressure: Vapor density: **Relative density:** Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water): Auto-ignition temperature: **Decomposition temperature:** Viscosity:

liquid No data available. Amber Mild No data available. No data available. No data available. 310 °C (590 °F) No data available. No data available.

No data available. No data available. No data available. No data available. No data available. No data available. 0.917

Insoluble No data available. No data available. No data available. No data available. 32.50 mm2/s (40 °C, Measured)

1.28 g/l (ASTM E 1868-10)

| Reactivity: | Not reactive during normal use. |
|-------------------------------------|---|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | None under normal conditions. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |

10. Stability and reactivity

Other information

VOC:



| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |
|---|--|
| 11. Toxicological information | |
| Information on likely routes of e Ingestion: | Axposure May be ingested by accident. Ingestion may cause irritation and malaise. |
| Inhalation: | Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. May cause irritation to the respiratory system. |
| Skin Contact: | Prolonged skin contact may cause redness and irritation. |
| Eye contact: | Eye contact is possible and should be avoided. |
| Symptoms related to the physic Ingestion: | al, chemical and toxicological characteristics No data available. |
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Information on toxicological eff | ects |
| Acute toxicity (list all possibl | e routes of exposure) |
| Oral Product: | ATEmix (): 2000 - 5000 mg/kg |
| Dermal Product: | No data available. |
| Inhalation Product: | No data available. |
| Repeated dose toxicity Product: | No data available. |
| Skin Corrosion/Irritation Product: | No data available. |
| Serious Eye Damage/Eye Irritat Product: | ion No data available. |
| Respiratory or Skin Sensitization Product: | on No data available. |
| Carcinogenicity | |



Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended: No carcinogenic components identified

Germ Cell Mutagenicity

| In vitro Product: | No data available. |
|--|--|
| In vivo Product: | No data available. |
| Reproductive toxicity Product: | No data available. |
| Specific Target Organ Toxicity - Product: | Single Exposure No data available. |
| Specific Target Organ Toxicity - Product: | Repeated Exposure No data available. |
| Aspiration Hazard Product: | No data available. |
| Other effects: | Components may cause a risk to the following : Upper Respiratory Tract irritation eye damage Eye irritation liver damage Eye (cataract) Blood (hemolytic anemia) |

| 12. Ecological information | |
|-----------------------------|---|
| General information: | This product has not been evaluated for ecological toxicity or other environmental effects. |
| 13. Disposal considerations | |
| Disposal instructions: | Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied. |
| Contaminated Packaging: | Empty containers should be taken to an approved waste handling site for |
| SDS_US | |



recycling or disposal.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

ΙΑΤΑ

Not regulated.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified as hazardous under GHS Not classified as hazardous under GHS

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product can expose you to chemicals includingNaphthalenewhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

16.Other information, including date of preparation or last revision

| .02.2023 |
|-----------------|
| .08.2018 |
| 5 |
| data available. |
| |



Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.