# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Grizzlygrease No. 3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

### **Relevant identified uses**

**Product Categories [PC]** 

PC24 - Lubricants, greases, release products

# 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

Lubricant Consult GmbH

US Distributor
Fuchs Lubricants Co.

 Street: Gutenbergstraße 13
 17050 Lathrop Avenue

 Postal code/city: 63477 MAINTAL (GERMANY)
 Harvey, IL 60426 (708) 333-8900 (800) 255-3924 24 hrs

**Telefax:** +49 6109/7650-51 Emergency

**E-mail:** msds-request@lubcon.com

Information contact: Environment, Health & Safety: Dr. Jens Matthes

1.4 Emergency telephone number

+49 6109/7650-0

Monday to Friday 8:00 AM to 4:00 PM (CET)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Special rules for supplemental label elements for certain mixtures

EUH208 Contains Naphthenic acids, bismuth salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

None

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### **Hazardous ingredients**

Dilithium azelate; REACH registration No.: 01-2120119814-57-xxxx; EC No.: 254-184-4; CAS No.: 38900-29-7

Weight fraction :  $\geq$  5 - < 10 % Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302

0

Weight fraction :  $\geq 1 - < 5 \%$ 

Classification 1272/2008 [CLP]: Skin Sens. 1; H317 Eye Irrit. 2; H319

Page: 1 / 7

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene; REACH registration No.: 01-2119491299-23-xxxx;

EC No. : 270-128-1; CAS No. : 68411-46-1 Weight fraction : < 0,3 %

Classification 1272/2008 [CLP]: Repr. 2; H361f Aquatic Chronic 3; H412

**Further ingredients** 

Distillates (petroleum), hydrotreated heavy naphthenic; REACH registration No.: 01-2119467170-45-xxxx; EC No.: 265-155-

0; CAS No. : 64742-52-5

Weight fraction :  $\geq$  50 - < 100 %

Metallic soap

Additives not to declare

#### **Additional information**

The following applies to complex mineral oil distillates listed under "Further ingredients": Nota L, DMSO extract according to IP 346 < 3%.

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap In case of skin irritation, consult a physician.

### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

# After ingestion

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO2). ABC-powder. BC-powder. Foam. Dry sand.

# Unsuitable extinguishing media

Water. Strong water jet. High power water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO2). Burning produces heavy smoke.

Page: 2 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

### 5.3 Advice for firefighters

Use suitable breathing apparatus.

#### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

Special danger of slipping by leaking/spilling product.

# 6.1 Personal precautions, protective equipment and emergency procedures

None

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Ensure waste is collected and contained. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Soak up inert absorbent and dispose as waste requiring special attention. Suitable material for taking up: Universal binder. Kieselguhr.

#### 6.4 Reference to other sections

None

# **SECTION 7: Handling and storage**



### 7.1 Precautions for safe handling

#### **Protective measures**

It is recommended to design all work processes always so that the following is excluded: Generation/formation of mist. Avoid: Inhalation of vapours or spray/mists. Skin contact, Eye contact. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

# 7.2 Conditions for safe storage, including any incompatibilities

### Hints on joint storage

Storage class: 11

Storage class (TRGS 510): 11

**Keep away from** 

Food and feedingstuffs

#### Further information on storage conditions

Keep/Store only in original container. Keep container tightly closed. Protect against UV-radiation/sunlight. Humidity. Contact with air/oxygen. Dust deposits.

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and after work. Take the precautions customary when handling chemicals. Change contaminated, saturated clothing. Keep away from sources of ignition - No smoking.

### 8.1 Control parameters

Page: 3 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

None

### 8.2 Exposure controls

# **Personal protection equipment**

### Eye/face protection

Use safety glasses. Avoid: Eye contact. **Recommended eye protection articles** 

DIN EN 166

### **Skin protection**

#### **Hand protection**

Slightly irritant but not relevant for classification. Wear suitable gloves. **By long-term hand contact**: Tested protective gloves must be worn.

**Suitable material**: PE (Polyethylene). NR (natural rubber, natural latex). NBR (Nitrile rubber). **Breakthrough time (maximum wearing time)**: PE < 30 min.; NR < 10 min.; NBR > 480 min.

Thickness of the glove material: min. 0,38 mm

Recommended glove articles: EN ISO 374; DIN EN 420 Uvex. KCL, MAPA. Or comparable articles from other

companies.

### Respiratory protection

No special measures are necessary. Avoid: Inhalation of vapours or spray/mists

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Colour: brown

# Safety relevant basis data

Physical state :			pasty	
Initial boiling point and boiling range:	( 1013 hPa )	>	300	°C
Decomposition temperature :	( 1013 hPa )	>	250	°C
Flash point :	( 1013 hPa )	>	250	°C
Vapour pressure :	(50 °C)	<	0,1	hPa
Density:	( 20 °C )	=	0,95	g/cm <sup>3</sup>

# 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is stable.

# 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

# 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2). Gases/vapours, harmful.

Page: 4/7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute effects

The statement is derived from the properties of the single components.

Acute oral toxicity

Parameter: ATEmix calculated

Exposure route: Oral
Effective dose: = 3743 mg/kg

Acute dermal toxicity

Parameter: ATEmix calculated

Exposure route : Dermal

Effective dose : = 2460 mg/kg

Sensitisation

In case of skin contact

Parameter: Skin sensitisation
Species: Mouse
Result: Not sensitising.
Method: OECD 429

#### 11.2 Information on other hazards

Endocrine disrupting potential: None known.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No information available.

# 12.2 Persistence and degradability

# **Biodegradation**

Overall evaluation on the mixture: Not readily biodegradable (according to OECD criteria).

#### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

Endocrine disrupting potential: None known.

### 12.7 Other adverse effects

This product does not contain nanoparticles.

### 12.8 Overall evaluation

If product enters soil, it will be mobile and may contaminate groundwater. In accordance with the required stability the product is poorly biodegradable.

### **SECTION 13: Disposal considerations**

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Page: 5 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

### 13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Collect the waste separately. Evidence for disposal must be provided.

# **Product/Packaging disposal**

#### Waste codes/waste designations according to EWC/AVV

#### Waste code product

If recycling is not possible, dispose of the product in accordance with local regulations. Dispose of contents / container to a recognised waste disposal facility.

#### Waste code packaging

Observe the local official regulations for disposal. Packaging that cannot be cleaned must be disposed of in the same way as the substance. Completely empty containers must be taken to a recognised waste disposal facility for recycling or disposal.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

# 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

No dangerous good in sense of these transport regulations.

# 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

# 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

### **Restrictions of occupation**

Not relevant

### Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to AwSV

### Other regulations, restrictions and prohibition regulations

General Water Assessment Methodology (ABM) of the Netherlands: Harmful to aquatic organisms. Part of substances from the ZZS category (Zeer Zorgwekkende Stoffen = Substances of very high concern): None.

#### **Switzerland**

# **VOCV-Regulation**

Volatile organic compounds (VOC) content in percent by weight: 0 %

### **Additional information**

#### TSCA (Toxic Substances Control Act) - USA, United States of America

All chemical substances in this mixture are included on or are exempted from listing on the TSCA Inventory for Chemical Substances.

Page: 6 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Grizzlygrease No. 3

**Revision date:** 14.07.2025 **Version (Revision):** 3.0.0 (2.3.0)

**Print date:** 14.07.2025

### California Proposition 65 - State of California

No substances listed in the California Safe Drinking Water and Toxic Enforcement Act of 1986 ("California Proposition 65 List") with respect to the version valid at the date of compilation of this Material Safety Data Sheet, are intentionally added to our product.

#### 15.2 Chemical safety assessment

No information available.

### **SECTION 16: Other information**

# 16.1 Indication of changes

02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

None

# 16.3 Key literature references and sources for data

Includes supplements in accordance with Regulation (EU) 2020/878 of June 18, 2020

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The statement is derived from the properties of the single components.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

### 16.6 Training advice

None

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 7 / 7