

# SAFETY DATA SHEET

## 1. Identification

Product name	HDP 121 ECOCOOL 7016
Other means of identification	No data available.
Recommended use:	Metalworking fluid
Restrictions on use:	Industrial use only

## Manufacturer/Importer/Supplier/Distributor Information

#### Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
	Harvey, Illinois 60426
Telephone:	708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchsus.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

## **Hazard Classification**

## Health Hazards

Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1

## Label Elements

## Hazard Symbol:



Signal Word:



Hazard Statement:	Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary Statements	
Prevention:	Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.
Unknown toxicity - Health	
Acute toxicity, oral	25.82 %
Acute toxicity, dermal	28.27 %
Acute toxicity, inhalation,	vapor 59.59 %

## 3. Composition/information on ingredients

Acute toxicity, inhalation, dust

## Hazardous Component(s):

or mist

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	20 - <50%
Triethanolamine	102-71-6	1 - <5%
Amino alcohol	Confidential	1 - <3%
Monoethanolamine	141-43-5	1 - <3%
Hexylene glycol	Confidential	1 - <5%
Ethoxylated alcohol	Confidential	1 - <5%
Borate Ethanolamide	Confidential	1 - <5%
Boric acid	10043-35-3	1 - <3%

61.97 %



Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. Do not induce vomiting without advice from poison control center.	
Inhalation:	Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.	
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.	
Most important symptoms/effect	ts, acute and delayed	
Symptoms:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.	
Special protective equipment an	nd precautions for firefighters	
Special fire fighting procedures:	No data available.	



enclosed spaces, OODA.	for fire-fighters:	Firefighters must use standard protective equipment including flame etardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
------------------------	--------------------	---

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	End-users should follow industry best practices for handling and using this product.
	Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Wash hands thoroughly after handling. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Contains amines. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Conditions for safe storage, including any	Store locked up.

incompatibilities:



## 8. Exposure controls/personal protection

Chemical name	Туре	Exposure Limit Values		Source
Mineral oil - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Triethanolamine	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Monoethanolamine	TWA	3 ppm		US. ACGIH Threshold Limit Values (03 2012)
Monoethanolamine	STEL	6 ppm		US. ACGIH Threshold Limit Values (03 2012)
Monoethanolamine	STEL	6 ppm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Monoethanolamine	TWA	3 ppm	8 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Hexylene glycol - Vapor fraction	TWA	25 ppm		US. ACGIH Threshold Limit Values (03 2017)
Hexylene glycol - Aerosol, inhalable.	STEL		10 mg/m3	US. ACGIH Threshold Limit Values (03 2017)
Hexylene glycol - Vapor fraction	STEL	50 ppm		US. ACGIH Threshold Limit Values (03 2017)
Boric acid - Inhalable fraction.	TWA		2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Boric acid - Inhalable fraction.	STEL		6 mg/m3	US. ACGIH Threshold Limit Values (03 2012)

Protective Measures:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Eye Protection:	Wear safety glasses with side shields (or goggles).
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties



#### Appearance

**Physical state:** Liquid Form: No data available. Color: Amber Odor: Mild Odor threshold: No data available. pH: 9.9 Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: Not applicable **Evaporation rate:** No data available. Flammability (solid, gas): No data available. Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. Explosive limit - upper (%): No data available. No data available. Explosive limit - lower (%): No data available. Vapor pressure: Vapor density: No data available. **Relative density:** 1.0089 Solubility(ies) Soluble Solubility in water: Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. Auto-ignition temperature: No data available. **Decomposition temperature:** No data available. Viscosity: No data available. VOC: 27.61 % (Method 24)

## 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.



## 11. Toxicological information

Information on likely routes of Ingestion:	exposure Harmful if swallowed.
Inhalation:	Harmful if inhaled.
Skin Contact:	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact:	Causes serious eye damage.
Symptoms related to the physic Ingestion:	cal, chemical and toxicological characteristics No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological eff	fects
Acute toxicity (list all possib	le routes of exposure)
Oral Product:	ATEmix (): > 5000 mg/kg
Dermal Product:	ATEmix (): > 5000 mg/kg
Inhalation Product:	ATEmix (, 4 h): > 20 mg/l Vapour
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irrita Product:	tion No data available.
Respiratory or Skin Sensitizati Product:	on No data available.
Carcinogenicity Product:	No data available.



## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

## **US. National Toxicology Program (NTP) Report on Carcinogens:** No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

## Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Product:	Single Exposure No data available.
Specific Target Organ Toxicity - Repeated Exposure   Product: No data available.	
Aspiration Hazard Product:	No data available.
Other effects:	Components may cause a risk to the following : Kidney Liver

12. Ecological information	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.
13. Disposal considerations	<b>i</b>
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.



## 14. Transport information

#### DOT

Not regulated.

IMDG Not regulated.

## ΙΑΤΑ

Not regulated.

## 15. Regulatory information

## **US Federal Regulations**

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

Immediate (Acute) Health Hazards Skin Corrosion or Irritation Serious eye damage or eye irritation Respiratory or Skin Sensitization

## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

16.Other information, including date of preparation or last revision

## **US State Regulations**

## **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Issue Date:	11.04.2018
Revision Date:	11.04.2018
Version #:	1.1
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.