

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS Reference Number: 846
Issue date: 6/1/2015 Revision date: 4/1/2025 Supersedes: 3/7/2024 Version: 2.0

## **SECTION 1 Identification**

#### 1.1. Product identifier

Product form : Mixture

Product name : IRMCO FLUIDS ® 080-B30

Product code : 080-B30

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Industrial use

## 1.4. Supplier's details

FUCHS LUBRICANTS CO. 17050 Lathrop Avenue Harvey, IL 60426 USA

T 708-333-8900 - F 708-333-9180 sds@fuchs.com - www.fuchs.com/us

Contact: EHS Department

#### 1.5. Emergency phone number

Emergency number : 708-333-8900 (Bus. hrs) | 800-255-3924 (24 hrs)

## **SECTION 2 Hazard Identification**

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation.

Full text of H statements : see section 16

### 2.2. Label elements

### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H320 - Causes eye irritation

Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves.

P302+P352 - If on skin: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P337+P313 - If eye irritation persists: Get medical advice.

P362+P364 - Take off contaminated clothing and wash it before reuse.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

#### 2.4. Hazards not otherwise classified

No additional information available

## 2.5. Unknown acute toxicity

No additional information available

## **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Triethanolamine	CAS-No.: 102-71-6	20 – 25
Phosphate Ester, Neutralized*	CAS-No.: Trade Secret	≥10
2-aminoethanol, ethanolamine	CAS-No.: 141-43-5	≤2

<sup>\*</sup>Chemical name. CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## **SECTION 4 First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Obtain medical attention if pain, blinking or redness persists.

> Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.

## 4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and symptoms

Symptoms/effects

Symptoms/effects after inhalation

First-aid measures after ingestion

Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion

: Based on available data, the classification criteria are not met.

: Not expected to present a significant hazard under anticipated conditions of normal use.

: May cause respiratory irritation. May cause damaging effects to central nervous system, metabolism and gastrointestinal tract.

: May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.

Causes eye irritation.

: Irritation of the gastric/intestinal mucosa. On ingestion, may affect the liver and kidneys.

4/1/2025 (Revision date) EN (English US) 2/13

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

No additional information available

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Intense heat may cause container to burst.

#### **SECTION 6 Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

waters.

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

See Heading 8, Exposure controls and personal protection

## **SECTION 7 Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety procedures. Persons suffering

from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Avoid contact with skin and eyes. Prolonged or repeated contact with the skin may

cause dermatitis. Ensure adequate ventilation. Avoid breathing mist, spray.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the

workplace. Wash contaminated clothing before reuse.

4/1/2025 (Revision date) EN (English US) 3/13

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Do not freeze. The liquid may freeze if stored outside. Keep container closed when not in use.

Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids. Oxidizing agent. Do not add nitrites or other nitrosating agents.

## **SECTION 8 Exposure controls/personal protection**

#### 8.1. Control parameters

IRMCO FLUIDS ® 080-B30		
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL TWA	0.5 mg/m³ (total particulate mass) General Recommended Exposure Limit for Metalworking Fluids (NIOSH, 1998).	
Triethanolamine (102-71-6)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Triethanolamine	
ACGIH OEL TWA	5 mg/m³	
Remark (ACGIH)	Eye & skin irr	
Regulatory reference	ACGIH 2024	
2-aminoethanol, ethanolamine (141-43-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethanolamine	
ACGIH OEL TWA	3 ppm	
ACGIH OEL STEL	6 ppm	
Remark (ACGIH)	Eye & skin irr	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits		
Local name	Ethanolamine	
OSHA PEL TWA	6 mg/m³	
	3 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station to maintain airborne concentrations below exposure limits identified in Section 8.1. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses.

Hand prote	ction:
------------	--------

Wear chemically resistant gloves

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Eye protection:

Chemical goggles or safety glasses. Contact lenses should not be worn

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

#### Personal protective equipment symbol(s):







#### Other information:

Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke during use.

## **SECTION 9 Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state : Liquid Appearance : clear.

Color: Colorless to AmberOdor: characteristicOdor threshold: No data available

pH : ≈ 8.12

Melting point : No data available

Freezing point :  $\approx 32 \, ^{\circ}\text{F}$ Boiling point :  $\approx 212 \, ^{\circ}\text{F}$ 

Flash point : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Politive vapor density at 20°C : No data available

Relative vapor density at 20°C : No data available Relative density :  $\approx 1.06$  Density :  $\approx 8.82$  lb/gal Solubility : Soluble in water.

: Soluble in water. Water: 100 %

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : ≈ 300 mm²/s @ 40°C
Explosion limits : No data available
Particle characteristics : No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

VOC content : Not Applicable

## **SECTION 10 Stability and reactivity**

### 10.1. Reactivity

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Stable under normal conditions. No polymerization.

## 10.3. Possibility of hazardous reactions

Do not add nitrites or other nitrosating agents. Addition of nitrites may lead to formation of nitrosamines, a substance known to be carcinogenic in laboratory animals.

## 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agent. Do not add nitrites or other nitrosating agents.

#### 10.6. Hazardous decomposition products

Under fire conditions, fumes may contain the original material in addition to unidentified toxic and/or irritating compounds. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

## **SECTION 11 Toxicological information**

Likely routes of exposure : Dermal. Inhalation.

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

reaction (minutation)		
Phosphate Ester, Neutralized		
LD50 oral rat	> 2000 mg/kg	
Triethanolamine (102-71-6)		
LD50 oral rat	6400 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 7 day(s))	
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	6400 mg/kg body weight	
2-aminoethanol, ethanolamine (141-43-5)		
LD50 oral rat	> 1720 mg/kg (Rat, Oral)	
LD50 dermal rabbit	2504 mg/kg (Equivalent or similar to OECD 402, 24 week(s), Rabbit, Male, Experimental value)	
LC50 Inhalation - Rat	> 1.3 mg/l air (6 h, Rat, Male / female, Experimental value, (maximum achievable concentration), Inhalation (vapours), 14 day(s))	
LC50 Inhalation - Rat (Vapors)	> 1487 mg/l Source: ECHA	
ATE US (dermal)	2504 mg/kg body weight	
Skin corrosion/irritation :	Causes skin irritation. pH: ≈ 8.12	

Phosphate Ester, Neutralized	
рН	< 1.5

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Triethanolamine (102-71-6)		
рН	11 (25 %)	
2-aminoethanol, ethanolamine (141-43-5)		
рН	12 (25 %)	
Serious eye damage/irritation	: Causes eye irritation. pH: ≈ 8.12	
Phosphate Ester, Neutralized		
рН	< 1.5	
Triethanolamine (102-71-6)		
рН	11 (25 %)	
2-aminoethanol, ethanolamine (141-43-5)		
рН	12 (25 %)	
Respiratory or skin sensitization  Germ cell mutagenicity	<ul> <li>Not classified (The product may be a skin sensitizer. It may also be a skin irritant and repeated contact may increase this effect.)</li> <li>Not classified</li> </ul>	
Carcinogenicity	: Not classified	
Triethanolamine (102-71-6)	. Hot diagoniou	
NOAEL (chronic,oral,animal/male,2 years)	63 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)	
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
Triethanolamine (102-71-6)		
NOAEL (animal/male, F0/P)	1000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
NOAEL (animal/female, F0/P)	300 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
2-aminoethanol, ethanolamine (141-43-5)		
NOAEL (animal/male, F0/P)	1000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
NOAEL (animal/female, F0/P)	300 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)	
STOT-single exposure STOT-repeated exposure	: Not classified : Not classified	
Triethanolamine (102-71-6)		
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol, ethanolamine (141-43-5)	
NOAEL (oral,rat,90 days)	300 mg/kg body weight Animal: rat, Guideline: other:, Guideline: other:, Guideline: other:
NOAEC (inhalation,rat,dust/mist/fume,90 days)	0.01 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study), Guideline: EU Method B.8 (Subacute Inhalation Toxicity: 28-Day Study)
Aspiration hazard	Not classified
IRMCO FLUIDS ® 080-B30	
Viscosity, kinematic	≈ 300 mm²/s @ 40°C
Triethanolamine (102-71-6)	
Viscosity, kinematic	830.2 mm²/s (20 °C, Equivalent or similar to OECD 114)
2-aminoethanol, ethanolamine (141-43-5)	
Viscosity, kinematic	23.5 mm²/s (20 °C, EN ISO 3104: Capillary viscometer)
Potential Adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Symptoms/effects :	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	May cause respiratory irritation. May cause damaging effects to central nervous system, metabolism and gastrointestinal tract.
Symptoms/effects after skin contact	May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	Causes eye irritation.
Symptoms/effects after ingestion	Irritation of the gastric/intestinal mucosa. On ingestion, may affect the liver and kidneys.

## **SECTION 12 Ecological information**

## 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Phosphate Ester, Neutralized	
LC50 - Fish [1]	> 100 mg/l
Triethanolamine (102-71-6)	
LC50 - Fish [1]	11800 mg/l (APHA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	609.88 mg/l (ASTM E1192, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value, Lethal)
EC50 72h - Algae [1]	512 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	216 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	216 mg/l (DIN 38412-9, 72 h, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
NOEC chronic fish	> 1 mg/l Test organisms (species): other:
2-aminoethanol, ethanolamine (141-43-5)	
LC50 - Fish [1]	150 mg/l (96 h, Salmo gairdneri, Pure substance)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol, ethanolamine (141-43-5)	
EC50 - Crustacea [1]	27 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 72h - Algae [1]	2.8 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	2.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
ErC50 algae	2.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (chronic)	0.85 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1.24 mg/l Test organisms (species): Oryzias latipes Duration: '41 d'

## 12.2. Persistence and degradability

IRMCO FLUIDS ® 080-B30		
Persistence and degradability	Not established.	
Phosphate Ester, Neutralized		
Persistence and degradability	Rapidly degradable	
Triethanolamine (102-71-6)		
Persistence and degradability	Biodegradable in the soil, No inhibition of nitrification, Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.02 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.5 g O <sub>2</sub> /g substance	
ThOD	2.04 g O <sub>2</sub> /g substance	
2-aminoethanol, ethanolamine (141-43-5)		
Persistence and degradability	Biodegradable in the soil, Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.34 g O <sub>2</sub> /g substance	
ThOD	2.49 g O <sub>2</sub> /g substance	

## 12.3. Bioaccumulative potential

IRMCO FLUIDS ® 080-B30		
Bioaccumulative potential	Not established.	
Phosphate Ester, Neutralized		
Partition coefficient n-octanol/water (Log Pow)	6.05 Source: Quantitative Structure Activity Relation	
Triethanolamine (102-71-6)		
BCF - Fish [1]	0.4 – 3.9 l/kg (Equivalent or similar to OECD 305, 6 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	-1.9 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-aminoethanol, ethanolamine (141-43-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.91
Bioaccumulative potential	Not bioaccumulative.

## 12.4. Mobility in soil

Triethanolamine (102-71-6)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.06 – 1.27 (log Koc, SRC PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	
2-aminoethanol, ethanolamine (141-43-5)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.2 (log Koc, Calculated value)	
Ecology - soil	No (test)data on mobility of the component(s) available.	

#### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

Other information : Avoid release to the environment.

## **SECTION 13 Disposal considerations**

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not re-use empty

containers without proper cleaning or reconditioning.

Additional information : Non hazardous waste per Resource Conservation and Recovery Act (RCRA).

Ecological waste information : Avoid release to the environment.

## **SECTION 14 Transport information**

In accordance with DOT / TDG / IMDG / IATA

## **14.1. UN number**

Not regulated for transport

## 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**TDG** 

Transport hazard class(es) (TDG) : Not applicable

4/1/2025 (Revision date) EN (English US) 10/13

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

**IATA** 

Transport hazard class(es) (IATA) : Not applicable

## 14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

#### **DOT**

No data available

#### **TDG**

No data available

#### **IMDG**

No data available

#### **IATA**

No data available

## **SECTION 15 Regulatory information**

#### 15.1. Federal regulations

#### **IRMCO FLUIDS ® 080-B30**

Not subject to reporting requirements of the United States SARA Section 313

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

## 15.2. International regulations

## CANADA

## **Phosphate Ester, Neutralized**

Listed on the Canadian DSL (Domestic Substances List)

#### Triethanolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2-aminoethanol, ethanolamine (141-43-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### **IRMCO FLUIDS ® 080-B30**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

All the constituents of this preparation are registered in the EINECS inventory or in the ELINCS list

#### **Triethanolamine (102-71-6)**

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 2-aminoethanol, ethanolamine (141-43-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. State regulations

Component	State or local regulations
Triethanolamine(102-71-6)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
2-aminoethanol, ethanolamine(141-43-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16 Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 4/1/2025 Issue date : 6/1/2015

Data sources : This material is classified as hazardous under OSHA regulations. This document has been

prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200.


Other information : IRMCO products are mixtures protected as trade secrets according to 29 CFR 1910.1200(i). As

per GHS regulation, ingredients that contribute to the classification and exceed cut-off values are

listed in section 3. For more information contact IRMCO.

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H320	Causes eye irritation

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant
	irritation.
NFPA fire hazard	<ul> <li>0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and</li> </ul>
	sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire
	conditions.



## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.