

SAFETY DATA SHEET

1. Identification of the hazardous chemical and of the supplier

Product identifier: LBF DURACURVE CE SUMMER

Other means of identification: No data available.

Recommended use of the chemical and restrictions on use

Recommended use: Lubricating grease

Recommended restrictions: Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co.
Address: 17050 Lathrop Avenue
Harvey, Illinois 60426
Telephone: 708-333-8900
Fax: 708-333-9180

Contact Person: EHS Department
E-mail: sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Dermal) Category 5

Unknown toxicity - Health

Acute toxicity, oral	2.21 %
Acute toxicity, dermal	2.72 %
Acute toxicity, inhalation, vapor	31.33 %
Acute toxicity, inhalation, dust or mist	57.13 %

Label Elements

Hazard Symbol: No symbol

Signal Word: Warning

Hazard Statement: H313: May be harmful in contact with skin.

Precautionary Statements

Prevention:	P273: Avoid release to the environment.
Response:	P312: Call a POISON CENTER or doctor/ physician if you feel unwell.
Disposal:	P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	40 - 70%
Asphalt	8052-42-4	15 - 40%
Paraffin oils (petroleum)	64742-70-7	15 - 40%
Calcium 12-hydroxyoctadecanoate	3159-62-4	3 - 7%
Calcium carbonate	471-34-1	1 - 5%
Magnesium silicate	14807-96-6	1 - 5%
Graphite	7782-42-5	1 - 5%
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	0.5 - 5%
Calcium distearate	1592-23-0	0.5 - 5%
Asphalt, non-oxidized	8052-42-4	0.5 - 5%
Molybdenum compound (insoluble)	72030-25-2	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn.
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.
Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Symptoms:	No data available.
------------------	--------------------

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, fog, CO₂, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.

For non-emergency personnel: No data available.

For emergency responders: No data available.

Methods and material for containment and cleaning up: Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.

Environmental Precautions: Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Avoid contact with molten material.

Conditions for safe storage, including any incompatibilities: Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic	VLE-PPT	5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Asphalt - Inhalable fraction. - as benzene solubles	VLE-PPT	0.5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Paraffin oils (petroleum)	VLE-PPT	5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Calcium carbonate - Respirable fraction.	VLE-PPT	3 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Calcium carbonate - Inhalable fraction.	VLE-PPT	10 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Magnesium silicate - Respirable fraction.	VLE-CT	2 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Graphite - Respirable fraction.	VLE-PPT	2 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Lubricating oils (petroleum), hydrotreated spent	VLE-PPT	5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Calcium distearate	VLE-PPT	10 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Asphalt, non-oxidized - Inhalable fraction. - as benzene solubles	VLE-PPT	0.5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Molybdenum compound (insoluble) - Respirable fraction. - as Mo	VLE-PPT	0.5 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Molybdenum compound (insoluble) - Inhalable	VLE-PPT	10 mg/m ³	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace;

fraction. - as Mo			Assessment and Control), as amended (04 2014)
Molybdenum compound (insoluble) - Respirable fraction. - as Mo	VLE-PPT	3 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other:

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: solid

Form: Grease

Color: Black

Odor: Mild

Odor threshold: Not available. No data available.

pH: Not available. No data available.

Melting point/freezing point: Not available. No data available.

Initial boiling point and boiling range: Not available. No data available.

Flash Point: 248 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper: No data available.

Explosive limit - lower: No data available.

Vapor pressure: No data available.

Vapor density:	No data available.
Density:	Not available. No data available.
Relative density:	1.01
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	Not available. No data available.

10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Prolonged skin contact may cause redness and irritation.
Eye contact:	Eye contact is possible and should be avoided.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (): > 5000 mg/kg

Dermal

Product: ATEmix (): 2000 - 5000 mg/kg

Inhalation

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated heavy
naphthenic LC 50 (Rat): > 5,000 mg/l
LC 50: > 5,000 mg/l

Asphalt LC 50 (Rat): > 94.4 mg/m³
LC 50 (Rat): 23.6 mg/l
LC 50 (Rat): > 94.4 mg/m³

Graphite LC 50 (Rat): > 2,000 mg/m³

Lubricating oils
(petroleum), hydrotreated
spent LC 50 (Rat): 2.2 mg/l

Calcium distearate LC 50 (Mammal): > 1,241 mg/m³
LC 50 (Rat): > 200 mg/l

Asphalt, non-oxidized LC 50 (Rat): > 94.4 mg/m³
LC 50 (Rat): > 94.4 mg/m³

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy naphthenic Asphalt	in vivo (Rabbit): Not irritant , 72 h Experimental result, Supporting study in vivo (Rabbit): Category 2 , 24 - 72 h Experimental result, Key study
Paraffin oils (petroleum)	in vivo (Rabbit): Not irritant , 24 - 72 h Experimental result, Key study in vivo (Rabbit): Category 2 , 24 - 72 h Experimental result, Key study in vivo (Rabbit): Not irritant , 72 h Experimental result, Supporting study
Calcium 12- hydroxyoctadecanoate	In vitro (Human, in vitro reconstituted epidermis model): Non-corrosive , 2 d Read-across from supporting substance (structural analogue or surrogate), Key study in vivo (Rabbit): Not irritant , 4 - 72 h Experimental result, Supporting study In vitro (Human, in vitro reconstituted epidermis model): Not irritant , 6 d Read-across from supporting substance (structural analogue or surrogate), Key study In vitro (Human, EPISKIN epidermis model): Not irritant , > 0.00 h Read- across from supporting substance (structural analogue or surrogate), Key study
Calcium carbonate	in vivo (Rabbit): Not irritant , 24 - 72 h Experimental result, Key study
Graphite	in vivo (Rabbit): Not irritant , 24 - 72 h Experimental result, Key study In vitro (In vitro): Not irritant , 3 min Experimental result, Supporting study
Asphalt, non-oxidized	in vivo (Rabbit): Not irritant , 24 - 72 h Experimental result, Key study Irritating.

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated heavy naphthenic	Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU
Asphalt	Rabbit, 7 d: Not irritant EU Rabbit, 1 h: Not irritant EU Rabbit, 72 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 1 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 72 h: Not irritant EU Rabbit, 24 h: Not irritant EU
Paraffin oils (petroleum)	Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU

Calcium 12-hydroxyoctadecanoate	Rabbit, 1 - 14 d: Mild irritant
	Rabbit, 1 - 14 d: Mild irritant
	Rabbit: Not Classified
	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Mild irritant
	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Mild irritant

Rabbit, 24 - 72 h: Not irritant EU

Calcium carbonate	Rabbit, 24 - 72 h: Not irritant EU
	Rabbit, 24 - 72 h: Not irritant EU

Asphalt, non-oxidized	Rabbit, 7 d: Not irritant EU
	Rabbit, 1 h: Not irritant EU
	Rabbit, 72 h: Not irritant EU
	Rabbit, 48 h: Not irritant EU
	Rabbit, 1 h: Not irritant EU
	Rabbit, 24 h: Not irritant EU
	Rabbit, 24 h: Not irritant EU
	Rabbit, 48 h: Not irritant EU
	Rabbit, 48 h: Not irritant EU
	Rabbit, 48 h: Not irritant EU
	Rabbit, 24 h: Not irritant EU
	Rabbit, 72 h: Not irritant EU

Rabbit, 24 h: Not irritant EU

Respiratory or Skin Sensitization

Product:	No data available.
-----------------	--------------------

Carcinogenicity

Product:	No data available.
-----------------	--------------------

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:	No data available.
-----------------	--------------------

In vivo

Product:	No data available.
-----------------	--------------------

Reproductive toxicity

Product:	No data available.
-----------------	--------------------

Specific Target Organ Toxicity - Single Exposure

Product:	No data available.
-----------------	--------------------

Specific Target Organ Toxicity - Repeated Exposure

Product:	No data available.
-----------------	--------------------

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated heavy
naphthenic LC 50 (Fish, 96 h): > 100 mg/l

Calcium carbonate LC 50 (Fish): > 100 mg/l

Graphite LC 50 (Fish, 96 h): > 100 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated heavy
naphthenic EC50 (Shrimp (*Callinassa australiensis*), 48 h): > 100 mg/l

Calcium carbonate EC50 (Daphnia): > 100 mg/l

Graphite EC50 (Daphnia, 48 h): > 100 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated heavy
naphthenic EC50 (Daphnia, 14 d): 0.058 mg/l
EC50 (21 d): 0.054 mg/l
EC50 (2 d): > 10,000 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated heavy
naphthenic

EC50 (Algae (*Pseudokirchneriella subcapitata*), 72 h): > 100 mg/l

Graphite

EC50 (Algae (*Pseudokirchneriella subcapitata*), 72 h): > 100 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Distillates (petroleum),
hydrotreated heavy
naphthenic

No data available.

Asphalt

No data available.

Paraffin oils (petroleum)

No data available.

Calcium 12-

No data available.

hydroxyoctadecanoate

Calcium carbonate

No data available.

Magnesium silicate

No data available.

Graphite

No data available.

Lubricating oils (petroleum),

No data available.

hydrotreated spent

Calcium distearate

No data available.

Asphalt, non-oxidized

No data available.

Molybdenum compound
(insoluble)

No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	Not Regulated.
IATA	Not Regulated.
IMDG	Not Regulated.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)
Not applicable

Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances
Not applicable

Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)
none

Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)
Not applicable

Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)
Not applicable

Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)
Not applicable

16. Other information, including date of preparation or last revision

Issue Date:	02/07/2025
Revision Information:	02/07/2025: ARGHS_MX

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.