

# SAFETY DATA SHEET

## 1. Identification

**Product name** LUBRODAL F 2024 G

**Other means of identification** No data available.

**Recommended use:** Lubricating fluid

**Restrictions on use:** Industrial use only

### Manufacturer/Importer/Supplier/Distributor Information

#### Manufacturer

Company Name: Fuchs Lubricants Co.  
Address: 17050 Lathrop Avenue  
Harvey, Illinois 60426  
Telephone: 708-333-8900  
Fax: 708-333-9180

Contact Person: EHS Department  
E-mail: sds@fuchs.com

**Emergency telephone number:** 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

### Label Elements

#### Hazard Symbol:



**Signal Word:** Warning

**Hazard Statement:** Causes serious eye irritation.

## Precautionary Statements

**Prevention:** Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards which do not result in GHS classification:** None.

### Unknown toxicity - Health

|                                          |         |
|------------------------------------------|---------|
| Acute toxicity, oral                     | 4.23 %  |
| Acute toxicity, dermal                   | 5.11 %  |
| Acute toxicity, inhalation, vapor        | 27.81 % |
| Acute toxicity, inhalation, dust or mist | 27.77 % |

## 3. Composition/information on ingredients

### Hazardous Component(s):

| Chemical name                             | CAS-No.   | Concentration |
|-------------------------------------------|-----------|---------------|
| Graphite                                  | 7782-42-5 | 10 - <25%     |
| Silicic acid, sodium salt                 | 1344-09-8 | 1 - <3%       |
| Kaolin                                    | 1332-58-7 | 1 - <2.5%     |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol | 4719-04-4 | 0.1 - <1%     |

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

## 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.

**Inhalation:** Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

**Skin Contact:** Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Get medical attention if symptoms occur.

## 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Water spray, fog, CO<sub>2</sub>, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for fire-fighters**

**Special fire-fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

**Precautions for safe handling:** Contains amines. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Avoid contact with eyes. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water.

**Conditions for safe storage, including any incompatibilities:** Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

## 8. Exposure controls/personal protection

### Exposure Limits

| Chemical name                   | Type | Exposure Limit Values                          | Source                                                                                  |
|---------------------------------|------|------------------------------------------------|-----------------------------------------------------------------------------------------|
| Graphite - Respirable fraction. | TWA  | 2 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values, as amended (03 2012)                                  |
| Graphite - Total dust.          | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Graphite - Respirable fraction. | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Graphite                        | TWA  | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)                                |
| Graphite - Respirable fraction. | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) |
| Graphite - Total dust.          | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017) |
| Kaolin - Respirable fraction.   | TWA  | 2 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values, as amended (03 2012)                                  |
| Kaolin - Respirable fraction.   | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Kaolin - Total dust.            | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006) |
| Kaolin - Total dust.            | TWA  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| Kaolin - Respirable fraction.   | TWA  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)                              |
| Kaolin - Total dust.            | TWA  | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)                             |
| Kaolin - Respirable fraction.   | TWA  | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)                             |
| Kaolin - Respirable fraction.   | TWA  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)                             |
| Kaolin - Total dust.            | TWA  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)                             |

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Protective Measures:</b>      | Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| <b>Respiratory Protection:</b>   | In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.                                                                                                                                                                                                                                                                                                                  |
| <b>Eye Protection:</b>           | Wear safety glasses with side shields (or goggles).                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Skin and Body Protection:</b> | Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.                                                                                                                                                                                                                                                                   |
| <b>Hygiene measures:</b>         | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.                                                                                                                                                                                                         |

## 9. Physical and chemical properties

### Appearance

|                                                              |                    |
|--------------------------------------------------------------|--------------------|
| <b>Physical state:</b>                                       | liquid             |
| <b>Form:</b>                                                 | liquid             |
| <b>Color:</b>                                                | Black              |
| <b>Odor:</b>                                                 | No data available. |
| <b>Odor threshold:</b>                                       | No data available. |
| <b>pH:</b>                                                   | 11                 |
| <b>Melting point/freezing point:</b>                         | No data available. |
| <b>Initial boiling point and boiling range:</b>              | No data available. |
| <b>Flash Point:</b>                                          | No data available. |
| <b>Evaporation rate:</b>                                     | No data available. |
| <b>Flammability (solid, gas):</b>                            | No data available. |
| <b>Upper/lower limit on flammability or explosive limits</b> |                    |
| <b>Flammability limit - upper (%):</b>                       | No data available. |
| <b>Flammability limit - lower (%):</b>                       | No data available. |
| <b>Explosive limit - upper:</b>                              | No data available. |
| <b>Explosive limit - lower:</b>                              | No data available. |
| <b>Vapor pressure:</b>                                       | No data available. |
| <b>Vapor density:</b>                                        | No data available. |
| <b>Relative density:</b>                                     | 1.1259             |
| <b>Solubility(ies)</b>                                       |                    |
| <b>Solubility in water:</b>                                  | No data available. |

|                                                 |                    |
|-------------------------------------------------|--------------------|
| <b>Solubility (other):</b>                      | No data available. |
| <b>Partition coefficient (n-octanol/water):</b> | No data available. |
| <b>Auto-ignition temperature:</b>               | No data available. |
| <b>Decomposition temperature:</b>               | No data available. |
| <b>Viscosity:</b>                               | No data available. |

## 10. Stability and reactivity

|                                            |                                                                                                 |
|--------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Reactivity:</b>                         | Not reactive during normal use.                                                                 |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions.                                                     |
| <b>Possibility of hazardous reactions:</b> | None under normal conditions.                                                                   |
| <b>Conditions to avoid:</b>                | Avoid heat or contamination.                                                                    |
| <b>Incompatible Materials:</b>             | No data available.                                                                              |
| <b>Hazardous Decomposition Products:</b>   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

## 11. Toxicological information

### Information on likely routes of exposure

|                      |                                |
|----------------------|--------------------------------|
| <b>Ingestion:</b>    | May be harmful if swallowed.   |
| <b>Inhalation:</b>   | Harmful if inhaled.            |
| <b>Skin Contact:</b> | Causes skin irritation.        |
| <b>Eye contact:</b>  | Causes serious eye irritation. |

### Symptoms related to the physical, chemical and toxicological characteristics

|                      |                    |
|----------------------|--------------------|
| <b>Ingestion:</b>    | No data available. |
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

|                      |                         |
|----------------------|-------------------------|
| <b>Oral Product:</b> | ATEmix (): > 5000 mg/kg |
|----------------------|-------------------------|

**Dermal Product:** ATEmix (): > 5000 mg/kg

**Inhalation Product:** No data available.

**Repeated dose toxicity Product:** No data available.

**Skin Corrosion/Irritation Product:** No data available.

**Serious Eye Damage/Eye Irritation Product:** No data available.

**Respiratory or Skin Sensitization Product:** No data available.

**Carcinogenicity Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro Product:** No data available.

**In vivo Product:** No data available.

**Reproductive toxicity Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure Product:** No data available.

**Aspiration Hazard Product:** No data available.

**Other effects:** No data available.

## 12. Ecological information

**General information:** This product has not been evaluated for ecological toxicity or other environmental effects.

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

**DOT**  
Not Regulated.

**IMDG**  
Not Regulated.

**IATA**  
Not Regulated.

## 15. Regulatory information

### US Federal Regulations

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended**  
None present or none present in regulated quantities.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories**  
Immediate (Acute) Health Hazards  
Serious eye damage or eye irritation

**SARA 313 (TRI Reporting)**  
None present or none present in regulated quantities.

### US State Regulations

#### US. California Proposition 65



This product can expose you to chemicals including Crystalline silica, Cristobalite, Tridymite, Formaldehyde, which is [are] known to the State of California to cause cancer.

Methanol, which is [are] known to the State of California to cause birth defects or other reproductive harm.  
For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### 16. Other information, including date of preparation or last revision

**Issue Date:** 09.06.2025

**Revision Date:** 09.06.2025

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.