

# **SAFETY DATA SHEET**

## 1. Identification

Product name NO 6610 COOLANT

Other means of identification No data available.

Recommended use: Metalworking fluid

Restrictions on use: Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co.
Address: 17050 Lathrop Avenue
Harvey, Illinois 60426

700 222 0000

Telephone: 708-333-8900 Fax: 708-333-9180

Contact Person: EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

**Hazard Classification** 

**Health Hazards** 

Toxic to reproduction Category 2

**Label Elements** 

**Hazard Symbol:** 



Signal Word: Warning

**Hazard Statement:** Suspected of damaging fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

SDS\_US 1/9



Precautionary Statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Avoid release to the environment. Use personal protective equipment as required.

**Response:** IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal:

Other hazards which do not result in GHS classification:

None.

#### **Unknown toxicity - Health**

Acute toxicity, oral 19.18 %
Acute toxicity, dermal 20.27 %
Acute toxicity, inhalation, vapor 40.36 %
Acute toxicity, inhalation, dust 40.21 %

or mist

#### 3. Composition/information on ingredients

**Hazardous Component(s):** 

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	10 - <25%
Triethanolamine	102-71-6	5 - <10%
Boric acid	10043-35-3	3 - <5%
Ethoxylated alcohol	Confidential	2.5 - <5%
Triazine compound	Confidential	1 - <2.5%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

## 4. First-aid measures

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

**Inhalation:** Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

**Skin Contact:** Remove contaminated clothing and shoes. Wash contact areas with soap

and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Flush thoroughly with water. If irritation occurs, get medical assistance.

Continue to rinse for at least 15 minutes.

SDS\_US 2/9



Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fire-

extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

**Special fire-fighting** 

procedures:

No data available.

**Special protective equipment** 

for fire-fighters:

Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

Methods and material for containment and cleaning

up:

Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.

**Environmental Precautions:** Avoid release to the environment. Do not contaminate water sources or

sewer. Prevent further leakage or spillage if safe to do so.

SDS\_US 3/9



#### 7. Handling and storage

Precautions for safe handling: End-users should follow industry best practices for handling and using this

product.

Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Contains amines. Do not add sodium

nitrite or other nitrosating agents which may form cancer causing nitrosamines. Contains a component that when heated at or above

nitrosamines. Contains a component that when heated at or above 300F (150C) may generate Formaldehyde vapors. Do not handle until all safety precautions have been read and understood. Obtain special instructions

before use. Use personal protective equipment as required.

Conditions for safe storage,

including any incompatibilities:

Store locked up.

### 8. Exposure controls/personal protection

**Exposure Limits** 

Chemical name	Туре	Exposure Limit Values	Source
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Triethanolamine	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Boric acid - Inhalable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Boric acid - Inhalable fraction.	STEL	6 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)

**Protective Measures:** Use personal protective equipment as required.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

**Eye Protection:** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing appropriate

for the risk of exposure. Contact health and safety professional or manufacturer

for specific information.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear

that cannot be cleaned.

#### 9. Physical and chemical properties

SDS\_US 4/9



**Appearance** 

Physical state: liquid

Form: No data available.

Color: Amber Odor: Mild

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point:

No data available.

Flash Point:

Not applicable

Evaporation rate:

No data available.

Flammability (solid, gas):

No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

No data available.

Relative density: 1.07

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

> 20.5 mm2/s (40 °C)

Other information

**VOC:** 10.18 g/I (ASTM E 1868-10)

#### 10. Stability and reactivity

**Reactivity:** Not reactive during normal use.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

Incompatible Materials: No data available.

SDS\_US 5/9



**Hazardous Decomposition** 

**Products:** 

formaldehyde Thermal decomposition or combustion may liberate carbon

oxides and other toxic gases or vapors.

## 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

**Inhalation:** Inhalation is the primary route of exposure. In high concentrations, vapors,

fumes or mists may irritate nose, throat and mucus membranes.

**Skin Contact:** Prolonged skin contact may cause redness and irritation.

**Eye contact:** Eye contact is possible and should be avoided.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (): > 5000 mg/kg

**Dermal** 

**Product:** ATEmix (): > 5000 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

**Skin Corrosion/Irritation** 

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

**Respiratory or Skin Sensitization** 

**Product:** No data available.

Carcinogenicity

SDS\_US 6/9



**Product:** No data available.

## IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

## **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** Suspected of damaging fertility or the unborn child. A human study of

occupationally exposed borate worker population showed no adverse reproductive effects. Animal studies indicate that boric acid reduces or inhibits sperm production, cause testicular atrophy, and when given to pregnant animals during gestation, may cause developmental changes. These feed studies were conducted under chronic exposure conditions leading to doses many times in excess of those that could occur through inhalation of dust in the occupational setting. Suspected of damaging fertility

or the unborn child.

Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

## 12. Ecological information

**General information:** This product has not been evaluated for ecological toxicity or other

environmental effects.

## 13. Disposal considerations

SDS\_US 7/9



**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

## 14. Transport information

DOT

Not regulated.

**IMDG** 

Not regulated.

IATA

Not regulated.

## 15. Regulatory information

#### **US Federal Regulations**

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Delayed (Chronic) Health Hazard Reproductive toxicity

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### **US State Regulations**

## **US. California Proposition 65**



This product can expose you to chemicals including Ethylene oxidewhich is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

Diethanolamine1,4-Dioxanewhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

SDS\_US 8/9



# 16.Other information, including date of preparation or last revision

**Issue Date:** 22.11.2022

Revision Date: 22.11.2022

Version #: 1.3

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_US 9/9