

# **SAFETY DATA SHEET**

# 1. Identification

Product name RENOCLEAN LUSOL CLNR

Other means of identification No data available.

Recommended use: Industrial cleaning fluid

Restrictions on use: Industrial use only

# Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co.
Address: 17050 Lathrop Avenue
Harvey, Illinois 60426

Telephone: 708-333-8900 Fax: 708-333-9180

Contact Person: EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

# 2. Hazard(s) identification

#### **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Eye Irritation Category 1

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Causes severe skin burns and eye damage.

SDS\_US 1/9



Precautionary Statements

**Prevention:** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after

handling. Wear protective gloves/protective clothing/eye protection/face

protection.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment

(see on this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

#### **Unknown toxicity - Health**

Acute toxicity, oral 3.09 %
Acute toxicity, dermal 2.05 %
Acute toxicity, inhalation, vapor 8.39 %
Acute toxicity, inhalation, dust 8.39 %

or mist

#### 3. Composition/information on ingredients

**Hazardous Component(s):** 

Chemical name	CAS-No.	Concentration
Diphosphoric acid, potassium salt (1:4)	7320-34-5	1 - <5%
Nonylphenol ethoxylate	Confidential	1 - <5%
Sodium carbonate	Confidential	1 - <5%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

#### 4. First-aid measures

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. Do not induce vomiting without advice

from poison control center.

SDS\_US 2/9



**Inhalation:** Call a physician or poison control center immediately. If breathing stops,

provide artificial respiration. Move to fresh air. If breathing is difficult, give

oxygen.

Skin Contact: Call a physician or poison control center immediately. Immediately flush

with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash contaminated clothing before reuse.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

SDS\_US 3/9



Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and

disposal.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

Precautions for safe handling: Observe good industrial hygiene practices. Wear appropriate personal

protective equipment. Do not expose to intense heat as product may expand and pressurize container. Wash hands thoroughly after handling. Use caution when adding this material to water. Add material slowly when mixing with water. Do not add water to the material; instead, add the

material to the water. Do not get in eyes, on skin, on clothing.

Conditions for safe storage,

including any incompatibilities:

Store locked up.

### 8. Exposure controls/personal protection

**Exposure Limits** 

None of the components have assigned exposure limits.

**Protective Measures:** Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

**Eye Protection:** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing appropriate

for the risk of exposure. Contact health and safety professional or manufacturer

for specific information.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear

that cannot be cleaned.

#### 9. Physical and chemical properties

SDS\_US 4/9



**Appearance** 

Physical state: liquid

Form:

No data available.

Color:

Water-white

Odor: Soapy

Odor threshold: No data available.

**pH:** 12.7

Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.Flash Point:Not applicableEvaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

No data available.

Relative density: 1.044

Solubility(ies)

Solubility in water: Soluble

Solubility (other):No data available.Partition coefficient (n-octanol/water):No data available.Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:> 2 mm2/s (40 °C)VOC:0.23 % (Method 24)

10. Stability and reactivity

**Reactivity:** Not reactive during normal use.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

Thermal decomposition or combustion may liberate carbon oxides and

**Products:** other toxic gases or vapors.

SDS\_US 5/9



# 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** Harmful if swallowed.

**Inhalation:** Harmful if inhaled.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (): > 5000 mg/kg

**Dermal** 

**Product:** 

Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

**Serious Eye Damage/Eye Irritation** 

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

SDS\_US 6/9



#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

General information: This product has not been evaluated for ecological toxicity or other

environmental effects.

#### 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for

recycling or disposal.

SDS\_US 7/9



## 14. Transport information

DOT

UN number or ID number: UN 1760

UN Proper Shipping Name: Corrosive liquids, n.o.s.(Disodium trioxosilicate)

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: III
Marine Pollutant: No

Special precautions for user: –

**IMDG** 

UN number or ID number: UN 1760

UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S.(Disodium trioxosilicate)

Transport Hazard Class(es)

Class: 8 Label(s): 8

EmS No.: F-A, S-B

Packing Group:

Marine Pollutant: Not regulated.

Special precautions for user: –

**IATA** 

UN number or ID number: UN 1760

Proper Shipping Name: Corrosive liquid, n.o.s.(Disodium trioxosilicate)

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: III

Environmental Hazards Not regulated.

Special precautions for user:

Other information

Passenger and cargo aircraft: Allowed. Cargo aircraft only: Allowed.

# 15. Regulatory information

#### **US Federal Regulations**

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Skin Corrosion or Irritation

SDS\_US 8/9



Serious eye damage or eye irritation

SARA 313 (TRI Reporting)

Reporting threshold for other users Reporting threshold for manufacturing and processing

<u>Chemical Identity</u> Nonylphenol ethoxylate

10000 lbs 25000 lbs.

#### **US State Regulations**

#### **US. California Proposition 65**



This product can expose you to chemicals includingLeadCadmiumwhich is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

Arsenicwhich is [are] known to the State of California to cause cancer. Ethylene glycolwhich is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 08.02.2023

**Revision Date:** 08.02.2023

Version #: 1.3

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_US 9/9