

# **SAFETY DATA SHEET**

# 1. Identification of the hazardous chemical and of the supplier

Product identifier: RENOFORM FB 7119

Other means of identification: No data available.

Recommended use of the chemical and restrictions on use

Recommended use: Metalworking fluid

Recommended restrictions: Industrial use only

Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: Fuchs Lubricants Co. Address: 17050 Lathrop Avenue

Harvey, Illinois 60426

Telephone: 708-333-8900 Fax: 708-333-9180

Contact Person: EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

#### **Hazard Classification**

**Health Hazards** 

Acute toxicity (Dermal) Category 5
Skin Corrosion/Irritation Category 3

**Unknown toxicity - Health** 

Acute toxicity, oral 68 %
Acute toxicity, dermal 76 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 100 %

or mist

#### **Label Elements**

Hazard Symbol: No symbol

Signal Word: Warning

**Hazard Statement:** H313: May be harmful in contact with skin.

H316: Causes mild skin irritation.

SDS\_MX - R00000450572 1/10



Precautionary Statements

**Response:** P332+P313: If skin irritation occurs: Get medical advice/attention.

P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance

with local, regional, national and international regulations.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Alkanes, C14-16, chloro	1372804-76-6	60 - 100%
Fatty acids, methylesters	67762-38-3	15 - 40%
Soybean oil, epoxidized	8013-07-8	7 - 13%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

Inhalation: Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact: Remove contaminated clothing and shoes. Wash contact areas with

soap and water. If skin irritation occurs: Get medical advice/attention.

Eye contact: Flush thoroughly with water. If irritation occurs, get medical

assistance. Continue to rinse for at least 15 minutes.

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel

unwell. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

# 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

SDS\_MX - R00000450572 2/10



## Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fireextinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

**Special fire-fighting** 

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

For non-emergency personnel: No data available.

For emergency responders: No data available.

Methods and material for containment and cleaning

up:

Absorb with sand or other inert absorbent. Stop the flow of material, if this is

without risk.

**Environmental Precautions:** Avoid release to the environment. Do not contaminate water sources or

sewer. Prevent further leakage or spillage if safe to do so.

# 7. Handling and storage

**Precautions for safe handling:** End-users should follow industry best practices for handling and using this

product.

Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose

to intense heat as product may expand and pressurize container.

SDS\_MX - R00000450572 3/10



Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing

agents. Store away from incompatible materials.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

None of the components have assigned exposure limits.

**Appropriate Engineering** 

Controls

No data available.

Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

## 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: No data available.

Color: Yellow Odor: Mild

Odor threshold:No data available.pH:No data available.Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.

Flash Point: > 200 °C

Evaporation rate: No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

SDS\_MX - R00000450572 4/10



Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

No data available.

No data available.

Vapor pressure:

Vapor density:

No data available.

No data available.

No data available.

Relative density: 1.185

Solubility(ies)

Solubility in water: Insoluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

90 mm2/s (40 °C)

# 10. Stability and reactivity

**Reactivity:** Not reactive during normal use.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation:** Inhalation is the primary route of exposure. In high concentrations, vapors,

fumes or mists may irritate nose, throat and mucus membranes.

**Skin Contact:** Prolonged skin contact may cause redness and irritation.

**Eye contact:** Eye contact is possible and should be avoided.

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

## Symptoms related to the physical, chemical and toxicological characteristics

SDS\_MX - R00000450572 5/10



Inhalation: No data available.

**Skin Contact:** No data available.

**Eve contact:** No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** No data available.

Specified substance(s):

Fatty acids, methylesters LD 0 (Rat): > 5,000 mg/kg

LD 50 (Rat): > 5,000 mg/kg

Soybean oil, epoxidized LD 50 (Rat): > 5,000 mg/kg

**Dermal** 

Product: ATEmix (): 1000 - 2000 mg/kg

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Fatty acids, in vivo (Rabbit): Slightly irritating, 24 - 72 h Experimental result, Key study methylesters

in vivo (Rabbit): Not irritant, 48 h Read-across based on grouping of

substances (category approach), Supporting study

in vivo (Rabbit): Slightly irritating, 24 - 72 h Experimental result, Key study Soybean oil, epoxidized

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Fatty acids, Rabbit, 1 hrs: Not irritant EU Rabbit, 48 hrs: Not irritant EU methylesters

SDS\_MX - R00000450572 6/10



Soybean oil, epoxidized Rabbit, 24 hrs: Slightly irritating EU

Rabbit, 24 hrs: Slightly irritating EU

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Fatty acids, methylesters EC50 (Daphnia, 48 h): 2,504 mg/l

SDS\_MX - R00000450572 7/10



Soybean oil, epoxidized LC 50 (Brine shrimp (Artemia salina), 24 h): 240 mg/l Mortality

Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Specified substance(s):

Persistence and Degradability

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Alkanes, C14-16, chloro

Fatty acids, methylesters
Soybean oil, epoxidized

No data available.
No data available.
No data available.

Other adverse effects: No data available.

## 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

SDS\_MX - R00000450572 8/10



Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

# 14. Transport information

DOT

Not Regulated.

**IATA** 

UN number or ID number: UN 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(C14-17

Chlorinated Alkanes)

Transport Hazard Class(es):

Class: 9

Label(s): 9MI (Miscellaneous)

Packing Group: III
Passenger and cargo aircraft: 964

Excepted quantity PIN for exception quantity

Environmental Hazards: Yes Marine Pollutant No

Special precautions for user: Not Regulated.

Cargo aircraft only: Allowed. 964

**IMDG** 

UN number or ID number: UN 3082

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(C14-17 Chlorinated Alkanes)

Transport Hazard Class(es)

Class: 9
Label(s): 9
EmS No.: F

EmS No.: F-A, S-F king Group:

Packing Group: III Limited quantity 5.00L

Excepted quantity PIN for exception quantity

Environmental Hazards: Yes Marine Pollutant No

Special precautions for user: Not Regulated.

# 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

SDS\_MX - R00000450572 9/10



Not applicable

Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Not applicable

Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)

none

Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)

Not applicable

Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)

Not applicable

Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)
Not applicable

## 16.Other information, including date of preparation or last revision

**Issue Date**: 12/06/2023

**Revision Information:** 12/06/2023: ARGHS\_MX

Version #: 1.1

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_MX - R00000450572