

1. Identification	
Product name	RENOFORM SVX 2010
Other means of identification	No data available.
Recommended use:	Metalworking fluid
Restrictions on use:	Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
	Harvey, Illinois 60426
Telephone:	708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	msds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards		
Acute toxicity (Inhalation - dust and mist)	Category 4	
Aspiration Hazard	Category 1	

Label Elements

Hazard Symbol:



Signal	Word:
--------	-------

Danger

Hazard Statement:

Harmful if inhaled. May be fatal if swallowed and enters airways.



Precautionary Statement	
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not	None.
result in GHS classification:	

Unknown toxicity Health	
Acute toxicity, inhalation, dust	

Acute toxicity, inhalation, dust or mist	5.59 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, dermal	0 %
Acute toxicity, oral	0 %

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral spirits	Confidential	60 - 100%
Butylhydroxytoluene	Confidential	0.1 - 1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures	
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Call a Poison Center or doctor if you feel unwell. Move to fresh air.
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Eye contact:	Rinse immediately with plenty of water.
MSDS_US - R00000450403	



Most important symptoms/effects, acute and delayed	
Symptoms:	No data available.
Indication of immediate medical a	ttention and special treatment needed
Treatment:	Get medical attention as appropriate or if symptoms persist.
5. Fire-fighting measures	
General Fire Hazards:	No unusual fire or explosion hazards noted.
Suitable (and unsuitable) extingu	uishing media
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6. Accidental release measures	S
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb spill with an inert material, then place in a container for safe and proper disposal. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so and protect against releases into the environment. Remediate as appropriate. Avoid release to the environment.



7. Handling and storage	
Precautions for safe handling:	End-users should follow industry best practices for handling and using this product.
	Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids
	Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Minimize dust generation and accumulation.
Conditions for safe storage, including any incompatibilities:	Store locked up.

8. Exposure controls/personal protection

Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral spirits - Non-aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Butylhydroxytoluene - Inhalable fraction and vapor.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Protective Measures:	Good general ventilation should be provided. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.		
Respiratory Protection:	Respirator type: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.		
Eye Protection:	Wear gogg	les/face shield.	
Hygiene measures:	Observe go	ood industrial hygiene practices.	

9. Physical and chemical properties



Appearance
Physical state:
Form:
Color:
Odor:
Odor threshold:
pH:
Melting point/freezing point:
Initial boiling point and boiling range:
Flash Point:
Evaporation rate:
Flammability (solid, gas):
Upper/lower limit on flammability or explosive limits
Flammability limit - upper (%):
Flammability limit - lower (%):
Explosive limit - upper (%):
Explosive limit - lower (%):
Vapor pressure:
Vapor density:
Relative density:
Solubility(ies)
Solubility in water:
Solubility (other):
Partition coefficient (n-octanol/water):
Auto-ignition temperature:
Decomposition temperature:
Viscosity:

Liquid No data available. Colorless Mild petroleum No data available. No data available. No data available. No data available. 40.56 °C (105.01 °F) No data available. 0.77 Insoluble No data available.

No data available. No data available. No data available. No data available. 1 mm2/s (40 °C)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	No data available.
Possibility of Hazardous Reactions:	None under normal conditions.
Conditions to Avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.
MSDS_US - R00000450403	



11. Toxicological information	١	
Information on likely routes of Ingestion:	exposure May be ingested by accident. Ingestion may cause irritation and malaise.	
Inhalation:	Harmful if inhaled.	
Skin Contact:	Moderately irritating to skin with prolonged exposure.	
Eye contact:	Eye contact is possible and should be avoided.	
Symptoms related to the physi Ingestion:	ical, chemical and toxicological characteristics No data available.	
Inhalation:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Information on toxicological ef	fects	
Acute toxicity (list all possib	ble routes of exposure)	
Oral Product:	ATEmix (): > 5000 mg/kg	
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg	
Inhalation Product:	ATEmix (, 4 h): 1 - 5 mg/l Dusts, mists and fumes	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irrita Product:	No data available.	
Respiratory or Skin Sensitizat Product:	ion No data available.	
Carcinogenicity Product:	No data available.	



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Product:	Single Exposure No data available.	
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.	
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.	
Other effects:	Components may cause a risk to the following : May cause central nervous system effects.	
12. Ecological information		
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.	
13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local	

laws.



14. Transport information

DOT	
UN Number:	NA 1993
UN Proper Shipping Name:	Combustible liquid, n.o.s.(Petroleum distillates)
Transport Hazard Class(es)	
Class:	CBL
Label(s):	NONE
Packing Group:	III
Marine Pollutant:	No
Special precautions for user:	-
IMDG	
UN Number:	UN 1993
UN Proper Shipping Name: Transport Hazard Class(es)	FLAMMABLE LIQUID, N.O.S.(Petroleum distillates)
Class:	3
Label(s):	3
EmS No.:	F-E, S-E
Packing Group:	III
Marine Pollutant:	Not regulated.
Special precautions for user:	_
Cargo aircraft only:	Allowed.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Acute (Immediate) Fire

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No component is regulated by CA Prop 65.



16.Other information, including date of preparation or last revision		
Issue Date:	15.05.2015	
Revision Date:	15.05.2015	
Version #:	1.0	
Further Information:	No data available.	
Disclaimer:	This information is provided without warranty . The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	