

1. Identification			
Product name		RENOFORM SVX 433	
Other means of identification	ation	No data available.	
Recommended use:		Metalworking fluid	
Restrictions on use:		Industrial use only	
Manufacturer/Importer/Su	pplier/Distributor Information	on	
Manufacturer			
Company Name:	Fuchs Lubricants Co.		
Address:	17050 Lathrop Avenue		
	Harvey, Illinois 60426		
Telephone:	708-333-8900		
Fax:	708-333-9180		
Contact Person:	EHS Department		

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

msds@fuchs.com

2. Hazard(s) identification

E-mail:

Hazard Classification	
Physical Hazards	
Flammable liquids	Category 3
Health Hazards	
Aspiration Hazard	Category 1
Label Elements	
Hazard Symbol:	

Signal Word:

Danger

Hazard Statement:

Flammable liquid and vapor. May be fatal if swallowed and enters airways.



Precautionary Statement		
Prevention:	source and red electric precau	way from heat, hot surfaces, sparks, open flames and other ignition s. No smoking. Keep container tightly closed. Ground/bond container ceiving equipment. Use explosion-proof cal/ventilating/lighting/equipment. Use only non-sparking tools. Take tionary measures against static discharge. Wear protective /protective clothing/eye protection/face protection.
Response:	skin wi CENTE	SKIN (or hair): Take off immediately all contaminated clothing. Rinse th water/shower. IF SWALLOWED: Immediately call a POISON ER/doctor. Do NOT induce vomiting. In case of fire: Use CO2, dry cal, or foam to extinguish.
Storage:	Store i	n well-ventilated place. Keep cool. Store locked up.
Disposal:	facility	e of contents/container to an appropriate treatment and disposal in accordance with applicable laws and regulations, and product teristics at time of disposal.
Other hazards which do not result in GHS classification:	None.	
Unknown toxicity Health		
Acute toxicity, inhalation, or mist	dust	3.1 %
Acute toxicity, inhalation,	vapor	100 %
Acute toxicity, dermal		3.1 %
Acute toxicity, oral		0 %

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral spirits	Confidential	60 - 100%
Creating a second identition and/or avoid parageters have be	an withhald on trade accrete	

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures

Ingestion:

Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Inhalation:

Move to fresh air.



Skin Contact:	Get medical attention as appropriate or if symptoms persist. Take off immediately all contaminated clothing. Rinse skin with water/shower.
Eye contact:	Rinse immediately with plenty of water.
Most important symptoms/effect	s, acute and delayed
Symptoms:	No data available.
Indication of immediate medical a	ttention and special treatment needed
Treatment:	Get medical attention as appropriate or if symptoms persist.
5. Fire-fighting measures	
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Suitable (and unsuitable) extingu	ishing media
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Avoid water in straight hose stream as this will scatter and spread fire.
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment appropriate for industrial fires.
6. Accidental release measures	\$
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Absorb spill with an inert material, then place in a container for safe and proper disposal. Eliminate all ignition sources if safe to do so. Dike far ahead of larger spill for later recovery and disposal.
MSDS LIS - R00000450396	



Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so and protect against releases into the environment. Remediate as appropriate. Do not contaminate water sources or sewer.
7. Handling and storage	
Precautions for safe handling:	End-users should follow industry best practices for handling and using this product.
	Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids
	Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.
Conditions for safe storage, including any incompatibilities:	Store locked up. Store in a well-ventilated place. Store in a cool place.

8. Exposure controls/personal protection

Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral spirits - Non-aerosol as total	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03
hydrocarbon vapor		_	2012)

Protective Measures:	Use explosion-proof ventilation equipment. Good general ventilation should be provided. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Eye Protection:	Wear goggles/face shield.
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.



9. Physical and chemical properties

Appearance **Physical state:** Liquid Form: No data available. Color: Pale yellow Odor: Mild petroleum Odor threshold: No data available. pH: No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: 40.56 °C (105.01 °F) **Evaporation rate:** No data available. Flammability (solid, gas): No data available. Upper/lower limit on flammability or explosive limits No data available. Flammability limit - upper (%): Flammability limit - lower (%): No data available. No data available. Explosive limit - upper (%): No data available. Explosive limit - lower (%): Vapor pressure: No data available. No data available. Vapor density: **Relative density:** 0.8 Solubility(ies) Solubility in water: Insoluble Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. Auto-ignition temperature: No data available. **Decomposition temperature:** No data available. Viscosity: 5 mm2/s (40 °C, Measured)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	None under normal conditions.
Conditions to Avoid:	Heat, sparks, flames.
Incompatible Materials:	No data available.

MSDS_US - R00000450396



6/9

Hazardous Decomposition	No data available.
Products:	

11. Toxicological information

Information on likely routes of e Ingestion:	xposure May be ingested by accident. Ingestion may cause irritation and malaise.
Inhalation:	Harmful if inhaled.
Skin Contact:	Moderately irritating to skin with prolonged exposure.
Eye contact:	Eye contact is possible and should be avoided.
Symptoms related to the physic Ingestion:	al, chemical and toxicological characteristics No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	No data available.
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritat Product:	ion No data available.
Respiratory or Skin Sensitizatio Product:	n No data available.
Carcinogenicity	
MSDS_US - R00000450396	



Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxic Product:	ity - Single Exposure No data available.
Specific Target Organ Toxic Product:	ity - Repeated Exposure No data available.
Aspiration Hazard Product:	May be fatal if swallowed and enters airways.
Other effects:	Components may cause a risk to the following : May cause central nervous system effects.
12. Ecological information	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.
13. Disposal considerations	S
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Do not allow to enter drains, sewers or watercourses.
Contominated Deckaging	No data available



14. Transport information

DOT	
UN Number:	UN 1993
UN Proper Shipping Name:	Flammable liquids, n.o.s.(Mineral Spirits)
Transport Hazard Class(es)	
Class:	3
Label(s):	3
Packing Group:	III
Marine Pollutant:	No
Special precautions for user:	-
IMDG	
UN Number:	UN 1993
UN Proper Shipping Name:	FLAMMABLE LIQUID, N.O.S.(Naptha solvent)
Transport Hazard Class(es)	FLAMMABLE LIQUID, N.O.S. (Naplina Solveni)
Class:	3
Label(s):	3
EmS No.:	F-E, S-E
Packing Group:	
Marine Pollutant:	Not regulated.
Special precautions for user:	-
Cargo aircraft only:	Allowed.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Acute (Immediate)

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No component is regulated by CA Prop 65.

16.Other information, including date of preparation or last revision



Issue Date:	15.05.2015
Revision Date:	15.05.2015
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty . The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.