

# SAFETY DATA SHEET

## 1. Identification of the hazardous chemical and of the supplier

**Product identifier:** RENOLIT CSX AWE 0

**Other means of identification:** No data available.

**Recommended use of the chemical and restrictions on use**

**Recommended use:** Lubricating grease

**Recommended restrictions:** Industrial use only

**Manufacturer/Importer/Distributor Information**

### Manufacturer

Company Name: Fuchs Lubricants Co.  
Address: 17050 Lathrop Avenue  
Harvey, Illinois 60426  
Telephone: 708-333-8900  
Fax: 708-333-9180

Contact Person: EHS Department  
E-mail: sds@fuchs.com

**Emergency telephone number:** 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Acute toxicity (Oral)	Category 5
Acute toxicity (Dermal)	Category 5
Skin Corrosion/Irritation	Category 3
Toxic to reproduction	Category 2

#### Unknown toxicity - Health

Acute toxicity, oral	24.06 %
Acute toxicity, dermal	15.54 %
Acute toxicity, inhalation, vapor	86.61 %
Acute toxicity, inhalation, dust or mist	84.42 %

### Label Elements

**Hazard Symbol:**



**Signal Word:** Warning

**Hazard Statement:** H303+H313: May be harmful if swallowed or in contact with skin.  
H316: Causes mild skin irritation.  
H361: Suspected of damaging fertility or the unborn child.

**Precautionary Statements**

**Prevention:** P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P312: Call a POISON CENTER or doctor/ physician if you feel unwell.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P308+P313: IF exposed or concerned: Get medical advice/attention.

**Storage:** P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
1-Decene, homopolymer, hydrogenated	68037-01-4	40 - 70%
Mineral oil	64741-88-4	7 - 13%
Dodecylbenzene calcium sulfonate	26264-06-2	7 - 13%
Calcium carbonate	471-34-1	3 - 7%
Calcium 12-hydroxyoctadecanoate	3159-62-4	1 - 5%
Magnesium silicate	14807-96-6	1 - 5%
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.5 - 5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

<b>Inhalation:</b>	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
<b>Skin Contact:</b>	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.
<b>Eye contact:</b>	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.
<b>Ingestion:</b>	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.

#### **Most important symptoms/effects, acute and delayed**

<b>Symptoms:</b>	No data available.
<b>Hazards:</b>	No data available.

#### **Indication of immediate medical attention and special treatment needed**

<b>Treatment:</b>	Get medical attention if symptoms occur.
-------------------	--

### **5. Fire-fighting measures**

<b>General Fire Hazards:</b>	No unusual fire or explosion hazards noted.
------------------------------	---

#### **Suitable (and unsuitable) extinguishing media**

<b>Suitable extinguishing media:</b>	Water spray, fog, CO2, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.
<b>Unsuitable extinguishing media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.

<b>Specific hazards arising from the chemical:</b>	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.
--	---

#### **Special protective equipment and precautions for fire-fighters**

<b>Special fire-fighting procedures:</b>	No data available.
<b>Special protective equipment for fire-fighters:</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

### **6. Accidental release measures**

<b>Personal precautions, protective equipment and emergency procedures:</b>	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.
<b>For non-emergency personnel:</b>	No data available.
<b>For emergency responders:</b>	No data available.
<b>Methods and material for containment and cleaning up:</b>	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.
<b>Environmental Precautions:</b>	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

<b>Precautions for safe handling:</b>	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container.
<b>Conditions for safe storage, including any incompatibilities:</b>	Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Mineral oil	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Calcium carbonate - Respirable fraction.	VLE-PPT	3 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Calcium carbonate - Inhalable fraction.	VLE-PPT	10 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Magnesium silicate - Respirable fraction.	VLE-CT	2 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)

<b>Appropriate Engineering Controls</b>	No data available.
---	--------------------

## Individual protection measures, such as personal protective equipment

<b>General information:</b>	Use personal protective equipment as required.
<b>Eye/face protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Skin Protection</b>	
<b>Hand Protection:</b>	No data available.
<b>Other:</b>	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
<b>Respiratory Protection:</b>	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	solid
<b>Form:</b>	Semifluid
<b>Color:</b>	Amber

**Odor:** Mild

**Odor threshold:** No data available.

**pH:** No data available.

**Melting point/freezing point:** No data available.

**Initial boiling point and boiling range:** No data available.

**Flash Point:** 250 °C

**Evaporation rate:** No data available.

**Flammability (solid, gas):** No data available.

### Upper/lower limit on flammability or explosive limits

**Flammability limit - upper (%):** No data available.

**Flammability limit - lower (%):** No data available.

**Explosive limit - upper:** No data available.

**Explosive limit - lower:** No data available.

**Vapor pressure:** No data available.

**Vapor density:** No data available.

**Density:** No data available.

**Relative density:** 0.95

### Solubility(ies)

**Solubility in water:** Insoluble

**Solubility (other):** No data available.

**Partition coefficient (n-octanol/water):** No data available.

<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	Not reactive during normal use.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None under normal conditions.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
<b>Skin Contact:</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact:</b>	Eye contact is possible and should be avoided.
<b>Ingestion:</b>	May be ingested by accident. Ingestion may cause irritation and malaise.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

<b>Oral Product:</b>	ATEmix (): 2000 - 5000 mg/kg
----------------------	------------------------------

#### Dermal

**Product:** ATEmix (): 2000 - 5000 mg/kg

#### Inhalation

**Product:**

#### Repeated dose toxicity

**Product:** No data available.

#### Skin Corrosion/Irritation

**Product:** No data available.

#### Specified substance(s):

1-Decene,  
homopolymer,  
hydrogenated

Mineral oil  
Calcium carbonate  
Calcium 12-  
hydroxyoctadecanoate

Benzenamine, N-  
phenyl-, reaction  
products with 2,4,4-  
trimethylpentene

in vivo (Rabbit): Not irritant , 24 - 72 h Read-across based on grouping of substances (category approach), Weight of Evidence study  
in vivo (Rabbit): Not classified as an Irritant , 24 - 72 h Read-across based on grouping of substances (category approach), Weight of Evidence study  
in vivo (Rabbit): Not irritant , 24 h Experimental result, Supporting study  
in vivo (Rabbit): Not irritant , 24 - 72 h Experimental result, Key study  
In vitro (Human, in vitro reconstituted epidermis model): Non-corrosive , 2 d Read-across from supporting substance (structural analogue or surrogate), Key study  
in vivo (Rabbit): Not irritant , 4 - 72 h Experimental result, Supporting study  
In vitro (Human, in vitro reconstituted epidermis model): Not irritant , 6 d Read-across from supporting substance (structural analogue or surrogate), Key study  
In vitro (Human, EPISKIN epidermis model): Not irritant , > 0.00 h Read-across from supporting substance (structural analogue or surrogate), Key study  
in vivo (Rabbit): Slightly irritating , 1 - 168 h Experimental result, Key study

#### Serious Eye Damage/Eye Irritation

**Product:** No data available.

#### Specified substance(s):

1-Decene,  
homopolymer,  
hydrogenated

Mineral oil

Rabbit, 48 h: Not irritant EU  
Rabbit, 48 h: Not irritant EU  
Rabbit, 72 h: Not irritant EU  
Rabbit, 24 h: Not irritant EU  
Rabbit, 24 h: Not irritant EU  
Rabbit, 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 72 h: Not irritant EU

Rabbit, 24 h: Not irritant EU  
Rabbit, 48 h: Not irritant EU  
Rabbit, 48 h: Not irritant EU  
Rabbit, 24 h: Not irritant EU

Calcium carbonate      Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Not irritant EU

Calcium 12-  
hydroxyoctadecanoate      Rabbit, 1 - 14 d: Mild irritant  
Rabbit, 1 - 14 d: Mild irritant  
Rabbit: Not Classified  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Mild irritant  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Not irritant EU  
Rabbit, 24 - 72 h: Mild irritant  
Rabbit, 24 - 72 h: Not irritant EU

Benzenamine, N-  
phenyl-, reaction  
products with 2,4,4-  
trimethylpentene      Rabbit, 1 - 168 h: Not irritant EU  
Rabbit, 1 - 168 h: Not irritant EU  
Rabbit, 1 - 168 h: Not irritant EU

#### **Respiratory or Skin Sensitization**

**Product:**      No data available.

#### **Carcinogenicity**

**Product:**      No data available.

#### **IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

##### **In vitro**

**Product:**      No data available.

##### **In vivo**

**Product:**      No data available.

#### **Reproductive toxicity**

**Product:**      No data available.

#### **Specific Target Organ Toxicity - Single Exposure**

**Product:**      No data available.

#### **Specific Target Organ Toxicity - Repeated Exposure**

**Product:**      No data available.

#### **Aspiration Hazard**

**Product:**      No data available.

**Other effects:**      No data available.



## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Specified substance(s):

1-Decene, homopolymer, hydrogenated LC 50 (Rainbow Trout, 96 h): > 1,000 mg/l

Calcium carbonate LC 50 (Fish): > 100 mg/l

##### Aquatic Invertebrates

**Product:** No data available.

##### Specified substance(s):

1-Decene, homopolymer, hydrogenated EC50 (Daphnia, 48 h): 190 mg/l

Mineral oil EC50 (Daphnia): > 1,000 mg/l

Calcium carbonate EC50 (Daphnia): > 100 mg/l

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene EC50 (Water Flea, 48 h): 51 mg/l

#### Chronic hazards to the aquatic environment:

##### Fish

**Product:** No data available.

##### Aquatic Invertebrates

**Product:** No data available.

##### Specified substance(s):

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene EC50 (Water Flea, 48 d): > 51 mg/l

##### Toxicity to Aquatic Plants

**Product:** No data available.

##### Specified substance(s):

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l

### Persistence and Degradability

#### Biodegradation

**Product:** No data available.

#### BOD/COD Ratio

**Product:** No data available.

#### Bioaccumulative potential

##### Bioconcentration Factor (BCF)

**Product:** No data available.

#### Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

#### Mobility in soil:

No data available.

#### Known or predicted distribution to environmental compartments

1-Decene, homopolymer, hydrogenated No data available.

Mineral oil No data available.

Dodecylbenzene calcium sulfonate No data available.

Calcium carbonate No data available.

Calcium 12-hydroxyoctadecanoate No data available.

Magnesium silicate No data available.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene No data available.

#### Other adverse effects:

No data available.

### 13. Disposal considerations

#### Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.

#### Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

Not Regulated.

#### IATA

Not Regulated.

SDS\_MX - 000000012826

## IMDG

Not Regulated.

## 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not applicable

#### Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Not applicable

#### Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)

none

#### Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)

Not applicable

#### Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)

Not applicable

#### Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)

Not applicable

## 16. Other information, including date of preparation or last revision

**Issue Date:** 04/08/2024

**Revision Information:** 04/08/2024: ARGHS\_MX

**Version #:** 1.1

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.