

1. Identification		
Product name		RENOLIT PLEXALENE 724 MO
Other means of identificatio	n	No data available.
Recommended use:		Lubricating grease
Restrictions on use:		Industrial use only
Manufacturer/Importer/Supp	lier/Distributor Informatio	n
Manufacturer Company Name: Address: Telephone: Fax: Contact Person: E-mail:	Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, Illinois 60426 708-333-8900 708-333-9180 EHS Department msds@fuchs.com	
Emergency telephone number	er: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)
2. Hazard(s) identification		
Hazard Classification	Not classified as haza	rdous under 29CFR 1910.1200 (HazCom 2012)
Label Elements		
Hazard Symbol:	No symbol	
Signal Word:	No signal word.	
Hazard Statement:	Not applicable	
Precautionary Statement	Not applicable	
Other hazards which do not result in GHS classification:	None.	
3. Composition/information	on ingredients	



Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	60 - 100%
Aluminum salt	Confidential	5 - 10%
Antimony compound	Confidential	1 - 5%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures		
Ingestion:	Rinse mouth thoroughly. Call a Poison Center or doctor if you feel unwell. Do NOT induce vomiting.	
Inhalation:	Move to fresh air. Call a Poison Center or doctor if you feel unwell.	
Skin Contact:	Remove contaminated/saturated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.	
Most important symptoms/effec	ets, acute and delayed	
Symptoms:	No data available.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	Get medical attention as appropriate or if symptoms persist.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) exting	juishing media	
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Heat may cause the containers to pressurize and possibly rupture. During fire, gases hazardous to health may be formed.	
Special protective equipment a	nd precautions for firefighters	
Special fire fighting procedures:	No data available.	
MSDS_US - R00000451044		



Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment appropriate for industrial fires.
6. Accidental release measure	S
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not handle damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so and protect against releases into the environment. Remediate as appropriate.
7. Handling and storage	
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may

Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.
---	--

expand and pressurize container.

8. Exposure controls/personal protection

Exposure Limits

Chemical name	type	Exposure Limit Values	Source
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Aluminum salt - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Antimony compound - as Sb	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Antimony compound - as Sb	PEL	0.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Protective Measures:

Use personal protective equipment as required.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

Eye Protection: MSDS_US - R00000451044 Wear safety glasses with side shields (or goggles).



Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Discard contaminated footwear that cannot be cleaned. Avoid contact with skin, eyes, and clothing.

9. Physical and chemical properties

Appearance

Physical state:	Solid
Form:	Grease
Color:	Amber
Odor:	Mild petroleum
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	204.44 °C (399.99 °F)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.95
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	> 22 mm2/s (40 °C, estimated)



10. Stability and reactivity	
Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	None under normal conditions.
Conditions to Avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Info	rmation on likely routes of ex Ingestion:	posure May be ingested by accident. Ingestion may cause irritation and malaise.
	Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
	Skin Contact:	Prolonged skin contact may cause redness and irritation.
	Eye contact:	Eye contact is possible and should be avoided.
Syn	nptoms related to the physical Ingestion:	I, chemical and toxicological characteristics No data available.
	Inhalation:	No data available.
	Skin Contact:	No data available.
	Eye contact:	No data available.
Info	rmation on toxicological effec	cts
Α	cute toxicity (list all possible	routes of exposure)
	Oral Product:	ATEmix (): > 5000 mg/kg
	Dermal Product:	ATEmix (): 2000 - 5000 mg/kg



Product:	Not classified for acute toxicity based on available data.		
Repeated dose toxicity Product:	No data available.		
Skin Corrosion/Irritation Product:	No data available.		
Serious Eye Damage/Eye Irritati Product:	on No data available.		
Respiratory or Skin Sensitizatio Product:	n No data available.		
Carcinogenicity Product:	No data available.		
IARC Monographs on the No carcinogenic component	Evaluation of Carcinogenic Risks to Humans: s identified		
	US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Reg No carcinogenic component	gulated Substances (29 CFR 1910.1001-1050): s identified		
Germ Cell Mutagenicity			
In vitro Product:	No data available.		
In vivo Product:	No data available.		
Reproductive toxicity Product:	No data available.		
Specific Target Organ Toxicity - Product:			
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.		
Aspiration Hazard Product:	No data available.		
Other effects:	No data available.		



12. Ecological information	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

This material is not subject to transport regulations.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories None

SARA 313 (TRI Reporting)

Chemical Identity	
Antimony compound	

Reporting threshold for other users 10000 lbs Reporting threshold for manufacturing and processing 25000 lbs.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

16.Other information, including date of preparation or last revision



Issue Date:	01.06.2015
Revision Date:	01.06.2015
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty . The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.