

SAFETY DATA SHEET

1. Identification

Product name	RENOLIT PU HT 2
Other means of identification	No data available.
Recommended use:	Lubricating grease
Restrictions on use:	Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Fuchs Lubricants Co.
17050 Lathrop Avenue
Harvey, Illinois 60426
708-333-8900
708-333-9180
EHS Department
sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction

Category 2

Label Elements

Hazard Symbol:



Signal Word:

Warning

Hazard Statement:

Suspected of damaging fertility or the unborn child.



Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response:	IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards which do not None. result in GHS classification:

Unknown	toxicity	- Health
---------	----------	----------

Acute toxicity, oral	14.34 %
Acute toxicity, dermal	14.35 %
Acute toxicity, inhalation, vapor	99.8 %
Acute toxicity, inhalation, dust or mist	98.69 %

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized	68412-26-0	0.1 - <1%
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1 - <1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures	
Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water.



Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.	
Most important symptoms/effects	s, acute and delayed	
Symptoms:	No data available.	
Indication of immediate medical at	ttention and special treatment needed	
Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extingu	ishing media	
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.	
Special protective equipment and	d precautions for fire-fighters	
Special fire-fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.	
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.	
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.	



7. Handling and storage

Precautions for safe handling: Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling.

Conditions for safe storage, Store locked up. including any incompatibilities:

8. Exposure controls/personal protection

Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Inhalable fraction as Mo	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Total dust as Mo	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Protective Measures:

Use personal protective equipment as required.



Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Eye Protection:	Wear safety glasses with side shields (or goggles).
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:	solid
Form:	Semisolid
Color:	Light tan
Odor:	Mild
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	200 °C (392 °F)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.95
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
SDS_US	



10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure					
	Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.			
	Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.			
	Skin Contact:	May cause an allergic skin reaction.			
	Eye contact:	Eye contact is possible and should be avoided.			
Syr	Symptoms related to the physical, chemical and toxicological characteristics Ingestion: No data available.				
	Inhalation:	No data available.			
	Skin Contact:	No data available.			
	Eye contact:	No data available.			
Information on toxicological effects					
A	Acute toxicity (list all possible routes of exposure)				
	Oral Product:	ATEmix (): 2000 - 5000 mg/kg			
	Dermal Product:	ATEmix (): 2000 - 5000 mg/kg			

Inhalation



Product:	No data available.	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritatio Product:		
Respiratory or Skin Sensitizatior Product:	n No data available.	
Carcinogenicity Product:	This product contains a low concentration of hydrated magnesium silicate (Talc). Under the International Agency for Research on Cancer (IARC), Talc in powder form is classified as Group 1: Carcinogenic to Humans. This is based on exposure through inhalation and perineal dusting with talc-based body powders. For this product, Talc is bound in the product's matrix (grease). As a consequence, exposure to airborne Talc particles/dusts is not anticipated.	

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended: No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:	No data available.		
In vivo Product:	No data available.		
Reproductive toxicity Product:	Suspected of damaging fertility or the unborn child.		
Specific Target Organ Toxicity - Single Exposure Product: No data available.			
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.			
Aspiration Hazard Product:	No data available.		
SDS_US			



Other effects:	No data available.			
12. Ecological information				
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.			
13. Disposal considerations				
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.			
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.			

14. Transport information

DOT

Not Regulated.

IMDG

Not Regulated.

ΙΑΤΑ

Not Regulated.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

Crystalline silica

kidney effects lung effects immune system effects Cancer

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Delayed (Chronic) Health Hazard Reproductive toxicity



SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product can expose you to chemicals includingMagnesium silicateCrystalline silicawhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

16.Other information, including date of preparation or last revision

Issue Date:	14.05.2025
Revision Date:	14.05.2025
Version #:	1.2
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.