

# **SAFETY DATA SHEET**

## 1. Identification

**Product identifier** 

Other means of identification

**Recommended use:** 

Restrictions on use:

No data available.

**RENOLIT SUPERLITH 2000** 

Lubricating grease

Industrial use only

## Manufacturer/Importer/Distributor Information

### Manufacturer

Company Name:	Fuchs Lubricants Co.	
Address:	17050 Lathrop Avenue	
	Harvey, Illinois 60426	
Telephone:	708-333-8900	
Fax:	708-333-9180	
Contact Person:	EHS Department	
E-mail:	sds@fuchs.com	

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard identification

## **Hazard Classification**

### **Health Hazards**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

## **Unknown toxicity - Health**

Acute toxicity, oral 3.59 % Acute toxicity, dermal 4.29 % Acute toxicity, inhalation, vapor 34.76 % Acute toxicity, inhalation, dust 34.18 % or mist % of the mixture consists of an ingredient or ingredients of unknown acute toxicity

### Label Elements

Hazard Symbol:



!	
Signal Word:	Warning
Hazard Statement:	Causes skin irritation. Causes serious eye irritation.
Precautionary Statements	
Prevention:	Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
Response:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards which do not result in GHS classification:	None.

## 3. Composition/information on ingredients

### **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated heavy naphthenic	Mineral oil,	64742-52-5	45 - 70%
Asphalt, non-oxidized		8052-42-4	10 - 30%
Lithium soap	Lithium soap,	7620-77-1	5 - 10%
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts		68457-79-4	0.1 - 1%
Antimony compound	Antimony compound,	15874-48-3	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

### Ingestion:

Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation:

Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.



Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects	s, acute and delayed
Symptoms:	No data available.
Hazards:	No data available.
Indication of immediate medical a	attention and special treatment needed
Treatment:	Get medical attention if symptoms occur.
5. Fire-fighting measures	
General Fire Hazards:	No unusual fire or explosion hazards noted.
Suitable (and unsuitable) extingu	ishing media
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.
Special protective equipment and	d precautions for fire-fighters
Special fire-fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	6
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.



## 7. Handling and storage

Precautions for safe handling:	Avoid contact with molten material. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Wash hands thoroughly after handling. Add material slowly when mixing with water. Do not add water to the material; instead, add the material to the water. Avoid contact with skin.
Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.

## 8. Exposure controls/personal protection

## **Control Parameters**

## Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (05 2013)
Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable dusts and mists.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Asphalt, non-oxidized - Aerosol, inhalable as benzene solubles	TWA	0.5 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (09 2011)
Asphalt, non-oxidized - Inhalable fraction as benzene solubles	TWA	0.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Asphalt, non-oxidized - Fume.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Asphalt, non-oxidized - Inhalable fume as benzene solubles	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2018)
Antimony compound - as Sb	TWA	0.5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Antimony compound - as Sb	TWA	0.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Antimony compound - as Sb	8 HR ACL	0.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	1.5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)



Antimony compound - as Sb	TWA	0.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Antimony compound - as Sb	TWA	0.5 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)
Antimony compound - as Sb	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)

## Appropriate Engineering No data available. Controls

## Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

## Appearance

Physical state:	solid
Form:	Grease
Color:	Black
Odor:	Mild
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	212.22 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.



Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	No data available.
Relative density:	0.855
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.

Auto-ignition temperature: Decomposition temperature:

> 22 mm2/s (40 °C, estimated)

No data available.

Viscosity:

## 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

Information on likely routes of exposure Inhalation: Harmful if inhaled.	
Skin Contact:	Causes skin irritation.
Eye contact:	Causes serious eye irritation.
Ingestion:	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics



Inhalation:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Information on toxicological effe	cts	
Acute toxicity (list all possible	routes of exposure)	
Oral Product:	ATEmix: > 5000 mg/kg	
Dermal Product:	ATEmix: 2000 - 5000 mg/kg	
Inhalation Product:	No data available.	
Delayed and immediate effects, including chronic effects from short- and long-term exposureProduct:No data available.		
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritation Product: No data available.		
Respiratory or Skin Sensitizatior Product:	n No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program No carcinogenic com		
ACGIH Carcinogen List: No carcinogenic com	ponents identified	
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	



Specific Target Organ Toxicity	- Single Exposure
Product:	No data available.
Specific Target Organ Toxicity	- Repeated Exposure
Product:	No data available.
Aspiration Hazard Product:	No data available.

Other effects:

No data available.

## 12. Ecological information

### **Ecotoxicity:**

## Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates Product: No data available.

## Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential	
Bioconcentration Factor (BCF) Product: No data available.	

## Partition Coefficient n-octanol / water (log Kow)



Product:	No data available.
Mobility in soil:	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	5
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

#### TDG

Not Regulated.

### IMDG

Not Regulated.

### ΙΑΤΑ

Not Regulated.

### 15. Regulatory information

## Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1)

Not Regulated

## Export Control List (CEPA 1999, Schedule 3)

Not Regulated

## National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Not Regulated

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4) NPRI Not Regulated

## Greenhouse Gases

Not Regulated

## 16.Other information, including date of preparation or last revision

Issue Date:

01/29/2025



### **Revision Date:**

## 01/29/2025

No data available.

1.2

Version #: Further Information:

**Disclaimer:** 

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.