

SAFETY DATA SHEET

1. Identification

Product name

SPRAY CLEANER 1275NF

Other means of identification

Recommended use:

Restrictions on use:

Industrial cleaning fluid

Industrial use only

No data available.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Address:	Fuchs Lubricants Co. 17050 Lathrop Avenue Harvey, Illinois 60426
Telephone:	708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Acute toxicity (Oral)	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Hazard Symbol:



Signal Word:

Danger



Hazard Statement:	Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary Statements	
Prevention:	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see in product SDS). Wash contaminated clothing before reuse.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
hazards which do not in GHS classification:	None.
Unknown toxicity - Health	
Acute toxicity, oral	1.1 %
Acute toxicity dermal	25 12 %

Acute toxicity, orai	1.1 %
Acute toxicity, dermal	25.12 %
Acute toxicity, inhalation, vapor	25.12 %
Acute toxicity, inhalation, dust or mist	4.12 %
or mist	

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Sodium nitrite	Confidential	10 - <25%
Chelating agent	Confidential	1 - <3%
Surfactant	Confidential	1 - <5%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures

Other result



Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.
Most important symptoms/effect	s, acute and delayed
Symptoms:	No data available.
Indication of immediate medical a	ttention and special treatment needed
Treatment:	Symptoms may be delayed.
5. Fire-fighting measures	
General Fire Hazards:	No unusual fire or explosion hazards noted.
Suitable (and unsuitable) extingu	lishing media
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials. Water spray, fog, CO2, dry chemical, or regular foam.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Provide adequate ventilation. Do not get in eyes, on skin, on clothing. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not taste or swallow. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities:	Store locked up. Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.
8. Exposure controls/personal	protection
Exposure Limits	
	No exposure limits noted for the ingredient(s).
Protective Measures:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Eye Protection:	Wear safety glasses with side shields (or goggles).
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.



9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	No data available.
Color:	Brown
Odor:	Characteristic
Odor threshold:	No data available.
pH:	12.2
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	Not applicable
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.19
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	> 2 mm2/s (40 °C)
VOC:	0 % (Method 24)

10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials: SDS_US	No data available.



Hazardous Decomposition	Thermal decomposition or combustion may liberate carbon oxides and
Products:	other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure Ingestion: Harmful if swallowed.	
Inhalation:	Harmful if inhaled.
Skin Contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.
Symptoms related to the physic Ingestion:	al, chemical and toxicological characteristics No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological effects	
Acute toxicity (list all possible routes of exposure)	
Oral Product:	ATEmix (): 300 - 2000 mg/kg
Dermal Product:	No data available.
Inhalation Product:	No data available.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritat Product:	ion No data available.
Respiratory or Skin Sensitization Product:	on No data available.
Carcinogenicity	



Product:	The IARC monograph classification of Group 2A (Probable carcinogen) for nitrites addresses chronic dietary nitrite exposure, not occupational exposure. Due to the physical matrix of the product (liquid) and under normal occupational use, the potential of ingestion is not anticipated.
IARC Monographs on t	he Evaluation of Carcinogenic Risks to Humans:
Sodium nitrite	Overall evaluation: 2A. Probably carcinogenic to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended: No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Tox Product:	icity - Single Exposure No data available.	
Specific Target Organ Tox Product:	icity - Repeated Exposure No data available.	
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	
12. Ecological informatio	n	
General information:	This product has not been evaluated for ecological toxicity or other environmental effects.	
13. Disposal considerations		



Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): Packing Group: Marine Pollutant:	UN 1760 Corrosive liquids, n.o.s.(Sodium Nitrite) 8 8 II No
Special precautions for user:	-
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: Marine Pollutant: Special precautions for user:	UN 1760 CORROSIVE LIQUID, N.O.S.(Sodium Nitrite) 8 8 8 F-A, S-B II Not regulated.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group: Environmental Hazards Special precautions for user: Other information Passenger and cargo aircraft: Cargo aircraft only:	UN 1760 Corrosive liquid, n.o.s.(Sodium Nitrite) 8 8 8 II Not regulated. – Allowed. Allowed.

15. Regulatory information US Federal Regulations



US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Reporting

threshold for

other users

10000 lbs

Hazard categories

Immediate (Acute) Health Hazards Acute toxicity (any route of exposure) Skin Corrosion or Irritation Serious eye damage or eye irritation

SARA 313 (TRI Reporting)

Chemical Identity Sodium nitrite

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

16.Other information, including date of preparation or last revision		
Issue Date:	28.12.2020	
Revision Date:	28.12.2020	
Version #:	1.2	
Further Information:	No data available.	
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	

Reporting threshold for

manufacturing and

processing

25000 lbs.