

17050 Lathrop Avenue

(800) 255-3924 24 hrs Emergency

Harvey, IL 60426 (708) 333-8900

2006 (REACH)

Printed 17.11.2015

revision 07.08.2015 (GB) Version 3.2

STABYL HD A01-05325

STABYL HD

SECTION 1: Identification of the substance/mixture and of the company/undertaking US Distributor

Fuchs Lubricants Co. 1.1. Product identifier

Name of product

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

Lubricant

Advice

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor FUCHS LUBRITECH GMBH

Werner-Heisenberg-Straße 1, D-67661 Kaiserslautern/Germany Phone +49 (0) 6301 3206 - 0, Fax +49 (0) 6301 3206 - 940

F-Mail reach@fuchs-lubritech de Internet www.fuchs-lubritech.com Product Safety Management

Phone +49 (0) 6301 3206 - 0 Fax +49 (0) 6301 3206 - 940 E-mail (competent person): reach@fuchs-lubritech.de

1.4. Emergency telephone number

+49 (0)171 / 4632154 **Emergency advice** 

Phone 06301/3206-808

This number is only available at office times.

**SECTION 2: Hazards identification** 

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

R52/53

R-phrases

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 52/53

! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories Hazard Statements Classification procedure

Aquatic Chronic 3 H412

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

**Hazard Statements** 

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

Avoid release to the environment.

2.3. Other hazards

Information pertaining to special dangers for human and environment

none at appropriate handling and storage

Results of PBT and vPvB assessment

Diese Zubereitung erfüllt nicht die PBT-/vPvB-Kriterien der REACH-Verordnung, Annex XIII.

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

not applicable

3.2. Mixtures

Description

Thickening system and additives in highly refined mineral oil





17.11.2015

2006 (REACH)

Printed

revision 07.08.2015 (GB) Version 3.2

STABYL HD

A01-05325

Hazard	ous	ınar	edients	

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
	215-222-5	Zn(II)-compound	1 - 2,5	N; R50/53
	234-409-2	Zinc compound	0,1 - 1	Xi; R38 N; R50/53
	288-917-4	Zn-DTP	1 - 3	Xi; R38 R41 N; R51/53
CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
	215-222-5	Zn(II)-compound	1 - 2,5	Aquatic Chronic 1, H410 / Aquatic Acute 1, H400
	234-409-2	Zinc compound	0,1 - 1	Skin Irrit. 2, H315 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410
	288-917-4	Zn-DTP	1 - 3	Eye irrit. 2, H319 / Skin Irrit. 2, H315 / Aquatic Chronic 2, H411

#### **Additional advice**

none at appropriate handling and storage

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

#### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment. (may be relevant for vapours of superheated product)

#### In case of skin contact

In case of contact with skin wash off with soap and water.

Don't use organic solvents

Consult a doctor if skin irritation persists.

## In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

#### In case of ingestion

In case of indisposition seek for medical advice, show safety data sheet or product label

Rinse out mouth thoroughly with water.

## 4.2. Most important symptoms and effects, both acute and delayed

## Physician's information / possible symptoms

No symptoms known so far.

#### Physician's information / possible dangers

Aspiration hazard when vomiting after swallow up

## 4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

Treat symptoms.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Dry powder

Carbon dioxide

Water spray jet

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.





2006 (REACH)

Printed 17.11.2015

revision 07.08.2015 (GB) Version 3.2

STABYL HD

A01-05325

#### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

In case of rescue and maintenance activities in storage containers use environment-independent breathing apparatus because of risk of suffocation by edging out of air oxygen

Wear suitable personal protective equipment for fire extinguishing measures.

#### **Additional information**

Collect contaminated firefighting water separately, must not be discharged into the drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Use personal protective clothing.

High risk of slipping due to leakage/spillage of product.

#### For emergency responders

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the subsoil/soil.

#### 6.3. Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

After taking up the material dispose according to regulation.

#### **Additional Information**

unknown

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8 Emergency telephone number: see section 1

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols.

#### General protective measures

Avoid contact with eyes and skin

## Hygiene measures

Cloths contaminated with product should not be kept in trouser pockets.

Follow general rules of industrial hygiene for safe handling of chemical products

At work do not eat, drink and smoke.

Remove soaked clothing immediately.

Wash hands before breaks and after work.

Use barrier skin cream.

#### Advice on protection against fire and explosion

Don't heat up to temperatures at close range to flash point

Pay attention to general rules of internal fire prevention.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Prevent penetration into the ground

#### Advice on storage compatibility

Do not store together with food.

## Further information on storage conditions

Keep container tightly closed, store at cool and aired place, open and handle carefully.

Protect from heat and direct solar radiation.

Storage group

В Fire class





2006 (REACH)

Printed revision

17.11.2015

07.08.2015 (GB) Version 3.2

STABYL HD A01-05325

7.3. Specific end use(s)
Recommendation(s) for intended use

see Product information

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice

This product as such does not contain any relevant ingredients with to be observed limited values As basis for this information served the valid references.

#### 8.2. Exposure controls

## Respiratory protection

not necessary in general

#### Hand protection

PVC gloves

#### Eye protection

tightly fitting goggles, in case of splashing

#### Other protection measures

Usual working clothes for chemical industries

#### Appropriate engineering controls

not necessary in general

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

AppearanceColourOdourpastyblackcharacteristic

#### **Odour threshold**

not determined

## Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value					not applicable
boiling range					not applicable
melting range					not determined
Flash point					not applicable
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature					unknown
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	ca. 0,87 g/cm3	25 ℃		DIN 51757	
Vapour density	not determined				
Solubility in water					not or poorly miscible

FUCHS LUBRITECH GmbH, 67661 Kaiserslautern/Germany



2006 (REACH)

Printed revision

17.11.2015

07.08.2015 (GB) Version 3.2

STABYL HD

A01-05325

Value Temperature Method Remark Solubility/other not determined Partition coefficient nnot determined octanol/water (log P O/W) Decomposition not determined temperature Viscosity consistency NLGI 2 Oxidising properties **Explosive properties** 9.2. Other information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available

No information available.

### 10.2. Chemical stability

No information available.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

No hazardous reactions known.

## 10.5. Incompatible materials

#### Materials to avoid

Reactions with strong oxidising agents.

### 10.6. Hazardous decomposition products

thermal decomposition: Nitrous oxides (NOx) Sulphurous oxides (SOx)

## Thermal decomposition

Remark No decomposition if used as directed.

#### **Additional information**

All grease components show a very low level of reactivity at room temperature

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity/Irritability/Sensitization

 Value/Validation
 Species
 Method
 Remark

 LD50 acute oral
 not determined


 Irritability skin
 frequent and/or persistent contact may cause skin

Irritability eye no irritating effects known

Skin sensitization No sensitizing effect known

## Experiences made from practice

no harmful effects at appropriate handling and determined usage





2006 (REACH)

Printed revision 17.11.2015

07.08.2015 (GB) Version 3.2

STABYL HD

A01-05325

#### Additional information

No toxical dates available

Labelling in compliance with the assessment procedure specified in the EC guidelines 1999/45/EC.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Ecotoxicological effects**

Method Validation Fish not determined Daphnia not determined not determined Algae

#### 12.2. Persistence and degradability

**Biological** degradability

not determined

## 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely. preparation is water insoluble and does not formate emulsion

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

Diese Zubereitung erfüllt nicht die PBT-/vPvB-Kriterien der REACH-Verordnung, Annex XIII.

#### 12.6. Other adverse effects

#### Behaviour in sewage plant

Product gets duly not into waste water before it is not treated according to the local regulations.

Product swims on (waste-) water surface

#### **General regulation**

Ecological dates are not available.

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No.

Name of waste

12 01 12 spent waxes and fats

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

### Recommendations for the product

German statutes are prescribed in the law of "recycling and waste" (KrW/AbfG)

In accordance with regulations for special waste, must be taken to a special waste disposal.

used absorbents of chapter 6: EAK 07 06 10

#### Recommendations for packaging

Totally emptied packaging may be taken for recycling.

Dispose one-trip container according to local authority prescriptions

EAK 15 01 10: packing material with harmful contamination

## Recommended cleansing agent

Fat-dissolving agents

#### **General information**

Ultimately responsible for correct classification is the waste producer, as the EWC names different codes for different origins of same waste Therefore the a.m. recommendation has to be checked in case of need.





2006 (REACH)

Printed revision

17.11.2015

07.08.2015 (GB) Version 3.2

## STABYL HD

A01-05325

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

#### Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

#### **Marine transport IMDG**

No hazardous goods as defined by prescriptions

#### Air transport ICAO/IATA-DGR

No hazardous goods as defined by prescriptions

#### Transport/further information

No hazardous goods as defined by prescriptions

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**VOC** standard

VOC content 0 %

**National regulations** 

Water hazard class 2 Mixture-WGK according to VwVwS (GER)

## 15.2. Chemical Safety Assessment

Chemical Safety Assessments for mixtures is not required.

## **SECTION 16: Other information**

#### Training advice

Use information in this MSDS

## Recommended uses and restrictions

usage only according to instructions for use and observance of warning notes

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The information given in this MSDS is based on the present state of knowledge and is intended to describe our products from the point of view of safety requirements only.

Substantial changes to the former version are marked by "!" on the left margin of the paper.

All the raw materials in this product are listed in TSCA.

Refer to product information paper.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 3.1

### Sources of key data used

Material Safety Data Sheets of raw materials

#### Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 38 Irritating to skin.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H315 Causes skin irritation.H319 Causes serious eye irritation.





2006 (REACH) Printed

inted 17.11.2015

revision 07.08.2015 (GB) Version 3.2

STABYL HD A01-05325

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

