

# SAFETY DATA SHEET

# 1. Identification

Product identifier

STABYL LX 460 SYN

Other means	s of	identification
-------------	------	----------------

**Recommended use:** 

**Restrictions on use:** 

Grease

Industrial use only

No data available.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
Telephone: Fax:	Harvey, Illinois 60426 708-333-8900 708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

# 2. Hazard identification

# **Hazard Classification**

## **Health Hazards**

Reproductive toxicity

Category 2

## **Unknown toxicity - Health**

# Label Elements

## Hazard Symbol:





Signal Word:	Warning
Hazard Statement:	Suspected of damaging fertility or the unborn child. May cause respiratory irritation.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF exposed or concerned: Get medical advice/attention.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards which do not result in GHS classification:	None.

# 3. Composition/information on ingredients



#### **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
1-dodecene, polymer with 1- octene, hydrogenated	Polymer,	163149-29-9	30 - 60%
1-Decene, homopolymer, hydrogenated	Polyalphaolefins,	68037-01-4	10 - 30%
Lithium soap	Lithium soap,	7620-77-1	5 - 10%
Lithium compound		19370-86-6	1 - 5%
Distillates (petroleum), hydrotreated light paraffinic	Mineral oil,	64742-55-8	1 - 5%
Calcium carbonate	Calcium carbonate,	471-34-1	1 - 5%
Sulfurized vegetable oil		68153-37-7	1 - 5%
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	0.1 - 1%
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene		68411-46-1	0.1 - 1%
Lithium hydroxide		1310-66-3	0.1 - 1%
Benzenesulfonic acid, alkyl derivatives, calcium salts	Benzenesulfonic acid, alkyl derivatives, calcium salts,	93820-57-6	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

5. Fire-fighting measur	es		
Treatment:	Get medical attention if symptoms occur.		
Indication of immediate medical attention and special treatment needed			
Hazards:	No data available.		
Symptoms:	No data available.		
Most important symptoms/effects, acute and delayed			
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.		
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.		
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.		
Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.		

General Fire Hazards: No unusual fire or explosion hazards noted.



# Suitable (and unsuitable) extinguishing media

containment and cleaning up:without risk.Environmental Precautions:Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.7. Handling and storageObserve good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.Conditions for safe storage,Store locked up.		
media:       Specific hazards arising from the chemical:       Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.         Special protective equipment and precautions for fire-fighters       Special fire-fighting procedures:       No data available.         Special protective equipment for fire-fighters:       No data available.       Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.         6. Accidental release measures       Personal precautions, protective equipment and emergency procedures:       See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clution.         Methods and material for containment and cleaning up:       Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.         Precautions for safe handling:       Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not expose to intense heat as product may expand and pressurize container. Do not expose to intense heat as product may expand and pressurize container.         7. Handling storage       Store locked up.		
the chemical:       health may be formed.         Special protective equipment and precautions for fire-fighters       No data available.         Special protective equipment for fire-fighters:       No data available.         Special protective equipment for fire-fighters:       Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.         6. Accidental release measures       See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.         Methods and material for containment and cleaning up:       Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.         Image:       Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.         7. Handling and storage       Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understool. Obtain special instructions before use. Use personal protective equipment as required.         Conditions for safe storage,       Store locked up.		Do not use water jet as an extinguisher, as this will spread the fire.
Special fire-fighting procedures:No data available.Special protective equipment for fire-fighters:Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.6. Accidental release measuresPersonal precautions, protective equipment and emergency procedures:See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.Methods and material for containment and cleaning up:Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.Fervironmental Precautions:Avoid release to the environment. Do not containinate water sources or sewer. Prevent further leakage or spillage if safe to do so.7. Handling and storageObserve good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.Conditions for safe storage,Store locked up.		
procedures:       Special protective equipment for fire-fighters:       Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.         6. Accidental release measures       See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment and emergency procedures:       See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.         Methods and material for containment and cleaning up:       Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.         Precautions for safe handling:       Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.         Conditions for safe storage,       Store locked up.	Special protective equipment an	d precautions for fire-fighters
for fire-fighters:retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.6. Accidental release measuresPersonal precautions, protective equipment and emergency procedures:See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.Methods and material for containment and cleaning up:Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.Environmental Precautions:Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.7. Handling and storageObserve good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.Conditions for safe storage,Store locked up.		No data available.
Personal precautions, protective equipment and emergency procedures:See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.Methods and material for containment and cleaning 		retardant coat, helmet with face shield, gloves, rubber boots, and in
protective equipment and emergency procedures:damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.Methods and material for containment and cleaning up:Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.Environmental Precautions:Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.7. Handling and storageObserve good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.Conditions for safe storage,Store locked up.	6. Accidental release measure	S
containment and cleaning up:without risk.Environmental Precautions:Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.7. Handling and storageObserve good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.Conditions for safe storage,Store locked up.	protective equipment and	damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate
sewer. Prevent further leakage or spillage if safe to do so.         7. Handling and storage         Precautions for safe handling:       Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.         Conditions for safe storage,       Store locked up.	containment and cleaning	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.
<ul> <li>Precautions for safe handling: Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.</li> <li>Conditions for safe storage, Store locked up.</li> </ul>	Environmental Precautions:	
<ul> <li>protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.</li> <li>Conditions for safe storage, Store locked up.</li> </ul>	7. Handling and storage	
	Precautions for safe handling:	protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
incompatibilities:	including any	Store locked up.

# 8. Exposure controls/personal protection

# **Control Parameters**

# Occupational Exposure Limits

	Chemical Identity	Туре	Exposure Limit Values	Source	
--	-------------------	------	-----------------------	--------	--



Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	STEL	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Distillates (petroleum), hydrotreated light paraffinic	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Distillates (petroleum), hydrotreated light paraffinic - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (05 2013)
Distillates (petroleum), hydrotreated light paraffinic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Distillates (petroleum), hydrotreated light paraffinic - Inhalable dusts and mists.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Calcium carbonate	TWA	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Calcium carbonate	8 HR ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	20 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Calcium carbonate - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Calcium carbonate - Respirable fraction.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Calcium carbonate - Inhalable fraction.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Calcium carbonate - Inhalable particles.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Calcium carbonate - Respirable particles.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Calcium carbonate - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)
Calcium carbonate - Total dust.	STEL	20 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)
	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)



Calcium carbonate - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Calcium carbonate - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Distillates (petroleum), hydrotreated heavy paraffinic - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (05 2013)
Distillates (petroleum), hydrotreated heavy paraffinic - Inhalable fraction.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Distillates (petroleum), hydrotreated heavy paraffinic - Inhalable dusts and mists.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Lithium hydroxide	STEL	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Lithium hydroxide	CEILING	1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)

Appropriate Engineering	No data available.
Controls	

# Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.	
Eye/face protection:	Wear safety glasses with side shields (or goggles).	
Skin Protection Hand Protection:	No data available.	
Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.	
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.	
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.	

# 9. Physical and chemical properties

Appearance	
Physical state:	Semi-solid
Form:	Grease
Color:	off white
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.



Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.

Viscosity:

No data available.

# 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Contains a component which may release flammable substances, including trimethylpentene, by distillation in systems with solvent recovery. This may lead to accumulation in the solvent circuit.

# 11. Toxicological information

Information on likely routes of ex	posure
Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Prolonged skin contact may cause redness and irritation.



Eye contact:	Eye contact is possible and should be avoided.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physic	al, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix: 2000 - 5000 mg/kg
Dermal Product:	ATEmix: 2000 - 5000 mg/kg
Inhalation Product:	No data available.
Delayed and immediate effects, Product:	including chronic effects from short- and long-term exposure No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irritat Product:	ion No data available.
Respiratory or Skin Sensitization Product:	n No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the Evalu No carcinogenic con	ation of Carcinogenic Risks to Humans: nponents identified
US. National Toxicology Progra No carcinogenic con	m (NTP) Report on Carcinogens:
ACGIH Carcinogen List: No carcinogenic components identified	



## **Germ Cell Mutagenicity**

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	Suspected of damaging fertility or the unborn child.	
Specific Target Organ Tox Product:	icity - Single Exposure No data available.	
Specific Target Organ Tox Product:	icity - Repeated Exposure No data available.	
Aspiration Hazard Product:	No data available.	

Other effects:Respiratory tract irritation. May cause respiratory irritation. Hematological<br/>effects kidney damage liver damage Kidney cancer Liver cancer

# 12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish	
Product:	No data available.

Aquatic InvertebratesProduct:No data available.

#### Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.

# Persistence and Degradability



Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential	
Bioconcentration Factor (BC Product:	<b>F)</b> No data available.
Partition Coefficient n-octanol / w Product:	<b>vater (log Kow)</b> No data available.
Mobility in soil: Other adverse effects:	No data available. No data available.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	

#### TDG

Not Regulated.

#### IMDG

Not Regulated.

#### ΙΑΤΑ

Not Regulated.

# 15. Regulatory information

## Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)

# Chemical Identity Zinc compound

#### Export Control List (CEPA 1999, Schedule 3) Not Regulated



# Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements NPRI PT5 Not Regulated Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4) NPRI Not Regulated Greenhouse Gases Not Regulated 16.Other information, including date of preparation or last revision Issue Date: 10/30/2024

Revision Date:	10/30/2024
Version #: Further Information:	1.0 No data available.
Disclaimer:	This information is

National Pollutant Release Inventory (NPRI)

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.