

1. Identification			
Product name		SUGAR GLIDE OGL	
Other means of identification		No data available.	
Recommended use:		Lubricating fluid	
Restrictions on use:		Industrial use only	
Manufacturer/Importer/Suppli	er/Distributor Informatio	ı	
Manufacturer       Company Name:       Fuchs Lubricants Co.         Address:       17050 Lathrop Avenue         Harvey, Illinois       60426         Telephone:       708-333-8900         Fax:       708-333-9180         Contact Person:       EHS Department         E-mail:       sds@fuchsus.com         Emergency telephone number:       708-333-8900 (Bus. hrs)         800-255-3924 (24 hrs)			
Hazard Classification Health Hazards			
Serious Eye Damage/Eye Irritation Category 2B			
Label Elements			
Hazard Symbol:	No symbol		
Signal Word:	Warning	Warning	
Hazard Statement:	Causes eye irritation.		
Precautionary Statements			
Prevention:	Wash thoroughly after	handling.	
Response:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
SDS US			



# Other hazards which do notNone.result in GHS classification:

Unknown toxicity - Health	
---------------------------	--

Acute toxicity, oral	28.32 %
Acute toxicity, dermal	29.74 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust	99.58 %
or mist	

# 3. Composition/information on ingredients

# Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	20 - 50%
Polyisobutylene	Confidential	20 - 50%
Graphite	7782-42-5	5 - 10%
Magnesium silicate	14807-96-6	1 - 5%
Silica	112945-52-5	1 - 5%
Silica	112926-00-8	1 - 5%
Molybdenum compound	Confidential	0.1 - 1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

4. First-aid measures		
Ingestion:	Rinse mouth thoroughly. Call a POISON CENTER/doctor//if you feel unwell. Do NOT induce vomiting.	
Inhalation:	Move to fresh air. Call a POISON CENTER/doctor//if you feel unwell.	
Skin Contact:	Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention.	
Eye contact:	Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.	
Most important symptoms/effects, acute and delayed		
Symptoms:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measure	es	



General Fire Hazards:	No unusual fire or explosion hazards noted.		
Suitable (and unsuitable) extingu	lishing media		
Suitable extinguishing media:	Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.		
Special protective equipment an	d precautions for firefighters		
Special fire fighting procedures:	No data available.		
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
6. Accidental release measure	s		
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.		
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.		
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.		
7. Handling and storage			
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container.		
Conditions for safe storage, including any incompatibilities:	Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials.		



# 8. Exposure controls/personal protection

# **Exposure Limits**

Chemical name	type	Exposure Limit Values	Source
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Mineral oil - Mist.	STEL	10 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Graphite - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Graphite - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Graphite - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Graphite	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Magnesium silicate - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Magnesium silicate	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Magnesium silicate - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Magnesium silicate - Respirable.	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Magnesium silicate - Total dust.	TWA	0.3 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Silica	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Silica	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Silica	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Molybdenum compound - Inhalable fraction as Mo	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Molybdenum compound - Respirable fraction as Mo	TWA	3 mg/m3	US. ACGIH Threshold Limit Values (03 2012)
Molybdenum compound - Total dust as Mo	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

**Protective Measures:** Use personal protective equipment as required.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

**Eye Protection:** Wear safety glasses with side shields (or goggles).

Skin and Body Protection: V

Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer



for specific information.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	No data available.
Color:	Gray
Odor:	Mild petroleum/solvent
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	93.33 °C (199.99 °F)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.9
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	> 22 mm2/s (40 °C, estimated)

# 10. Stability and reactivity

**Reactivity:** 

Not reactive during normal use.



Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# 11. Toxicological information

# Information on likely routes of exposure

Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.	
Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.	
Skin Contact:	Prolonged skin contact may cause redness and irritation.	
Eye contact:	Eye contact is possible and should be avoided.	
Symptoms related to the physica Ingestion:	I, chemical and toxicological characteristics No data available.	
Inhalation:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Information on toxicological effects		
Acute toxicity (list all possible routes of exposure)		
Oral Product:	ATEmix (): 2000 - 5000 mg/kg	
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Repeated dose toxicity Product:	No data available.	
SDS_US		



- Skin Corrosion/IrritationProduct:No data available.
- Serious Eye Damage/Eye Irritation Product: No data available.
- Respiratory or Skin Sensitization Product: No data available.
- Carcinogenicity Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

### **Germ Cell Mutagenicity**

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity Product:	<b>- Single Exposure</b> No data available.
Specific Target Organ Toxicity Product:	• - Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

# 12. Ecological information

```
General information:
```

This product has not been evaluated for ecological toxicity or other environmental effects.



# 13. Disposal considerations Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied. Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

### DOT

Not regulated.

### IMDG

Not regulated.

### ΙΑΤΑ

Not regulated.

# 15. Regulatory information

# **US Federal Regulations**

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### **Hazard categories**

Immediate (Acute) Health Hazards

### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

### **US State Regulations**

### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

# 16.Other information, including date of preparation or last revision

Issue Date:	15.01.2017

**Revision Date:** 15.01.2017 SDS\_US



Version #:	1.1
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.