

# **SAFETY DATA SHEET**

## 1. Identification

**Product name** SUPER KLEEN 1630

Other means of identification No data available.

Recommended use: Cleaner/degreaser

Restrictions on use: Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Fuchs Lubricants Co. Company Name: Address: 17050 Lathrop Avenue Harvey, Illinois 60426

708-333-8900

Telephone: Fax: 708-333-9180

Contact Person: **EHS Department** E-mail: sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

#### **Hazard Classification**

## **Health Hazards**

Skin Corrosion/Irritation Category 1 Serious Eye Damage/Eye Irritation Category 1

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Causes severe skin burns and eye damage.

SDS US 1/9



Precautionary Statements

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any

exposed skin thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or

hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Storage: Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Other hazards which do not result in GHS classification:

None.

#### **Unknown toxicity - Health**

Acute toxicity, oral 2.05 %
Acute toxicity, dermal 11.79 %
Acute toxicity, inhalation, vapor 12.13 %
Acute toxicity, inhalation, dust 12.13 %

or mist

## 3. Composition/information on ingredients

**Hazardous Component(s):** 

Chemical name	CAS-No.	Concentration
Tetrasodium ethylenediaminetetraacetate	64-02-8	5 - <10%
Sodium hydroxide	1310-73-2	0.1 - <1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.

## 4. First-aid measures

**Ingestion:** Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

**Inhalation:** Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

SDS\_US 2/9



**Skin Contact:** Remove contaminated clothing and shoes. Wash contact areas with soap

and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

SDS US 3/9



**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

# 7. Handling and storage

**Precautions for safe handling:** Observe good industrial hygiene practices. Wear appropriate personal

protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not get in eyes. Wash hands thoroughly after handling. Use caution when adding this material to water. Add material slowly when mixing with water. Do not add water to the

material; instead, add the material to the water.

Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing

agents. Store away from incompatible materials.

# 8. Exposure controls/personal protection

**Exposure Limits** 

Chemical name	Туре	Exposure Limit Values	Source
Sodium hydroxide	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Sodium hydroxide	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)

**Protective Measures:** Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

**Eye Protection:** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing appropriate

for the risk of exposure. Contact health and safety professional or manufacturer

for specific information.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear

that cannot be cleaned.

#### 9. Physical and chemical properties

SDS US 4/9



**Appearance** 

Physical state: liquid

Form: No data available.

Color: Red Odor: Mild

Odor threshold: No data available.

**pH**: 12.5

Melting point/freezing point:No data available.Initial boiling point and boiling range:No data available.Flash Point:Not applicableEvaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

Vapor pressure:

No data available.

Relative density: 1.04

Solubility(ies)

Solubility in water: Soluble

Solubility (other):No data available.Partition coefficient (n-octanol/water):No data available.Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

**Reactivity:** Not reactive during normal use.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

SDS\_US 5/9



## 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** Harmful if swallowed.

Inhalation: Harmful if inhaled.

**Skin Contact:** Causes severe skin burns.

**Eye contact:** Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (): > 5000 mg/kg

**Dermal** 

**Product:** No data available.

Inhalation

**Product:** No data available.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

SDS\_US 6/9



#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

## **US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

## **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

## 12. Ecological information

General information: This product has not been evaluated for ecological toxicity or other

environmental effects.

#### 13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

SDS US 7/9



## 14. Transport information

DOT

UN number or ID number: UN 1760

UN Proper Shipping Name: Corrosive liquids, n.o.s.(Sodium hydroxide, Tetrasodium

ethylenediaminetetraacetate)

Transport Hazard Class(es)

Class: 8
Label(s): 8
Packing Group: III
Marine Pollutant: No

Special precautions for user: –

**IMDG** 

UN number or ID number: UN 1760

UN Proper Shipping Name: CORROSIVE LIQUID, N.O.S.(Sodium hydroxide, Tetrasodium

ethylenediaminetetraacetate)

Transport Hazard Class(es)

Class: 8 Label(s): 8

EmS No.: F-A, S-B

Packing Group:

Marine Pollutant: Not regulated.

Special precautions for user: -

**IATA** 

UN number or ID number: UN 1760

Proper Shipping Name: Corrosive liquid, n.o.s.(Sodium hydroxide, Tetrasodium

ethylenediaminetetraacetate)

Transport Hazard Class(es):

Class: 8
Label(s): 8
Packing Group: III

Environmental Hazards Not regulated.

Special precautions for user: -

Other information

Passenger and cargo aircraft: Allowed. Cargo aircraft only: Allowed.

# 15. Regulatory information

## **US Federal Regulations**

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

SDS\_US 8/9



## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

Immediate (Acute) Health Hazards Skin Corrosion or Irritation Serious eye damage or eye irritation

# SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## **US State Regulations**

## **US. California Proposition 65**



This product can expose you to chemicals including Ethylene oxidewhich is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

1,4-DioxaneAcetaldehydeFormaldehydewhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 04.01.2023

**Revision Date:** 04.01.2023

Version #: 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS US 9/9