

SAFETY DATA SHEET

1. Identification of the hazardous chemical and of the supplier

Product identifier: THERMISOL K9 W/QUENZ

Other means of identification: No data available.

Recommended use of the chemical and restrictions on use

Recommended use: Metalworking fluid

Recommended restrictions: Industrial use only

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Fuchs Lubricants Co. Address: 17050 Lathrop Avenue

Harvey, Illinois 60426

Telephone: 708-333-8900 Fax: 708-333-9180

Contact Person: EHS Department sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Oral)

Acute toxicity (Dermal)

Category 5

Category 5

Aspiration Hazard

Category 1

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 10 % Acute toxicity, inhalation, dust 6.5 %

or mist

Label Elements

Hazard Symbol:



SDS_MX - R00000450295



Signal Word: Danger

Hazard Statement: H303+H313: May be harmful if swallowed or in contact with skin.

H304: May be fatal if swallowed and enters airways.

Precautionary Statements

Response: P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved facility in accordance

with local, regional, national and international regulations.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), solvent- refined light paraffinic	64741-89-5	60 - 100%
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	10 - 30%
Asphalt	8052-42-4	5 - 10%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation: Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact: If burned by contact with hot material, cool molten material adhering

to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Remove contaminated clothing and shoes. Wash contact areas with soap and

contaminated dotting and shoes. Wash contact areas with soap and

water. If skin irritation occurs: Get medical advice/attention.

Eye contact: Flush thoroughly with water. If irritation occurs, get medical

assistance. Continue to rinse for at least 15 minutes.

Ingestion: Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

SDS_MX - R00000450295 2/11



Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fireextinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

ecific hazards the chemical: Heat may cause the containers to explode. During fire, gases hazardous to

health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate

ventilation.

For non-emergency personnel: No data available.

For emergency responders: No data available.

Methods and material for

containment and cleaning up:

Absorb with sand or other inert absorbent. Stop the flow of material, if this is

without risk.

Environmental Precautions: Avoid release to the environment. Do not contaminate water sources or

sewer. Prevent further leakage or spillage if safe to do so.

SDS_MX - R00000450295 3/11



7. Handling and storage

Precautions for safe handling: End-users should follow industry best practices for handling and using this

product.

Guidance may be found using the current version of ASTM Standard E1497-05: Standard Practice for Selection and Safe Use of Water-Miscible and Straight Oil Metal Removal Fluids Avoid contact with molten material. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may

expand and pressurize container.

Conditions for safe storage,

including any incompatibilities:

Store locked up.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), solvent-refined light paraffinic	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Distillates (petroleum), hydrotreated light paraffinic	VLE-PPT	5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)
Asphalt - Inhalable fraction as benzene solubles	VLE-PPT	0.5 mg/m3	Mexico. OELs. (NOM-010-STPS-2014 Chemical Pollutants at the Workplace; Assessment and Control), as amended (04 2014)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

supervisor on the company's respiratory protection standards.

SDS_MX - R00000450295 4/11



Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: No data available.

Color: Dark brown

Odor: Mild petroleum/solvent
Odor threshold: No data available.
pH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: 173.89 °C

Evaporation rate:No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Relative density: 0.85

Solubility(ies)

Solubility in water: Insoluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

No data available.

No data available.

No data available.

No data available.

Viscosity: 12.5 mm2/s (40 °C, Measured)

Other information

VOC: 24.02 g/l

10. Stability and reactivity

Reactivity: Not reactive during normal use.

SDS_MX - R00000450295 5/11



Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Harmful if inhaled.

Skin Contact: Prolonged skin contact may cause redness and irritation.

Eye contact: Eye contact is possible and should be avoided.

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix (): 2000 - 5000 mg/kg

Dermal

Product: ATEmix (): 1000 - 2000 mg/kg

Inhalation

Product: No data available.

SDS_MX - R00000450295 6/11



Specified substance(s):

Distillates (petroleum), solvent-refined light

paraffinic

LC 50 (Rat): > 5.2 mg/l LC 50 (Rat): 10.5 mg/l

Distillates (petroleum). hydrotreated light

paraffinic

LC 50 (Rat): > 5.53 mg/l

Asphalt

LC 50 (Rat): > 94.4 mg/m3 LC 50 (Rat): 23.6 mg/l LC 50 (Rat): > 94.4 mg/m3

Repeated dose toxicity

Product:

No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), solvent-refined light

paraffinic

Distillates (petroleum), hydrotreated light

paraffinic Asphalt

in vivo (Rabbit): Not irritant, 24 h Experimental result, Supporting study in vivo (Rabbit): Category 2, 24 - 72 h Experimental result, Key study

in vivo (Rabbit): Not irritant . 24 h Experimental result. Supporting study in vivo (Rabbit): Category 2, 24 - 72 h Experimental result, Key study

in vivo (Rabbit): Not irritant, 24 - 72 h Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), solvent-refined light

paraffinic

Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU

Rabbit, 24 h: Not irritant EU

Distillates (petroleum), hydrotreated light

paraffinic

Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU

SDS_MX - R00000450295 7/11



Asphalt Rabbit, 7 d: Not irritant EU

Rabbit, 1 h: Not irritant EU Rabbit, 72 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 1 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 48 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 72 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 24 h: Not irritant EU Rabbit, 24 h: Not irritant EU

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: May be fatal if swallowed and enters airways. May be fatal if swallowed and

enters airways.

Other effects: No data available.



12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum), solvent-refined light

LL 50 (Fish, 96 h): > 1,000 mg/l

Aquatic Invertebrates

paraffinic

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments



Distillates (petroleum), solvent-refined light

No data available.

paraffinic

Distillates (petroleum),

hydrotreated light paraffinic

Asphalt

No data available.

No data available.

Other adverse effects:

No data available.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for

recycling or disposal.

14. Transport information

DOT

Not Regulated.

IATA

Not Regulated.

IMDG

Not Regulated.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Mexico. Substances subject to reporting for the pollutant release and transfer registry (PRTR)

Not applicable

Mexico. Federal Law for the Control of Chemical Substances Susceptible to Diversion to Manufacturing of Chemical Weapons, Appendix 1: National list of chemical substances

Not applicable

Mexico. Wastewater Discharges - Maximum Limits into Coastal Waters, Dams, Rivers, Soil and Wetlands (NOM-001-ECOL)

none

Mexico. Hazardous Chemicals (NOM-028-STPS-2012, System for administration of workplace safety in the process and critical equipment for handling hazardous chemicals, Appendix A, Table A.I)



Not applicable

Mexico. Narcotic Drugs List (General Health Law, Articles 234 & 239, Feb. 7, 1984)

Not applicable

Mexico. Psychotropic Drugs (General Health Law, Feb. 7, 1984, Articles 245 & 254 Bis)
Not applicable

16.Other information, including date of preparation or last revision

Issue Date: 04/03/2024

Revision Information: 04/03/2024: ARGHS_MX

Version #: 1.1

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS_MX - R00000450295 11/11