

# SAFETY DATA SHEET

## 1. Identification

Product name	TIMKEN GR220
Other means of identification	No data available.
Recommended use:	Lubricating grease
Restrictions on use:	Industrial use only

## Manufacturer/Importer/Supplier/Distributor Information

#### Manufacturer

Company Name:	Fuchs Lubricants Co.
Address:	17050 Lathrop Avenue
	Harvey, Illinois 60426
Telephone:	708-333-8900
Fax:	708-333-9180
Contact Person:	EHS Department
E-mail:	sds@fuchs.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

## 2. Hazard(s) identification

## **Hazard Classification**

Health Hazards	
Skin sensitizer	Category 1
Toxic to reproduction	Category 2

## Label Elements

Hazard Symbol:



Signal Word:

Warning



Hazard Statement:		ause an allergic skin reaction. cted of damaging fertility or the unborn child.
Precautionary Statements		
Prevention:	precau dust/fu allowed	special instructions before use. Do not handle until all safety tions have been read and understood. Avoid breathing me/gas/mist/vapors/spray. Contaminated work clothing should not be d out of the workplace. Wear protective gloves/ protective clothing/ otection/ face protection. Use personal protective equipment as d.
Response:	clothing advice/	SKIN: Wash with plenty of soap and water. Wash contaminated g before reuse. If skin irritation or rash occurs: Get medical attention. Specific treatment (see supplemental first aid instructions label). IF exposed or concerned: Get medical advice/attention.
Storage:	Store I	ocked up.
Disposal:		e of contents/ container to an approved facility in accordance with egional, national and international regulations.
Other hazards which do not result in GHS classification:	None.	
Unknown toxicity - Health		
Acute toxicity, oral		3.54 %
Acute toxicity, dermal		3.55 %
Acute toxicity, inhalation,	vapor	99.8 %
Acute toxicity, inhalation, or mist	dust	98.69 %
3 Composition/information on	ingrad	ionts

# 3. Composition/information on ingredients

## Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Urea, N,N''-(methylenedi-4,1-phenylene)bis[N'- cyclohexyl-	58890-25-8	5 - <10%
4,4'-Distearylureidodiphenyl	43136-14-7	1 - <5%
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized	68412-26-0	0.1 - <1%
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1 - <1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.



Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.
Move to fresh air. Call a POISON CENTER/doctor if you feel unwell.
Remove contaminated clothing and shoes. Wash contact areas with soap and water. If skin irritation occurs: Get medical advice/attention. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water.
Flush thoroughly with water. If irritation occurs, get medical assistance. Continue to rinse for at least 15 minutes.
ts, acute and delayed
No data available.
attention and special treatment needed
Get medical attention if symptoms occur.
No unusual fire or explosion hazards noted.
uishing media
Water spray, fog, CO2, dry chemical, or regular foam. Use fire- extinguishing media appropriate for surrounding materials.
Do not use water jet as an extinguisher, as this will spread the fire.
Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.
nd precautions for fire-fighters
No data available.
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb with sand or other inert absorbent. Stop the flow of material, if this is without risk.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling.
Conditions for safe storage,	Store locked up.

including any incompatibilities:



## 8. Exposure controls/personal protection

## **Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Inhalable fraction as Mo	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2012)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Total dust as Mo	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - Respirable fraction as Mo	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (01 2017)
Molybdenum dibutyldithiocarbamate, Molybdenum, bis(dibutylcarbamodithioato)di-#- oxodioxodi-, sulfurized - as Mo	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

## **Protective Measures:** Use personal protective equipment as required.

Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.
Eye Protection:	Wear safety glasses with side shields (or goggles).
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.



## 9. Physical and chemical properties

Appearance	
Physical state:	solid
Form:	Semisolid
Color:	Light tan
Odor:	Mild
Odor threshold:	No data av
pH:	No data av
Melting point/freezing point:	No data av
Initial boiling point and boiling range:	No data av
Flash Point:	200 °C (39
Evaporation rate:	No data av
Flammability (solid, gas):	No data av
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data av
Flammability limit - lower (%):	No data av
Explosive limit - upper:	No data av
Explosive limit - lower:	No data av
Vapor pressure:	No data av
Vapor density:	No data av
Relative density:	0.95
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data av
Partition coefficient (n-octanol/water):	No data av
Auto-ignition temperature:	No data av
Decomposition temperature:	No data av
Viscosity:	No data av

## ta available. ta available. ta available. ta available. C (392 °F) ta available. ta available.

ble ta available. ta available. ta available. ta available. ta available.

## 10. Stability and reactivity

Reactivity:	Not reactive during normal use.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	None under normal conditions.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials: SDS_US	No data available.



Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
11. Toxicological information	
Information on likely routes of Ingestion:	exposure May be ingested by accident. Ingestion may cause irritation and malaise.
Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	May cause an allergic skin reaction.
Eye contact:	Eye contact is possible and should be avoided.
Symptoms related to the physic Ingestion:	cal, chemical and toxicological characteristics No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Information on toxicological eff	fects
Acute toxicity (list all possib	le routes of exposure)
Oral Product:	ATEmix (): 2000 - 5000 mg/kg
Dermal Product:	ATEmix (): 2000 - 5000 mg/kg
Inhalation Product:	No data available.
Repeated dose toxicity Product:	No data available.
Skin Corrosion/Irritation Product:	No data available.
Serious Eye Damage/Eye Irrita Product:	tion No data available.
Respiratory or Skin Sensitizati Product:	on No data available.



## Carcinogenicity Product: This product contains a low concentration of hydrated magnesium silicate (Talc). Under the International Agency for Research on Cancer (IARC), Talc in powder form is classified as Group 1: Carcinogenic to Humans. This is based on exposure through inhalation and perineal dusting with talc-based body powders. For this product, Talc is bound in the product's matrix (grease). As a consequence, exposure to airborne Talc particles/dusts is not anticipated. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended: No carcinogenic components identified Germ Cell Mutagenicity In vitro No data available. **Product:** In vivo **Product:** No data available. **Reproductive toxicity Product:** Suspected of damaging fertility or the unborn child. **Specific Target Organ Toxicity - Single Exposure Product:** No data available. **Specific Target Organ Toxicity - Repeated Exposure** No data available. **Product:** Aspiration Hazard **Product:** No data available. Other effects: No data available. 12. Ecological information **General information:** This product has not been evaluated for ecological toxicity or other environmental effects.

## 13. Disposal considerations



Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must be applied.
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

#### DOT

Not Regulated.

#### IMDG

Not Regulated.

#### ΙΑΤΑ

Not Regulated.

## 15. Regulatory information

## **US Federal Regulations**

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Respiratory or Skin Sensitization Reproductive toxicity

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## **US State Regulations**

#### **US. California Proposition 65**



This product can expose you to chemicals includingMagnesium silicateCrystalline silicawhich is [are] known to the State of California to cause cancer.

For more information go to www.P65Warnings.ca.gov.



16.Other information, including date of preparation or last revision	
Issue Date:	12.07.2024
Revision Date:	06.06.2024
Version #:	1.1
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.